Author Index to Volume 89

References with (A) are to abstracts of papers presented at meetings of the American Physical Society, and those with (T) designate title only. References with (L) are to Letters to the Editor.

Abragam, A. and R. V. Pound. Influence of nuclear quadrupole moment on α-γ angular correlation in RaTh—1306(L)
—— (see Fields, R. E.)—908(A)
Abraham, Bernard M. (see Weinstock, Bernard)—787
Accardo, C. A. (see Lehovec, K.)—20
Adair, R. K., A. Okazaki, and M. Walt. Scattering of neutrons by deuterons—1165
Adams, E. N. II. Magnetic susceptibility of diamagnetic electron gas—role of small effective electron mass—633
Affleck, J. H. and L. V. Holroyd. Use of Ba^{140} in studies of oxide coated cathodes—893(A)
Ahrens, L. H. (see Aldrich, L. T.)—631
Alburger, D. E. and S. Thulin. Identification of 7-hr Mo^{93m}—1146(L)
—— (see Lindström, A.)—1303(L)
Aldrich, L. T., L. F. Herzog, W. K. Holyk, F. B. Whiting and L. H. Ahrens. Variations in isotopic abundances of Sr—631
Allen, James S. and W. K. Jentschke. Electron-neutrino angular correlation in β-decay of He^6—902(A)
Allis, W. P. and D. J. Rose. Transition from free to ambipolar diffusion—335(A)
Almy, G. M. (see Butler, W. A.)—893(A)
Alpert, D. Researches in ultra-high vacuum—902(T)
Alpert, Morris (see Nielsen, J. Rud)—895(A)
Altshuler, Saul. Applications of variational principles to scattering problems—1278
—— Excitation cross section for He atoms—1093(L)
Amar, Henri. General-relativistic approach to short-range forces—1298(L)
Ames, D. P., M. E. Bunker, L. M. Langer, and B. M. Sorenson. Disintegration of Sr^{91} and Y^{91m}—903(A)
Anderson, C. D. (see Leighton, R. B.)—148
Andrew, Alan and Clifton R. Davidson. Induced thermoelectric potential from radiation damage—876(L)
Andrews, Donald H. (see Haley, Floyd C.)—821
Annis, Martin, H. S. Bridge, and S. Olbert. Application of multiple scattering theory to cloud-chamber measurements—1216
Antal, J. J. and A. H. Weber. Structure of surface of glass and of Bi films deposited on glass—900(A)
Antonoff, George. Kinks in vapor pressure p *vs* temperature curves—915(A)
—— New theory of aggregates as supplement to van't Hoff's theory of solutions—915(A)
—— **and Raymond Madrazo, Jr.** Angular points in densities of water *vs* temperature—899(A)
Apker, L. Photoelectric emission from solids—902(T)
—— (see Huntington, H. B.)—352
Atkins, K. R. Heat pulses in liquid He II below 1°K—526(L)
Atkinson, W. R. and R. G. Fowler. Plane supersonic flow patterns in ionized media—906(A)
—— (see Fowler, R. G.)—336(A)
Austern, N. Validity of Born approximation in stripping—318(L)

Bair, J. K. (see Kington, J. D.)—530(L)
Bandyopadhyay, G. New equation in affine field laws—1161(L)
Barber, W. C., G. E. Becker, and E. L. Chu. Electron-electron scattering at 6.1 Mev—950
Barkas, Walter H. Range correction for electron pickup—1019
—— **and Helge Tyren.** Physical analysis of Be and C disintegration induced by 330-Mev protons—1
—— (see Wilson, H. W.)—758
Barker, W. A. and Z. V. Chraplyvy. Amplified Dirac equation and Lamb-Retherford shift—913(A)
—— **and Z. V. Chraplyvy.** Conversion of amplified Dirac equation to approximately relativistic form—446
Barnes, B. T. Electron velocity distributions in Hg-A discharge—335(A)
Baroody, E. M. Energy loss of medium-fast electrons in metals—910(A)
Barrett, Paul H., G. Cocconi, and Y. Eisenberg. Search for "T-tracks" in photographic plates—656(L)
Bartholomew, G. A. and B. B. Kinsey. Neutron capture γ-rays from Sc, V, Mn, Co, and Cu—386
—— (see Kinsey, B. B.)—375
Bartlett, J. H. and G. J. Dienes. Combined pairs of vacancies in Cu—848
Barton, R. (see Kip, A. F.)—518(L)
Battat, M. E. and F. L. Ribe. Formation of He^6 by 14-Mev neutron bombardment of Li and Be—80
Battey, James, L. Madansky, and F. Rasetti. α-γ angular correlation in RaTh—182
Becker, G. E. (see Barber, W. C.)—950
Becker, R. L., M. Walt, and A. Okazaki. Total cross sections for fast neutrons—904(A)
—— (see Fields, R. E.)—908(A)
—— (see Walt, M.)—1271
Belinfante, F. J. Special-relativistic linear gravitational theory—914(A)
Belser, Richard B. Frictional adhesion of metal to glass, quartz, and ceramic surfaces—915(A)
—— Improved techniques in aging of thin metal films—911(A)
—— Technique of soldering to thin metal films—915(A)
Bendt, Philip J. Neutron scattering by coupled paramagnetic ions—561
Benedict, T. S. and W. Shockley. Microwave observation of collision frequency of electrons in Ge—1152(L)
Bentley, W. (see Elson, R.)—320(L)
Benveniste, Jack and Bruce Cork. Inelastic events induced by 32-Mev protons on He—422
Bergmann, Peter G. and Ralph Schiller. Classical and quantum field theories in Lagrangian formalism—4
—— **and Robb Thomson.** Spin and angular momentum in general relativity—400
—— (see Goldberg, Joshua N.)—278
Berkowitz, Ami E. (see Franklin, Alan D.)—1171
Bethe, H. A. Molière's theory of multiple scattering—1256
Bhowmik, B. Negative primaries as part of cosmic radiation—327(L)
Billington, H. B. (see Roberts, J. H.)—905(A)
Biondi, Manfred A. Dissociative attachment of thermal electrons to I_2 molecules—337(A)
—— (see Chanin, Lorne M.)—337(A)
Birkhoff, R. D. (see Maerker, R. E.)—1159(L)
Birnbaum, G. and A. A. Maryott. High pressure inversion spectrum of ND_3 near 1500 Mc—895(A)
Birnbaum, Milton, Eric M. Harth, Leo Seren, and Ralph Tobin. Activity ratio method for measuring energy stability of betatrons—897(A)
Blatt, John M. β-decay interaction—83; 914(A)
—— β-decay of triton—86
Bloch, F. (see Wangsness, R. K.)—728
Bloembergen, N. and G. M. Temmer. Nuclear magnetic resonance of aligned radioactive nuclei—883(L)
Bohm, David. Causal interpretation of quantum theory—319(L)

Author Index to Volume 89

References with (A) are to abstracts of papers presented at meetings of the American Physical Society, and those with (T) designate title only. References with (L) are to Letters to the Editor.

Abragam, A. and R. V. Pound. Influence of nuclear quadrupole moment on α-γ angular correlation in RaTh—1306(L)
—— (see Fields, R. E.)—908(A)
Abraham, Bernard M. (see Weinstock, Bernard)—787
Accardo, C. A. (see Lehovec, K.)—20
Adair, R. K., A. Okazaki, and M. Walt. Scattering of neutrons by deuterons—1165
Adams, E. N. II. Magnetic susceptibility of diamagnetic electron gas—role of small effective electron mass—633
Affleck, J. H. and L. V. Holroyd. Use of Ba^{140} in studies of oxide coated cathodes—893(A)
Ahrens, L. H. (see Aldrich, L. T.)—631
Alburger, D. E. and S. Thulin. Identification of 7-hr Mo^{93m}—1146(L)
—— (see Lindström, A.)—1303(L)
Aldrich, L. T., L. F. Herzog, W. K. Holyk, F. B. Whiting and L. H. Ahrens. Variations in isotopic abundances of Sr—631
Allen, James S. and W. K. Jentschke. Electron-neutrino angular correlation in β-decay of He^6—902(A)
Allis, W. P. and D. J. Rose. Transition from free to ambipolar diffusion—335(A)
Almy, G. M. (see Butler, W. A.)—893(A)
Alpert, D. Researches in ultra-high vacuum—902(T)
Alpert, Morris (see Nielsen, J. Rud)—895(A)
Altshuler, Saul. Applications of variational principles to scattering problems—1278
—— Excitation cross section for He atoms—1093(L)
Amar, Henri. General-relativistic approach to short-range forces—1298(L)
Ames, D. P., M. E. Bunker, L. M. Langer, and B. M. Sorenson. Disintegration of Sr^{91} and Y^{91m}—903(A)
Anderson, C. D. (see Leighton, R. B.)—148
Andrew, Alan and Clifton R. Davidson. Induced thermoelectric potential from radiation damage—876(L)
Andrews, Donald H. (see Haley, Floyd C.)—821
Annis, Martin, H. S. Bridge, and S. Olbert. Application of multiple scattering theory to cloud-chamber measurements—1216
Antal, J. J. and A. H. Weber. Structure of surface of glass and of Bi films deposited on glass—900(A)
Antonoff, George. Kinks in vapor pressure p *vs* temperature curves—915(A)
—— New theory of aggregates as supplement to van't Hoff's theory of solutions—915(A)
—— **and Raymond Madrazo, Jr.** Angular points in densities of water *vs* temperature—899(A)
Apker, L. Photoelectric emission from solids—902(T)
—— (see Huntington, H. B.)—352
Atkins, K. R. Heat pulses in liquid He II below 1°K—526(L)
Atkinson, W. R. and R. G. Fowler. Plane supersonic flow patterns in ionized media—906(A)
—— (see Fowler, R. G.)—336(A)
Austern, N. Validity of Born approximation in stripping—318(L)

Bair, J. K. (see Kington, J. D.)—530(L)
Bandyopadhyay, G. New equation in affine field laws—1161(L)
Barber, W. C., G. E. Becker, and E. L. Chu. Electron-electron scattering at 6.1 Mev—950
Barkas, Walter H. Range correction for electron pickup—1019
—— **and Helge Tyren.** Physical analysis of Be and C disintegration induced by 330-Mev protons—1
—— (see Wilson, H. W.)—758
Barker, W. A. and Z. V. Chraplyvy. Amplified Dirac equation and Lamb-Retherford shift—913(A)
—— **and Z. V. Chraplyvy.** Conversion of amplified Dirac equation to approximately relativistic form—446
Barnes, B. T. Electron velocity distributions in Hg-A discharge—335(A)
Baroody, E. M. Energy loss of medium-fast electrons in metals—910(A)
Barrett, Paul H., G. Cocconi, and Y. Eisenberg. Search for "T-tracks" in photographic plates—656(L)
Bartholomew, G. A. and B. B. Kinsey. Neutron capture γ-rays from Sc, V, Mn, Co, and Cu—386
—— (see Kinsey, B. B.)—375
Bartlett, J. H. and G. J. Dienes. Combined pairs of vacancies in Cu—848
Barton, R. (see Kip, A. F.)—518(L)
Battat, M. E. and F. L. Ribe. Formation of He^6 by 14-Mev neutron bombardment of Li and Be—80
Battey, James, L. Madansky, and F. Rasetti. α-γ angular correlation in RaTh—182
Becker, G. E. (see Barber, W. C.)—950
Becker, R. L., M. Walt, and A. Okazaki. Total cross sections for fast neutrons—904(A)
—— (see Fields, R. E.)—908(A)
—— (see Walt, M.)—1271
Belinfante, F. J. Special-relativistic linear gravitational theory—914(A)
Belser, Richard B. Frictional adhesion of metal to glass, quartz, and ceramic surfaces—915(A)
—— Improved techniques in aging of thin metal films—911(A)
—— Technique of soldering to thin metal films—915(A)
Bendt, Philip J. Neutron scattering by coupled paramagnetic ions—561
Benedict, T. S. and W. Shockley. Microwave observation of collision frequency of electrons in Ge—1152(L)
Bentley, W. (see Elson, R.)—320(L)
Benveniste, Jack and Bruce Cork. Inelastic events induced by 32-Mev protons on He—422
Bergmann, Peter G. and Ralph Schiller. Classical and quantum field theories in Lagrangian formalism—4
—— **and Robb Thomson.** Spin and angular momentum in general relativity—400
—— (see Goldberg, Joshua N.)—278
Berkowitz, Ami E. (see Franklin, Alan D.)—1171
Bethe, H. A. Molière's theory of multiple scattering—1256
Bhowmik, B. Negative primaries as part of cosmic radiation—327(L)
Billington, H. B. (see Roberts, J. H.)—905(A)
Biondi, Manfred A. Dissociative attachment of thermal electrons to I_2 molecules—337(A)
—— (see Chanin, Lorne M.)—337(A)
Birkhoff, R. D. (see Maerker, R. E.)—1159(L)
Birnbaum, G. and A. A. Maryott. High pressure inversion spectrum of ND_3 near 1500 Mc—895(A)
Birnbaum, Milton, Eric M. Harth, Leo Seren, and Ralph Tobin. Activity ratio method for measuring energy stability of betatrons—897(A)
Blatt, John M. β-decay interaction—83; 914(A)
—— β-decay of triton—86
Bloch, F. (see Wangsness, R. K.)—728
Bloembergen, N. and G. M. Temmer. Nuclear magnetic resonance of aligned radioactive nuclei—883(L)
Bohm, David. Causal interpretation of quantum theory—319(L)

—— Proof that probability density approaches $|\psi|^2$ in causal interpretation of quantum theory—458
Bohr, Aage and Ben R. Mottelson. Interpretation of isomeric transitions of electric quadrupole type—316(L)
Bolgiano, P., L. Madansky, and F. Rasetti. Continuous γ-ray spectrum accompanying β-decay—679
Borowitz, Sidney and Bernard Friedman. Variational principles for three-body scattering problems—441
Borsellino, A. Momentum transfer and angle of divergence of pairs produced by photons—1023
Bostick, W. H., M. A. Levine, and L. S. Combes. Photographic and spectrographic evidence of the pinch effect in N_2—339(A)
Bowell, E. (see Lockett, E. E.)—657(L)
Bozorth, R. M. and R. W. Hamming. Measurement of magnetostriction in single crystals—865
—— **and J. G. Walker.** Magnetic crystal anisotropy and magnetostriction of Fe-Ni alloys—624
Braught, Gene (see Conn, Willi M.)—898(A)
Breit, G. and R. M. Thaler. Relativistic corrections to magnetic moments of nuclear particles—1177
Bretscher, M. M. (see McFarland, C. E.)—892(A)
Brice, M. K. (see Cork, J. M.)—1291
—— (see LeBlanc, J. M.)—907(A)
Brickl, David E. (see Griffith, Wayland)—451
Bridge, H. S. (see Annis, Martin)—1216
Brix, Peter. Nuclear magnetic moment of Pr^{141} from hfs of Pr II—1245
Brock, E. G., A. L. Houde, and E. A. Coomes. Periodic deviations in Schottky effect for Mo—851
Broida, H. P. OH rotational distributions in mixtures of H_2O in high frequency discharge—336(A)
—— **and W. R. Kane.** Rotational intensity distributions of OH and OD in electrodeless discharge through water vapor—1053
Brolley, John E., Jr. Isomeric branching and threshold behavior of $Mo^{92}(n,2n)Mo^{91}$—877(L)
Bromley, D. A., J. A. Bruner, and H. W. Fulbright. Angular distributions of protons from $F^{19}(d,p)F^{20}$—396
—— (see Fulbright, H. W.)—892(A)
Broyles, C. D. and S. K. Haynes. K-fluorescence yield summary—912(A)
——, **D. A. Thomas, and S. K. Haynes.** Measurement and interpretation of the K-Auger intensities of Sn^{118}, Cs^{137}, and Au^{198}—715
Bruce, C. R. Homogeneity mapping of permanent magnet field for chemical effect studies in nuclear resonance—896(A)
Brueckner, K. A. Multiple scattering correction to impulse approximation in two-body system—834
—— Multiple scattering effects in pion-deuteron scattering—909(A)
Bruner, J. A. (see Bromley, D. A.)—396
—— (see Fulbright, H. W.)—892(A)
Budini, P. Energy loss and Čerenkov radiation of relativistic ionizing particle—1147(L)
Bunker, M. E. (see Ames, D. P.)—903(A)
Burbidge, G. R. and A. H. de Borde. Mesonic Auger effect—189
Burstein, E., J. J. Oberly, and J. W. Davisson. Infrared photoconductivity due to neutral impurities in Si—331(L)
Bushkovitch, A. B. (see Jones, L. C.)—895(A)
Butler, S. T. and E. E. Salpeter. Angular distribution of (d,t) reactions—891(A)
Butler, W. A. and G. M. Almy. Photoprotons from Mo^{100} and Mo^{92}—893(A)

Caird, R. S. and Allan C. G. Mitchell. Rb^{84m}—573; 903(A)
Callaway, Joseph (see Herman, Frank)—518(L)
Camac, M., J. B. Platt, and H. J. Schulte. Z-dependence of mesic x-ray yield—905(A)
—— (see Schulte, H. J.)—905(A)
Cameron, John R., Robert H. Davis, Ajay S. Divatia, Frederic J. Eppling, and Richard W. Hill. Elastic scattering of α-particles by O^{16}—909(A)
—— (see Jackson, H. L.)—365
Caretto, A. A., Jr., and S. Katcoff. Shortlived Ce isotopes from U fission—1267
Carlson, R. R. (see Kington, J. D.)—530(L)
Carroll, E. E., Jr. (see Stephens, W. E.)—893(A)
Carter, R. S. (see Palevsky, H.)—910(A)
Carver, J. H., R. D. Edge, and D. H. Wilkinson. Cross section for $Ta^{181}(\gamma,2n)Ta^{179}$ at 17.6 Mev—658(L)
Casson, Harvey. Nuclear γ-rays from low energy proton bombardment of Na, Mg, and Al—809
Chang, C. H., C. S. Cook, and H. Primakoff. Transmission of electrons through thin metallic foils—910(A)
Chang, W. Y., G. del Castillo, and Leon Grodzins. Sea level penetrating showers—408
Chanin, Lorne M. and Manfred A. Biondi. Mobilities of thermal ions in noble gases—337(A)
Chasson, Robert L. Effects of atmosphere on penetrating cosmic radiation—1255
Chen, Tien Chi and F. London. Entropy of liquid He^3—1038
Chew, Geoffrey F. Pion-nucleon scattering when coupling is weak and extended—591
—— Theoretical approach to pion-nucleon interaction—904(T)
Chraplyvy, Z. V. Approximate two-body relativistic wave equations—912(A)
—— (see Barker, W. A.)—446; 913(A)
Christy, R. F. Coupling of angular momenta in nuclear reactions—839
Chu, E. L. (see Barber, W. C.)—950
Clark, D. D. (see Igo, G. J.)—879(L)
Clarke, R. L. (see Paul, E. B.)—892(A)
Class, C. M. and S. S. Hanna. Angular correlation in decay of Li^8—877(L)
Cleland, Marshall R. Fast neutron scintillation spectrometer—896(A)
Clifford, R. P. Extensometer for rubber—341(A)
Cocconi, G. (see Barrett, Paul H.)—656(L)
Coester, F. Symmetry of S-matrix—619; 913(A)
Cohen, S. G. (see Jaffe, A. A.)—454
Cole, Richard W. Exchange magnetic moments of nuclei with almost closed shells of nucleons—883(L)
Colgate, S. A. and F. C. Gilbert. Electron-positron annihilation in flight—790
Colladay, G. S. (see Juenker, D. W.)—894(A)
Collins, T. L. Atomic masses of light elements—909(T)
Combes, L. S. (see Bostick, W. H.)—339(A)
Conant, F. S. (see Hall, G. L.)—342(A)
Conklin, G. L. (see Mandeville, C. E.)—559
Conn, Willi M. and Gene Braught. Separation of incident and emitted radiations in solar furnace by rotating sectors—898(A)
Conner, J. P. Cloud-chamber study of scattering of fast neutrons in O_2—712
Cook, C. F. and J. R. Smith. Cross section for $D(d,p)H^3$—785
Cook, C. J. (see Jorgensen, T.)—897(A)
Cook, C. S. (see Chang, C. H.)—910(A)
—— (see Whalen, J. A.)—902(A)
Cook, W. R., Jr., and Hans Jaffe. Ferroelectricity in oxides of face-centered cubic structure—1297(L)
Coomes, E. A., J. A. Dezoteus, and J. F. Whalen. Patch effect for thermionic emission from polycrystalline Ta—894(A)
—— (see Brock, E. G.)—851
—— (see Juenker, D. W.)—894(A)
Coor, T. (see Hafner, E. M.)—204
Cork, Bruce. Elastic scattering of protons from He^4—78
—— (see Benveniste, Jack)—422

Cork, J. M., M. K. Brice, W. H. Nester, J. M. LeBlanc, and D. W. Martin. Radioactive decay of W^{187}—2191
—— (see LeBlanc, J. M.)—907(A)
Coryell, Charles D., Pierre Lévêque, and Harold G. Richter. Isomerism for Cd^{117}, In^{117}, and In^{118}—903(A)
Cüer, P. and J. J. Jung. Angular distribution of $Be^9(d,t)Be^8$ at low energy—1151(L)
Curtis, C. D. Bremsstrahlung cross section of 60-Mev electrons in Pb—123

Damm, C. C. Secondaries of penetrating showers—826
Danielson, G. C. (see Shaw, William C.)—900(A)
—— (see Smith, J. F.)—911(A)
Dannis, Mark L. Plasticizers for polyvinyl chloride—341(A)
Darden, Sperry (see Nereson, Norris)—775
Date, Muneyuki (see Okamura, Tosihiko)—525(L)
Daunt, J. G. (see Kaplan, B.)—907(A)
—— (see Smith, T. S.)—654(L)
Davidson, Clifton R. (see Andrew, Alan)—876(L)
Davidson, J. P. and E. Feenberg. Deviations from *LS* coupling in spheroidal core nuclear model—856
Davis, Robert H. (see Cameron, John R.)—909(A)
—— (see Herb, R. G.)—897(A)
Davisson, J. W. (see Burstein, E.)—331(L)
Day, Robert B. Inelastic scattering of neutrons—908(A)
Dayhoff, Edward S., Sol Triebwasser, and Willis E. Lamb, Jr. Fine structure of the H atom—106
—— (see Triebwasser, Sol)—98
Dayton, Irving E. *Z*-dependence of pair production cross section at 1.33 and 2.62 Mev—544
de Borde, A. H. (see Burbidge, G. R.)—189
Dehmelt, H. G. (see Robinson, H. G.)—1305(L)
de Klerk, D., R. P. Hudson, and J. R. Pellam. Normal fluid concentration in liquid He II below 1°K—662(L)
——, **R. P. Hudson, and J. R. Pellam.** Second-sound velocity measurements below 1°K—326(L)
Delaney, C. F. G. and J. H. J. Poole. Half-life of Ca^{48}—529(L)
del Castillo, G. (see Chang, W. Y.)—408
del Río, C. S. and V. L. Telegdi. Inelastic nuclear scattering of photons by Rh^{103}—909(A)
Dennison, D. M. (see Ivash, E. V.)—895(A)
—— (see Gopalakrishnan, K.)—908(A)
Deverall, G. V., K. W. Meissner, and G. J. Zissis. Hfs of resonance lines of In I—895(A)
Dewdney, John W. (see Geiger, James S.)—621
Dezoteus, J. A. (see Coomes, E. A.)—894(A)
Diamond, R. M. Mo^{99}—1149(L)
Dicke, Robert H. Effect of collisions upon Doppler width of spectral lines—472
Dienes, G. J. Entropies of activation in metallic diffusion—185
—— (see Bartlett, J. H.)—848
Divatia, Ajay S. (see Cameron, John R.)—909(A)
—— (see Herb, R. G.)—897(A)
Donahue, D. J., K. W. Jones, M. T. McEllistrem, and H. T. Richards. Electrostatic analysis of nuclear reaction energies—824; 892(A)
Donaven, T. W. (see Kundu, D. N.)—1200
Donn, Bertram. Theory of interstellar grains—898(A)
Dousmanis, G. C. (see Sanders, T. M.)—1158(L)
Duckworth, Henry E. (see Geiger, James S.)—621
Dudley, J. M. (see Rosengren, J. W.)—603
Duerig, William H. and Jordan J. Markham. Rates of coloration of KCl and KBr during x-irradiation at 78°K—900(A)
Duffield, Robert B. and John R. Huizenga. Photofission and photoneutron emission in U—1040
—— **and L. M. Langer.** Decay of Zn^{69}—854
—— (see Huizenga, John R.)—893(A)
—— (see Langer, L. M.)—907(A)
Dugdale, J. S. and D. K. C. MacDonald. Thermal expansion of solids—832
DuMond, Jesse W. M. (see Henke, Burton)—1300(L)
Durbin, Richard P. (see Goodell, Warren F., Jr.)—724
Dyke, W. P. and J. K. Trolan. Field emission: Large current densities, space charge, and vacuum arc—799

Eager, R. L. and D. B. Langmuir. Self-diffusion of Ta—911(A)
Early, Harold C. (see Smith, Haldon L.)—338(A)
Easterday, Harry T. and Heinrich A. Medicus. Isomeric transitions in Tc^{93} and Tc^{96}—752
Eatherly, W. P. and J. D. McClelland. Anisotropic susceptibility of polycrystalline graphite—661(L)
Edge, R. D. (see Carver, J. H.)—658(L)
Eichholz, G. G. Characteristics of thin plastic scintillation phosphors—912(A)
—— Half-life of W^{187}—525(L)
Einstein, Albert. Unified field theory—321(L)
Eisberg, R. M. (see Igo, G. J.)—879(L)
Eisenberg, Y. (see Barrett, Paul H.)—656(L)
Ekstein, H. Multiple scattering and radiation damping—490
Elenbass, W. Similarity conditions of high pressure discharges—338(A)
Elliott, R. J. Paramagnetism of uranyl-like ions—659(L)
Elson, R., W. Bentley, A. Ghiorso, and Q. Van Winkle. Thermal neutron fission and capture cross section of U^{232}—320(L)
Enatsu, H. Mass relation of heavy particles—1304(L)
Engelkemeir, D. W. (see Wagner, F., Jr.)—502
Eppling, Frederic J. (see Cameron, John R.)—909(A)
—— (see Jackson, H. L.)—365
Epstein, Saul T. Causal interpretation of quantum mechanics—319(L)
Esaki, Leo. Properties of thermally treated Ge—1026
—— Thermal treatment of Si rectifiers—398

Faire, A. C. (see Fundingsland, O. T.)—337(A)
Falconer, John I., Jr. Irregularities in radiation along positive column of high pressure Hg arc—342(A)
Falk, C. E. (see Hafner, E. M.)—204
Falkoff, David L. Quantum-mechanical methods in classical physics—340(A)
Faust, W. R. (see Scherrer, V. E.)—1268
Feenberg, E. (see Davidson, J. P.)—856
Feingold, A. M. Ground state of N^{14}—318(L)
Feld, Bernard T. Angular and energy distributions in photomeson production—330(L)
Feldman, David. Charge independence of nuclear forces—1159(L)
Ferguson, Eldon E. Normal coordinate analysis of 1, 3, 5-trifluoro-benzene—895(A)
Fields, R. E., R. L. Becker, and R. K. Adair. Total *n-p* scattering cross section at 2.5 Mev—908(A)
—— (see Walt, M.)—1271
Firor, J. W. (see Fonger, W. H.)—891(A)
Fischer, Heinz. Hydrogen spectra from channel of spark discharge with increased energy—336(A)
Fite, Wade L. Production of negative ions and noise in negative ion beams—411
Fivel, Daniel I. (see Plass, Gilbert N.)—898(A)
Flammer, Carson. Variational methods for periodic lattices and artificial dielectrics—1298(L)
Foldy, Leslie L. New rigorous lower bound on range of triplet *n-p* interaction—1251
Fong, Peter. Asymmetric fission—332(L)
Fonger, W. H., J. W. Firor, and J. A. Simpson. Recurring daily cycles of nucleonic component intensity—891(A)
Foote, H. L., Jr. (see Sailor, V. L.)—904(A)
Fosdick, L. D. and H. M. James. Approximate treatment of order-disorder transitions in simple cubic Ising lattice—901(A)
Foster, John S., Jr., E. O. Lawrence, and E. J. Lofgren. High vacuum, high speed ion pump—338(A)

Fowler, R. G., W. R. Atkinson, and R. J. Lee. Shock waves in expansion of low pressure sparks—336(A)
—— **and H. C. Rose.** Ion concentrations in shock-type spark discharge tubes—906(A)
—— (see Atkinson, W. R.)—906(A)
Fowler, William A. (see Kraus, Alfred A., Jr.)—299
Fox, R. E., W. M. Hickam, and T. Kjeldaas, Jr. Ionization probability curves near threshold—336(A); 555
Francis, A. E., J. J. G. McCue, and Clark Goodman. Inelastic scattering of neutrons by Cd^{111}—1232
Francis, Norman C. Photoproduction of π^0-mesons in H and D—766
—— **and Kenneth M. Watson.** Relation between photoproduction and scattering cross sections for π-mesons in complex nuclei—328(L)
Frank, V. and O. Gram Jeppesen. Hall coefficient of Ca—1153(L)
Frankl, D. R. and T. A. Read. Effects of F-centers on internal friction of rocksalt single crystals—663(L)
Franklin, Alan D. and Ami E. Berkowitz. Approach to saturation in dilute ferromagnetics—1171
Fred, Mark, and Frank S. Tomkins. Nuclear spin of $_{95}Am^{241}$—318(L)
Freedman, Melvin S., Arthur H. Jaffey, Frank Wagner, Jr., and Jack May. Radiations of Th^{231}(UY)—302
—— (see Wagner, F., Jr.)—502
Freeman, B. E. and J. L. McHale. Barrier penetration effects for light nuclei—223
French, A. P. (see Kraus, Alfred A., Jr.)—299
Fretter, W. B., M. M. May, and M. P. Nakada. V^0 particles—168
Friedman, Bernard (see Borowitz, Sidney)—441
Frieman, E. A. and L. Motz. p-p reaction and energy production in sun—648
Fry, W. F. Li^9 disintegration in photographic emulsion—325(L)
Fukuda, H. Multiple meson production by high energy nucleon-nucleon collisions—842
Fulbright, H. W., D. A. Bromley, and J. A. Bruner. Angular distributions of protons from $F^{19}(d,p)F^{20}$—892(A)
—— (see Bromley, D. A.)—396
Fumi, Fausto G. and Robert G. Parr. Electronic spectra of diatomic molecules: O_2 molecule—895(A)
Fundingsland, O. T., A. C. Faire, and A. J. Penico. Microwave method for measuring mean energy transfer per collision and velocity dependence of collision cross section for slow electrons in gases—337(A)
Furst, Milton and Hartmut Kallmann. Energy transfer in complex solutions—912(A)
——, **Hartmut Kallmann, and Bernard Kramer.** Absolute light emission efficiency of crystal anthracene for γ-ray excitation—416

Gager, W. B. (see Smith, T. S.)—654(L)
Galonsky, Aaron I. (see Jackson, Herbert L.)—365; 370
Gandy, Harold W. Cathodoluminescent studies of (BaSr)O—912(A)
Gehman, S. D. Physics of rubber—341(A)
Geiger, James S., Benjamin G. Hogg, Henry E. Duckworth, and John W. Dewdney. $Zr^{92}-Mo^{92}$ and $Zr^{94}-Mo^{94}$ pairs and $Zr^{96}-Mo^{96}-Ru^{96}$ triplet—621
Gelinas, R. W. and S. S. Hanna. Magnetic analysis of d-Be reactions—483
Geltman, S. and H. Margenau. Theory of mobility of He_2^+ in He—337(A)
Ghiorso, A. (see Elson, R.)—320(L)
—— (see Hulet, E. K.)—878(L)
—— (see Rasmussen, J. O., Jr.)—33
Gilbert, F. C. (see Colgate, S. A.)—790
Gilley, L. W. (see Lagemann, R. T.)—906(A)
Gilvarry, J. J. Relativity precession of asteroid Icarus—1046
Gingrich, N. S., C. G. Shull, and M. K. Wilkinson. Magnetic structure of Mn antimonide—910(A)
Glauber, Roy and Verner Schomaker. Theory of electron diffraction—667
Glockler, George (see McCulloh, K. E.)—145
Golay, Marcel J. E. (see Keck, Paul H.)—1297(L)
Goldberg, E. Levels of Al^{26} from $Mg^{24}(d,n)Al^{25}$—760
—— (see Jackson, H. L.)—365
Goldberg, Joshua N. Strong conservation laws and equations of motion in covariant field theories—263
——, **John W. Trischka, and Peter G. Bergmann.** Electric resonance transitions in tapered electric field—278
Goldemberg, J. and L. Katz. Resolution of "photon difference method"—1300(L)
Goldhaber, Gerson. Elastic pion-hydrogen scattering in photographic emulsions—1187
Goldhaber, M. Core isomerism—remarks on Mo^{93m}—1146(L)
—— (see Kraushaar, J. J.)—1081
Goldman, L. M. Elastic scattering of 6.5-Mev protons from Cu—349
Goldschmidt-Clermont, Y., L. S. Osborne, and M. B. Scott. Photoproduction of neutral mesons in H—329(L)
Goldstein, Herbert, J. Ernest Wilkins, Jr., and L. V. Spencer. Systematic calculations of γ-ray penetration—1150(L)
Goldstein, Louis. Theory of liquid He II—597
Gonzales, O. D. (see White, David)—593
Goodell, Warren F., Jr., Howard H. Loar, Richard P. Durbin, and William W. Havens, Jr. Neutron energy distribution from proton bombardment of Li, Be, and C at 375 Mev—724
Goodenough, John B. Theory of deviation from close packing in hexagonal metal crystals—282
Goodman, Clark (see Francis, A. E.)—1232
Gopalakrishnan, K., A. deShalit, and J. W. Mihelich. Neutron deficient isotopes of Hg—908(A)
Gora, E. Lower limit for interaction time in photon-photon scattering—913(A)
Gordon, M. M. and J. G. Jones. Variational procedure for electron-hydrogen scattering—913(A)
Gordy, W. (see Robinson, H. G.)—1305(L)
Goucher, F. S. and M. B. Prince. Interpretation of α-values in p-n junction transistors—651
Graves, Elizabeth R. and Louis Rosen. Distribution in energy of neutrons from interaction of 14-Mev neutrons with some elements—343
Green, H. S. First-order meson wave equations—965
—— (see Messel, H.)—315(L)
Gregory, Christopher. Conservation of quanta for non-local fields—1199
Griffith, Wayland and David E. Brickl. Diffraction of strong shock waves—451
Grodzins, Leon (see Chang, W. Y.)—408
Gui, K. E. New type of rubber fatigue test—341(A)
Gunst, S. B. (see Page, L. A.)—1273
Güttinger, Werner. Quantum field theory in light of distribution analysis—1004

Hafner, E. M., W. F. Hornyak, C. E. Falk, G. Snow, and T. Coor. Total n-p scattering cross section at 4.75 Mev—204
Hagstrum, Homer D. Effect of adsorption of common gases on electron ejection by noble gas ions—338(A)
—— Electron ejection from Mo by He^+, He^{++}, and He_2^+—244
Hales, R. W. and B. J. Moyer. Atomic number dependence of neutral meson yield from proton bombardment—1047
Haley, Floyd C. and Donald H. Andrews. Anomalous critical current effect in superconducting NbN—821
Hall, G. L. and F. S. Conant. Firestone shear flexometer—342(A)
Hall, Harry H., Daniel T. Hedden, and Thomas J. Turner. Activation energies of Se-Te alloys—340(A)

Hamermesh, Bernard. Measurement of neutron-capture γ-rays—896(T)
—— (see Kimball, Clyde)—1306(L)
Hamming, R. W. (see Bozorth, R. M.)—865
Hanna, S. S. (see Class, C. M.)—877(L)
—— (see Gelinas, R. W.)—483
Hannam, H. J. (see Lindemann, W. W.)—900(A)
Hanson, A. O. (see Whalin, E. A.)—324(L)
Hanson, H. P. Mixing of states and antiferromagnetism—1154(L)
Hardy, George F. and John K. Hulm. Superconducting silicides and germanides—884(L)
Härm, Richard (see Spitzer, Lyman, Jr.)—977
Harris, E. G. and M. A. Melkanoff. Quadrupole moment of Li^7—914(A)
Harris, Gerard G. and T. J. B. Shanley. γ-rays from μ-meson capture in Pb—983
Harris, S. P. Neutron resonances in Xe—904(A)
Harrison, F. B. (see Jackson, Jasper A.)—322(L)
Hart, Edward W. Structure of deformation bands—521(L)
Harth, Eric M. (see Birnbaum, Milton)—897(A)
Hatch, Albert J. and H. Bartel Williams. Theory of high frequency secondary electron resonance discharge mechanism—339(A)
—— (see Williams, H. Bartel)—339(A)
Havens, William W., Jr. (see Goodell, Warren F., Jr.)—724
Haxby, B. V. and P. Wargo. Effect of evaporation products from BaO coated cathode on secondary emission of MgO thin films—893(A)
Haynes, S. K. (see Broyles, C. D.)—715; 912(A)
Hedden, Daniel T. (see Hall, Harry H.)—340(A)
Hedgran, A. (see Lindström, G.)—1303(L)
Hellund, E. J. Decay of resonance radiation by spontaneous emission—919
Henke, Burton and Jesse W. M. DuMond. Low angle x-ray diffraction with long wavelengths—1300(L)
Herb, R. G., Robert H. Davis, Ajay S. Divatia, and D. Saxon. Evapor-ion pump—897(A)
Herlin, Melvin A. (see Mayper, Victor, Jr.)—523(L)
Herman, Frank and Joseph Callaway. Electronic structure of Ge crystal—518(L)
Herzog, L. F. (see Aldrich, L. T.)—631
Hickam, W. M. (see Fox, R. E.)—336(A); 555
Hildebrand, Roger H. Charge-independence in meson production—904(T)
—— Neutral meson production in n-p collisions—1090
Hill, David Lawrence and John Archibald Wheeler. Nuclear constitution and interpretation of fission phenomena—1102
Hill, R. D. and J. W. Mihelich. Probable existence of $E3+M4$ mixture in isomeric transition—323(L)
—— (see Swan, J. B.)—907(A)
Hill, Richard W. (see Cameron, John R.)—909(A)
—— (see Jackson, H. L.)—365
Hjalmar, Elis and Hilding Slätis. Q-values for $N^{14}(\alpha,p)O^{17}$—1151(L)
Hobson, J. P. and W. A. Nierenberg. Statistics of two-dimensional, hexagonal net—662(L)
Hoffman, Banesh. Relativity of size—49
—— Similarity theory of relativity and Dirac-Schrödinger theory of electrons—52
Hofstadter, Robert (see Hudson, A.)—1309(L)
—— (see Kantz, Asher)—607
Hogg, Benjamin G. (see Geiger, James S.)—621
Holmes, D. K. Application of cellular method to Si, erratum—1308(L)
Holroyd, L. V. (see Affleck, J. H.)—893(A)
Holt, J. R. and T. N. Marsham. States of S^{33} and Si^{29} from (d,p) stripping—665(L)
Holyk, W. K. (see Aldrich, L. T.)—631
Hope, J. Tensor force interaction between shell closed except for single vacancy and external nucleon—884(L)
Hornyak, W. F. (see Hafner, E. M.)—204
Horton, G. K. and R. T. Sharp. Approximate wave functions for unbound relativistic particles in Coulomb field—885(L)
Hotz, H. P. (see Porter, F. T.)—903(A); 938
Houde, A. L. (see Brock, E. G.)—851
Huddleston, Charles M. and Allan C. G. Mitchell. Nuclear spectra of Rb^{82} and Rb^{84}—903(A)
Hudson, A. and R. Hofstadter. Energy loss of cosmic-ray μ-mesons in NaI crystals, erratum—1309(L)
Hudson, D. E. (see Shaw, William C.)—900(A)
Hudson, R. P. (see de Klerk, D.)—326(L); 662(L)
Hughes, D. J. (see Palevsky, H.)—910(A)
—— (see Seidl, F. G. P.)—897(A)
Hughes, Vernon (see Perl, William)—886(L)
Huizenga, J. R. Neutron binding-energies of heavy elements and some applications—904(T)
—— **and Robert B. Duffield.** Relative photofission and photoneutron cross sections for U^{238}—893(A)
—— (see Duffield, Robert B.)—1042
—— (see Wagner, F., Jr.)—502
Hulet, E. K., S. G. Thompson, and A. Ghiorso. Spontaneous fission rate of Cf^{246}—878(L)
Hulm, John K. (see Hardy, George F.)—884(L)
—— (see Matthias, B. T.)—439
Hunt, R. Allen and Robert H. Schuler. Saturation in x-ray coloration of corundum single crystals—664(L)
Hunt, S. E. and W. M. Jones. Absolute determination of resonant energies for radiative capture of protons by B, C, F, Mg, and Al below 500 kev—1283
Huntington, H. B. Extension of Makinson's theory of photoelectric emission to periodic potential—357
—— **and L. Apker.** Transition probability for photoelectric emission from semiconductors—352
Hutchison, Clyde A., Jr., and Leonard S. Singer. Paramagnetic resonance absorption in salts of V and Mn—256
Huxford, W. S. (see Olsen, H. N.)—336(A)

Igo, G. J., D. D. Clark, and R. M. Eisberg. Statistical fluctuations in ionization by 31.5-Mev protons—879(L)
Ivash, E. V. and D. M. Dennison. Molecular constants of CH_3OH—895(A)
Ivey, Henry F. Spectral location of absorption due to color centers in alkaline earth halide crystals—322(L)

Jackson, Herbert L. and Aaron I. Galonsky. Excited states of N^{13} nucleus—370
——, **A. I. Galonsky, F. J. Eppling, R. W. Hill, E. Goldberg, and J. R. Cameron.** $C^{12}(p,p)C^{12}$ differential cross section—365
Jackson, J. David and Harry Schiff. Electron capture by protons passing through H_2—359
Jackson, Jasper A. and F. B. Harrison. Slow component in decay of scintillation phosphors—322(L)
Jacobsohn, B. A. Test for charge independence in high energy nucleon-nucleon scattering—881(L)
Jaffe, A. A. and S. G. Cohen. Disintegration of RaD—454
Jaffe, Hans (see Cook, W. R., Jr.)—1297(L)
Jaffey, Arthur H. (see Freedman, Melvin S.)—302
James, Hubert M. (see Fosdick, L. D.)—901(A)
—— (see Krieger, Theodore J.)—901(A)
Jamgochian, E. (see Lehovec, K.)—20
Jensen, Erling. Coincidence measurements with β-ray spectrometers—909(T)
Jentschke, W. K. (see Allen, James S.)—902(A)
—— (see Remley, M. E.)—1194
Jeppesen, O. Gram (see Frank, V.)—1153(L)
Johnson, C. Peter, Jr. Unified field theory—320(L)
Johnson, J. B. Experiments and thoughts on secondary emission—902(T)
Johnson, N. R. (see Sheline, R. K.)—520(L)

Johnson, Vivian A. Galvanomagnetic effects in semiconductors —910(T)
—— **and W. J. Whitesell.** Theory of magnetoresistive effect in semiconductors—941
Johnston, H. L. (see White, David)—593
Jones, E. (see Jorgensen, T.)—897(A)
Jones, J. G. (see Gordon, M. M.)—913(A)
Jones, K. W. (see Donahue, D. J.)—824; 892(A)
Jones, L. C., A. B. Bushkovitch, C. A. Potter, and A. G. Rouse. Variation of mutual collision diameters with mix ratio in binary mixtures in microwave pressure broadening —895(A)
Jones, Mark W. Respiration of plant tissue cultures as function of x-ray dose—899(A)
Jones, W. M. (see Hunt, S. E.)—1283
Jorgensen, T., E. Jones, and C. J. Cook. Extrapolated ionization ranges for 10- to 250-kv protons in various gases —897(A)
Juenker, D. W., G. S. Colladay, and E. A. Coomes. Analysis of Schottky deviation for highly refractory metals—894(A)
Jung, J. J. (see Cüer, P.)—1151(L)

Kahn, Arnold H. and C. Kittel. *F*-center wave functions and electronic *g*-values in KCl crystals—315(L)
Kallmann, Hartmut, Bernard Kramer, and Arnold Perlmutter. Induced conductivity in luminescent powders. II. Ac impedance measurements—700
—— (see Furst, Milton)—416; 912(A)
Kane, W. R. (see Broida, H. P.)—1053
Kantz, Asher and Robert Hofstadter. Electron-induced showers in Cu—607
Kaplan, B. and J. G. Daunt. Current noise in partially superconducting resistors at temperatures down to 2°K —907(A)
Katcoff, S. (see Caretto, A. A., Jr.)—1267
Katz, L. (see Goldemberg, J.)—1300(L)
Keck, Paul H. and Marcel J. E. Golay. Crystallization of Si from floating liquid zone—1297(L)
Keesom, P. H., K. Lark-Horovitz, and N. Perlman. Influence of neutron bombardment on low temperature atomic heat of Si—900(A)
Keller, Joseph B. Bohm's "interpretation of quantum theory in terms of 'hidden' variables"—1040
Kenty, Carl. Afterglow spectra observable in incandescent lamps—336(A)
—— **and D. A. Larson.** Enhancement of green continuum of Hg by rare gas—180
Kerman, R. O., W. E. Kreger, and P. G. Kruger. *p-p* scattering at 5.77 Mev using photographic techniques—908(A)
Kimball, Clyde and Bernard Hamermesh. Activation cross sections measured with Sb–Be photoneutrons—1306(L)
King, D. T., Nathan Seeman, and Maurice M. Shapiro. Mass measurements of heavy mesons—891(A)
King, J. S. and W. C. Parkinson. Angular distribution of protons from V^{52}—1080
Kington, J. D., J. K. Bair, R. R. Carlson, and H. B. Willard. Mass difference $Si^{27}-Al^{27}$—530(L)
Kinsey, B. B. and G. A. Bartholomew. Neutron capture γ-rays from Ti, Cr, Fe, Ni, and Zn—375
—— (see Bartholomew, G. A.)—386
Kip, A. F., C. Kittel, A. M. Portis, R. Barton, and F. H. Spedding. Microwave resonance absorption in Gd metal —518(L)
Kitagaki, T. Focusing method for large accelerators—1161(L)
Kittel, C. (see Kahn, Arnold H.)—315(L)
—— (see Kip, A. F.)—518(L)
Kjeldaas, T., Jr. (see Fox, R. E.)—336(A); 555
Klein, Abraham, Symmetric pseudoscalar theory of nuclear forces—1158(L)
Klick, Clifford C. Luminescence and photoconductivity in CdS at absorption edge—274
Kofoed-Hansen, O. and Aage Winther. Cross terms in β-decay —526(L)
Kofsky, Irving L. Crystal diodes in electronics laboratory —340(A)
Koster, G. F. Localized functions in molecules and crystals —67
Kramer, Bernard (see Furst, Milton)—416
—— (see Kallmann, Hartmut)—700
Kraus, Alfred A., Jr., A. P. French, William A. Fowler, and C. C. Lauritsen. Angular distribution of γ-rays and short range α-particles from $N^{15}(p,\alpha\gamma)C^{12}$—299
Kraushaar, J. J. and M. Goldhaber. Direction and polarization correlations of successive γ-rays—1081
Kreger, W. E. (see Kerman, R. O.)—908(A)
Krieger, Theodore J. and Hubert M. James. Theory of successive rotational transitions in crystals—901(A)
Krone, R. W. (see Teener, J. W.)—892(A)
Krotkov, R. V. (see Scheidegger, A. E.)—1096
Kruger, P. G. (see Kerman, R. O.)—908(A)
—— (see Remley, M. E.)—1194
Krumhansl, James A. and N. Schwartz. Calculation of *F*-center energy levels—1154(L)
—— (see Steele, Earl L.)—901(A)
Kruse, U. E., N. F. Ramsey, and B. J. Malenka. Electric scattering of deuterons—655(L)
Kruskal, Martin. Instabilities of completely ionized plasma —335(A)
Kundu, D. N., T. W. Donaven, M. L. Pool, and J. K. Long. Nuclear reactions with 21-Mev He^3 in cyclotron—1200
Kurşunoğlu, B. (see Rickayzen, G.)—522(L)

Lagemann, R. T. and L. W. Gilley. Ultrasonic velocity, density, and compressibility of supercooled H_2O and D_2O —906(A)
Lamb, Willis E., Jr. (see Dayhoff, Edward S.)—106
—— (see Triebwasser, Sol)—98
Lampert, Murray A. and Alan D. White. New microwave technique for study of discharges in gases—337(A)
Landon, H. H. (see Sailor, V. L.)—904(A)
Langer, L. M., R. B. Duffield, and C. W. Stanley. Radioactivity of Cs^{128}—907(A)
—— (see Ames, D. P.)—903(A)
—— (see Duffield, R. B.)—854
Langmuir, David B. Observations on "direct-current etch" —911(A)
—— (see Eager, R. L.)—911(A)
Larach, Simon and John Turkevich. Interaction of Mn activator ions in Zn-orthosilicate phosphors—1060
Lark-Horovitz, K. (see Keesom, P. H.)—900(A)
Larson, D. A. (see Kenty, C.)—180
Lauritsen, C. C. (see Kraus, Alfred A., Jr.)—299
Lawrance, R. Temperature dependence of drift mobility in Ge—1295(L)
Lawrence, E. O. (see Foster, John S., Jr.)—338(A)
LeBlanc, J. M., W. H. Nester, D. W. Martin, M. K. Brice, and J. M. Cork. γ-radiation from radioactive Cs^{134}—907(A)
—— (see Cork, J. M.)—1291
Lee, R. J. (see Fowler, R. G.)—336(A)
Lehovec, K., C. A. Accardo, and E. Jamgochian. Light emission produced by current injected into green SiC crystal—20
Leighton, R. B., S. D. Wanlass, and C. D. Anderson. Decay of V^0-particles—148
Lévêque, Pierre (see Coryell, Charles D.)—903(A)
Levine, M. A. (see Bostick, W. H.)—339(A)
Levinger, J. S. Effects of radioactive disintegrations on inner electrons of atom—908(A)
Levinson, Norman. Certain explicit relationships between phase shift and scattering potential—755
Lew, Hin. Ground state hfs and nuclear magnetic moment of Pr—530(L)

—— **and Günter Wessel.** Hfs of ground state of Al—894(A)
Lewis, H. W. (see Simmons, B. E.)—905(A)
Liang, C. Y. (see Nielsen, J. Rud)—895(A)
Lindemann, W. W. and H. J. Hannam. Flicker noise caused by interface layer—900(A)
Lindenfeld, P., A. Sachs, and J. Steinberger. Internal pair production of γ-rays of mesonic origin; alternate modes of π^0-decay—531
Lindner, Manfred. Heavy isotopes of Mg and Si—1150(L)
Lindström, G., A. Hedgran, and D. E. Alburger. Precision measurement of Co^{60} γ-radiation—1303(L)
Livingston, M. S. Design considerations for very high energy accelerators—339(T)
Loar, Howard H. (see Goodell, Warren F., Jr.)—724
Lockett, E. E. and E. Bowell. Thermal neutron absorption cross section of Sc—657(L)
Lofgren, E. J. (see Foster, John S., Jr.)—338(A)
Long, J. K. (see Kundu, D. N.)—1200
Luborsky, Fred E. and Stanley I. Reynolds. Frequency spectra from point-to-plane corona—338(A)
Lyon, W. S. Neutron capture cross sections for production of Sc^{46} and Sr^{85}—1307(L)
Lyons, Harold (see Nuckolls, R. G.)—1101
Lyons, W. James. Viscoelastic properties as functions of distribution of activation energies—342(A)

MacDonald, D. K. C. (see Dugdale, J. S.)—832
MacDonald, William M. (see Richardson, John M.)—913(A)
Madansky, L. (see Battey, James)—182
—— (see Bolgiano, P.)—679
Madrazo, Raymond, Jr. (see Antonoff, George)—899(A)
Maerker, R. E. and R. D. Birkhoff. Experimental K to $L+M$ ratios for internal conversion lines—1159(L)
Malenka, B. J. (see Kruse, U. E.)—655(L)
Mandeville, C. E., E. Shapiro, R. I. Mendenhall, E. R. Zucker, and G. L. Conklin. γ-radiations from Zr^{95} and Nb^{95}—559
Mapother, Dillon. Effect of x-ray irradiation on self-diffusion coefficient of Na in NaCl—1231
Margenau, H. (see Geltman, S.)—337(A)
Markham, Jordan J. Second-order acoustic fields: relations between energy and intensity—972
—— (see Duerig, William H.)—900(A)
Marsham, T. N. (see Holt, J. R.)—665(L)
Martin, André and Loup Verlet. p-p scattering at intermediate energies—519(L)
Martin, D. W. (see Cork, J. M.)—1291
—— (see LeBlanc, J. M.)—907(A)
Martin, H. C. and R. F. Taschek. (n,γ) and $(n,2n)$ reactions in I—1302(L)
Maryott, A. A. (see Birnbaum, G.)—895(A)
Matland, C. G. Quenching of Hg resonance radiation (2537A) by N_2—338(A)
Matossi, Frank and Sol Nudelman. Influence of electric fields on luminescence—660(L)
Matsuda, H. (see Ogata, K.)—27; 333(L)
Matthias, B. T. and J. K. Hulm. Superconducting properties of $CoSi_2$—439
Mattson, R. H. and A. van der Ziel. Shot noise in Ge filaments—899(A)
Max, L. W. (see Taylor, T. Smith)—899(A)
May, Jack (see Freedman, Melvin S.)—302
May, M. M. (see Fretter, W. B.)—168
Mayper, Victor, Jr., and Melvin A. Herlin. Second-sound velocity below 1°K as function of pressure—523(L)
McClelland, J. D. (see Eatherly, W. P.)—661(L)
McClure, G. W. Specific primary ionization of H_2, He, Ne, and A by high energy electrons—335(A)
McCue, J. J. G. (see Francis, A. E.)—1232
McCulloh, K. E. and George Glockler. Electronic emission spectrum of $C^{13}O^{16}$—145
McCusker, C. B. A., H. Messel, D. D. Millar, and N. A. Porter. Experimental investigation of nucleon cascade in water—1172
McEllistrem, M. T. (see Donahue, D. J.)—824; 892(A)
McFarland, Charles E., M. M. Bretscher, and F. B. Shull. Magnetic analysis of protons from $Cr^{52}(d,p)Cr^{53}$ and $Ni^{58}(d,p)Ni^{59}$—892(A)
—— **and Franklin B. Shull.** Magnetic analysis of $Sr^{88}(d,p)Sr^{89}$—489
McFarland, Robert H. and Robert E. Swanson. Sensitized fluorescence studies using photomultiplier detection method—911(A)
—— (see Swanson, Robert E.)—911(A)
McHale, J. L. (see Freeman, B. E.)—223
Medicus, G. and G. Wehner. Investigation of cathode sputtering by means of probe measurements—339(A)
—— (see Wehner, G.)—339(A)
Medicus, Heinrich A. (see Easterday, Harry T.)—752
Meinke, W. Wayne (see Schott, G. L.)—1156(L)
Meissner, K. W. (see Deverall, G. V.)—895(A)
Melkanoff, M. A. (see Harris, E. G.)—914(A)
Mendenhall, R. I. (see Mandeville, C. E.)—559
Merzbacher, E. (see Simmons, B. E.)—905(A)
Messel, H. and H. S. Green. Suggested scheme for meson production—315(L)
—— (see McCusker, C. B. A.)—1172
Meyer, D. I. and F. H. Schmidt. Precise measurement of "F" line of ThB—908(A)
Mihelich, J. W. Disintegration of Re^{188m}—907(A)
—— (see Gopalakrishnan, K.)—908(A)
—— (see Hill, R. D.)—323(L)
Millar, D. D. (see McCusker, C. B. A.)—1172
Miller, R. F. Dipole moment of β-propiolactone—341(A)
Miller, William (see Motz, J. W.)—968
Mitchell, Allan C. G. (see Caird, R. S.)—573; 903(A)
—— (see Huddleston, Charles M.)—903(A)
Mize, J. P. and D. J. Zaffarano. β-spectrum of S^{35}—902(A)
Mizushima, Masataka (see Putcha, Venkateswarlu)—896(A)
Molnar, J. P. (see Phelps, A. V.)—1202
Moore, Marvin G. Quasi-relativistic theory of gravitation—587
Moorhouse, R. G. Pair creation in intermediate coupling theory—958
Morrison, S. R. Adsorption of O_4 on ZnO—900(A)
Morrow, J. C. Vapor-liquid equilibria in He^3-He^4 solutions—1034
Moses, H. E. Canonical transformation for electron-positron field coupled to time-independent electromagnetic field—115
Moszkowski, Steven A. Lifetimes of nuclear isomers—474
Mottelson, Ben R. (see Bohr, Aage)—316(L)
Motz, J. W., William Miller, and H. O. Wyckoff. 11-Mev thick target bremsstrahlung—968
Motz, Lloyd. Gauge invariance and classical electrodynamics—60
—— (see Frieman, E. A.)—648
Mower, Lyman. Tables for second Born approximation scattering from various potential fields—947
Moyer, B. J. (see Hales, R. W.)—1047

Nakada, M. P. (see Fretter, W. B.)—168
Nakamura, Seitaro. Meson theory of β-decay and ΔL-forbidden transitions—16
Nereson, Norris and Sperry Darden. Average neutron total cross sections in 3- to 12-Mev region—775
Nester, W. H. (see Cork, J. M.)—1291
—— (see LeBlanc, J. M.)—907(A)
Newton, J. O. and B. Rose. γ-radiation from Am^{241}—1157(L)
Nicodemus, David B. and Hans H. Staub. Fission neutron spectrum of U^{235}—1288
Niday, J. B. (see Turkevich, A.)—552

Nielsen, J. Rud, C. Y. Liang, D. C. Smith, and Morris Alpert. Vibrational spectra and calculated thermodynamic properties of CCl_3CF_2Cl and CCl_3CFCl_2—895(A)
Nierenberg, W. A. (see Hobson, J. P.)—662(L)
Nomura, K. C. Secondary electron emission of MgO single crystals with excess O_2—894(A)
Novey, T. B. Experimental energy and angular distributions of inner bremsstrahlung—672
Nuckolls, R. G., L. J. Rueger, and Harold Lyons. Microwave absorption spectrum of ND_3—1101
Nudelman, Sol (see Matossi, Frank)—660
Nye, H. A. Diamagnetism of enclosed electron gas—1305(L)

Oakley, D. C. (see Walker, R. L.)—1301(L)
Oberly, J. J. (see Burstein, E.)—331(L)
Ogata, K. and H. Matsuda. Atomic mass of P^{31}—333(L)
—— **and H. Matsuda.** Masses of light atoms—27
Ohtsuka, Taiichiro (see Waniek, R. W.)—882(L);1307
Okamura, Tosihiko, Yosiharu Torizuka, and Muneyuki Date. Paramagnetic resonance in copper acetate at 47 000 Mc/sec—525(L)
Okazaki, A. (see Adair, R. K.)—1165
—— (see Becker, R. L.)—904(A)
—— (see Walt, M.)—1271
Olbert, S. (see Annis, Martin)—1216
Olsen, H. N. and W. S. Huxford. Time variation of ion concentration in flash discharge plasmas—336(A)
Olsen, K. M. (see Pfann, W. G.)—322(L)
O'Meara, F. E. Enhanced reactor—982
O'Rourke, R. C. Multiple Compton scattering of low energy γ-radiation—999
Osborne, Darrell W. (see Weinstock, Bernard)—787
Osborne, L. S. (see Goldschmidt-Clermont, Y.)—329(L)
Overhauser, Albert W. Paramagnetic relaxation in metals—689

Packard, R. G. Streaming potentials developed across porous diaphragms for sinusoidal flow—906(A)
Page, L. A., P. Stehle, and S. B. Gunst. Direct comparison of m/e for positron and electron—1273
Pake, G. E. (see Sands, R. H.)—896(A)
—— (see Townsend, J.)—606
—— (see Wilson, C. W., III)—896(A)
Palevsky, H., R. S. Carter, and D. J. Hughes. Magnetic inelastic scattering of neutrons in Fe—910(A)
—— (see Seidl, F. G. P.)—897(A)
Parkinson, W. C. (see King, J. S.)—1080
Parmenter, R. H. Acousto-electric effect—990
Parr, Robert G. (see Fumi, Fausto G.)—895(A)
Parzen, G. Electronic energy bands in metals—237
—— **and T. Wainwright.** Calculation of energy bands in crystals—901(A)
Paul, E. B. and R. L. Clarke. Yield of long-range α-particles from $F^{19}(p,\alpha)O^{16}$—892(A)
Pearlman, N. (see Keesom, P. H.)—900(A)
Peaslee, D. C. Fermi term in β-ν correlation—1148(L)
Pellam, John R. (see de Klerk, D.)—326(L); 662(L)
—— (see Weinstock, Bernard)—521(L)
Penico, A. J. (see Fundingsland, O. T.)—337(A)
Perl, William and Vernon Hughes. Non-radiative relativistic contribution to magnetic moment of $^3S_1$ He—886(L)
Perlmutter, Arnold (see Kallmann, Hartmut)—700
Petermann, A. Divergence of perturbation expansion—1160(L)
Peterson, R. W. Rate of evolution of constituents of oxide coated cathode as function of molar composition of coating—894(A)
Pfann, W. G. and K. M. Olsen. Purification and prevention of segregation in single crystals of Ge—322(L)
Phelps, A. V. and J. P. Molnar. Lifetimes of metastable states of noble gases—1202
Phillips, G. C. Accurate determination of disintegration energies—896(T)
Plass, Gilbert N. and Daniel I. Fivel. Contributions of Doppler effect to radiation exchange in stratosphere—898(A)
Platt, J. B. (see Camac, M.)—905(A)
—— (see Schulte, H. J.)—905(A)
Pool, M. L. (see Kundu, D. N.)—1200
Poole, J. H. J. (see Delaney, C. F. G.)—529(L)
Pope, N. K. Entropy of fusion of monatomic liquids—899(A)
Porter, F. T. and H. P. Hotz. Upper limit for atomic orbital electron ejection accompanying K capture in Fe^{55}—903(A); 938
—— (see Primakoff, H.)—903(A); 930
—— (see Whalen, J. A.)—902(A)
Porter, N. A. (see McCusker, C. B. A.)—1172
Portis, A. M. (see Kip, A. F.)—518(L)
Portnoy, W. M. (see Swann, J. B.)—907(A)
Potter, C. A. (see Jones, L. C.)—895(A)
Pound, R. V. (see Abragam, A.)—1306(L)
—— (see Watkins, G. D.)—658(L)
Pressly, E. C. Air mass between observer and outer space—654
Price, P. J. Macroscopic theory of superfluid He^3–He^4 mixtures—1209
Primakoff, H. and F. T. Porter. Atomic excitation and ionization accompanying orbital electron capture by nuclei—903(A); 930
—— (see Chang, C. H.)—910(A)
Prince, M. B. (see Goucher, F. S.)—651
Pruett, Charles H. (see Roggenkamp, Paul L.)—903(A)
Pugh, Emerson M. (see Schindler, Albert I.)—295
Putcha, Venkateswarlu and Masataka Mizushima. Possible microwave absorption in molecules belonging to point groups $D_{2d} = V_d$ and T_d—896(A)

Racah, G. and I. Talmi. Pairing property of nuclear interactions—913(A)
Rado, George T. Theory of microwave permeability tensor and Faraday effect in nonsaturated ferromagnetic materials—529(L)
Ramsey, Norman F. Pseudo-quadrupole effect for nuclei in molecules—527(L)
—— (see Kruse, U. E.)—655(L)
Rasetti, F. (see Battey, James)—182
—— (see Bolgiano, P.)—679
Rasmussen, J. O., Jr., S. G. Thompson, and A. Ghiorso. α-radioactivity in 82-neutron region—33
Raychaudhuri, Amalkumar. Arbitrary concentrations of matter and Schwarzschild singularity—417
Read, T. A. (see Frankl, D. R.)—663(L)
Reddan, M. J. Clean-up of He in arc discharge—339(A)
Remley, M. E., W. K. Jentschke, and P. G. Kruger. n-p scattering using organic crystal scintillation detectors—1194
Reynolds, Stanley I. (see Luborsky, Fred E.)—338(A)
Ribe, F. L. (see Battat, M. E.)—80
Rice, O. K. Irreversible processes with application to He II and Knudsen effect in gases—793
Richards, Hans Kohn. Measurement of ionizing radiation by frequency variation—897(A)
Richards, H. T. Level classification by resonance scattering of protons and alphas—909(T)
—— (see Donahue, D. J.)—824; 892(A)
Richardson, J. Reginald (see Sachs, Donald C.)—1163
Richardson, John M. and William M. MacDonald. Variation ''method in quantum statistics—913(A)
Richter, Harold G. (see Coryell, Charles D.)—903(A)
Rickayzen, G. and B. Kurşunoğlu. Unified field theory and Born-Infeld electrodynamics—522(L)

Roberts, J. H., W. O. Solano, D. E. Wood, and H. B. Billington. Measurement of energy of isotropic fast neutrons with Li^6 loaded emulsions—905(A)
—— (see Solano, W. O.)—892(A)
—— (see Weddell, J. B.)—891(A)
Robinson, H. G., H. G. Dehmelt, and W. Gordy. Pure nuclear quadrupole spectrum of Bi^{209} in Bi-triphenyl—1305(L)
Roggenkamp, Paul L., Charles H. Pruett, and Roger G. Wilkinson. Excited levels of Ti^{48}—903(A)
Rose, B. (see Newton, J. O.)—1157(L)
Rose, D. J. (see Allis, W. P.)—335(A)
Rose, H. C. (see Fowler, R. G.)—906(A)
Rosen, Louis (see Graves, Elizabeth R.)—343
Rosenblum, G. (see Stephens, W. E.)—893(A)
Rosengren, J. W. and J. M. Dudley. High energy photoproton production by 322-bremsstrahlung—603
Rothstein, Jerome. Solids subjected to constant rate of generation of lattice defects—901(A)
Rouse, A. G. (see Jones, L. C.)—895(A)
Ruby, Stanley L. (see Rustad, Brice M.)—880(L)
Ruderman, M. Pseudoscalar matrix element in β-decay—1227
Rueger, L. J. (see Nuckolls, R. G.)—1101
Rustad, Brice M. and Stanley L. Ruby. Correlation between electron and recoil nucleus in He^6 decay—880(L)

Sachs, A. (see Lindenfeld, P.)—531
Sachs, Donald C. and J. Reginald Richardson. Mean excitation potentials—1163
Sailor, V. L., H. L. Foote, Jr., and H. H. Landon. Slow neutron resonances in Sm and Y—904(A)
Salpeter, E. E. Lamb shift for H and D—92
—— (see Butler, S. T.)—891(A)
Salzman, F. Photopion production from single nucleon—913(A)
Sanders, T. M., Jr., A. L. Schawlow, G. C. Dousmanis, and C. H. Townes. Microwave spectrum of free OH radical—1158(L)
Sands, R. H. and G. E. Pake. Anomalous results in attempt to determine spin of Si^{29}—896(A)
Sard, R. D. Recent research on μ-mesons—909(T)
Savitt, J. Propagation of explosive produced air shocks—906(A)
Saxon, D. (see Herb, R. G.)—897(A)
Schawlow, A. L. (see Sanders, T. M.)—1158(L)
Scheidegger, A. E. and R. V. Krotkov. Relativistic statistical thermodynamics—1096
Scherrer, V. E., R. Theus, and W. R. Faust. γ-radiation from interaction of 14-Mev neutrons with Fe—1268
Schiff, Harry (see Jackson, J. David)—359
Schiller, Ralph (see Bergmann, Peter G.)—4
Schindler, Albert I. and Emerson M. Pugh. Hall effect of Cu-Ni alloys—295
Schmidt, F. H. (see Meyer, D. I.)—908(A)
Schmitt, Roman A. and Nathan Sugarman. U photofission yields—1155(L)
Schomaker, Verner (see Glauber, Roy)—667
Schott, G. L. and W. Wayne Meinke. Assignment of Y^{92} and Y^{94}—1156(L)
Schuler, Robert H. (see Hunt, R. Allan)—664(L)
Schulte, H. J., J. B. Platt, and M. Camac. X-rays from mesic C atom—905(A)
—— (see Camac, M.)—905(A)
Schwartz, H. M. Magnetic moments of odd-odd nuclei and strong spin-orbit coupling shell model—1293
Schwartz, N. (see Krumhansl, J. A.)—1154(L)
Schwetman, Herbert D. (see Williams, Corre)—899(A)
Scott, E. J. Technique for secondary electron emission measurements—894(A)
Scott, G. G. Gyromagnetic ratio of supermalloy—618
Scott, M. B. (see Goldschmidt-Clermont, Y.)—329(L)
Seagondollar, L. W. (see Teener, J. W.)—892(A)
Seeman, Nathan (see King, D. T.)—891(A)
Seidl, F. G. P., D. J. Hughes, and H. Palevsky. Velocity spectrometer using μsec neutron shutter—897(A)
Seitz, Frederick. Generation of *F*-centers at low temperatures—1299(L)
Sengupta, S. Non-existence of stable isobars with odd mass number—1296(L)
Seren, Leo (see Birnbaum, Milton)—897(A)
Shanley, T. J. B. (see Harris, Gerard G.)—983
Shapiro, E. (see Mandeville, C. E.)—559
Shapiro, Maurice M. (see King, D. T.)—891(A)
Sharp, R. T. (see Horton, G. K.)—885(L)
Shaw, William C., D. E. Hudson, and G. C. Danielson. Electrical characteristics of crystalline B—900(A)
Sheline, R. K. and N. R. Johnson. New long-lived Mg^{28} isotope—520(L)
Sherman, Noah. Diurnal variations in intensity of cosmic rays underground—25
Shockley, W. (see Benedict, T. S.)—1152(L)
Shull, C. G. (see Gingrich, N. S.)—910(A)
Shull, Franklin B. (see McFarland, Charles E.)—489; 892(A)
Simmons, B. E., H. W. Lewis, and E. Merzbacher. Production of characteristic x-rays by proton bombardment—905(A)
Simon, A. and T. A. Welton. Production of polarized particles in nuclear reactions—886(L)
Simpson, J. A. Properties of cosmic-ray intensity variations—891(T)
—— (see Fonger, W. H.)—891(A)
Singer, Leonard S. (see Hutchison, Clyde A.)—256
Slätis, Hilding (see Hjalmar, Elis)—1151(L)
Smith, D. C. (see Nielsen, J. Rud)—895(A)
Smith, Haldon L. and Harold C. Early. Rocket measurement of upper atmosphere density by Paschen's law—338(A)
Smith, J. F. and G. C. Danielson. Diffusion of Na in sodium tungsten bronze—911(A)
Smith, J. R. (see Cook, C. F.)—785
Smith, T. S., W. B. Gager, and J. G. Daunt. Properties of superconductors below 1°K—654
Snitzer, Elias. Charge states of He beam in H_2, He_2, air, and A_2—898(A); 1237
Snow, G. (see Hafner, E. M.)—204
Solano, W. O. and J. H. Roberts. Spin of 7.4-Mev state of Li^7—892(A)
—— (see Roberts J. H.)—905(A)
Solmitz, Frank T. *p-p* scattering for nucleon isobar model—1295(L)
Sorenson, B. M. (see Ames, D. P.)—903(A)
Spedding, F. H. (see Kip, A. F.)—518(L)
Spencer, L. V. (see Goldstein, Herbert)—1150(L)
Spitzer, Lyman, Jr., and Richard Härm. Transport phenomena in completely ionized gas—977
Stanley, C. W. (see Langer, L. M.)—907(A)
Staub, Hans H. (see Nicodemus, David B.)—1288
Steele, Earl L. and James A. Krumhansl. Cellular calculation of band structure for BaO—901(A)
Steffen, Rolf M. Angular momenta of excited states of Pt^{196}—665(L)
—— Effect of chemical binding and phase on angular correlations—903(A)
Stehle, P. (see Page, L. A.)—1273
Stehney, Andrew F. and Nathan Sugarman. Characteristics of Br^{87}, a delayed-neutron activity—194
Stein, Robert P. Electrical fields in Crookes dark space of low pressure glow discharge in air and N_2—134
Steinberger, J. (see Lindenfeld, P.)—531
Stephens, W. E., M. E. Toms, E. E. Carroll, Jr. and G. Rosenblum. Energy distributions of photoprotons from heavy elements—893(A)
Sternheimer, R. M. Density effect for ionization loss in various materials, erratum—1309(L)

—— Energy loss of fast charged particle by Čerenkov radiation—1148(L)
Stout, Virgil L. Luminescence and thermionic emission of BaO—310
Strauch, Karl. Interaction of protons with free and bound neutrons in the 100-Mev region—340(T)
Sugarman, Nathan. Genetics of $Ge^{78}-As^{78}$ fission chain—570
—— (see Schmitt, Roman A.)—1155(L)
—— (see Stehney, Andrew F.)—194
Summerfield, Mary B. Inexpensive, easily controlled process for developing 400-micron nuclear emulsions—340(A)
Swan, J. B., W. M. Portnoy, and R. D. Hill. Isomeric Pt^{193}—907(A)
Swanson, Don R. Interpretation of high energy p-p scattering—740
—— Polarization effects in nucleon-nucleon scattering—749
Swanson, Robert E. and Robert H. McFarland. Intensity variations in sensitized fluorescence—911(A)
—— (see McFarland, Robert H.)—911(A)
Swenson, C. A. Blocked capillary method for determining melting pressures: Melting curve of He from 1.5° to 4°K—538
Swim, Richard T. Flow of He II through narrow slits—906(A)
Synge, J. L. Primitive quantization in relativistic two-body problem—467

Talmi, Igal. Evaluation of energy matrix of tensor forces—1065
—— (see Racah, G.)—913(A)
Tannenwald, Peter E. Disintegration of He by 90-Mev neutrons—508
Taschek, R. F. (see Martin, H. C.)—1302(L)
Taylor, Norman L. and T. Smith Taylor. Design and construction of universal test mattress—899(A)
Taylor, T. Smith and L. W. Max. Research on comfort, relaxation, and quality of sleep—899(A)
—— (see Taylor, Norman L.)—899(A)
Teasdale, Tom S. Frozen moments in superconducting sphere—907(A)
Teener, J. W., L. W. Seagondollar, and R. W. Krone. γ-rays from proton bombardment of Na^{23}—892(A)
Telegdi, V. L. (see del Río, C. S.)—909(A)
Temmer, G. M. (see Bloembergen, N.)—883(L)
Thaler, R. M. (see Breit, G.)—1177
Theus, R. (see Scherrer, V. E.)—1268
Thomas, D. A. (see Broyles, C. D.)—715
Thompson, Lewis C. γ-rays produced by inelastic scattering of 14-Mev neutrons—905(A)
Thompson, S. G. (see Hulet, E. K.)—878(L)
—— (see Rasmussen, J. O., Jr.)—33
Thomson, Robb (see Bergmann, Peter G.)—400
Thulin, S. (see Alburger, D. E.)—1146(L)
Ting, Yu and Dudley Williams. Nuclear gyromagnetic ratios—595
Tobin, Ralph (see Birnbaum, Milton)—897(A)
Tollestrup, A. V. (see Walker, R. L.)—1301(L)
Tomita, Kazuhisa. States of solid CH_4 as inferred from nuclear magnetic resonance—429
Tomkins, Frank S. (see Fred, Mark)—318(L)
Tompkins, A. (see Turkevich, A.)—552
Toms, M. E. (see Stephens, W. E.)—893(A)
Torizuka, Yosiharu (see Okamura, Tosihiko)—525(L)
Townes, C. H. (see Sanders, T. M., Jr.)—1158(L)
Townsend, Jonathan. Detection of weak electron paramagnetic resonance—911(T)
——, **S. I. Weissman, and G. E. Pake.** Hfs in paramagnetic resonance of $(SO_3)_2NO^{--}$ ion—606
Trainor, L. E. H. and Ta-You Wu. Symmetry requirements in electron scattering by atom—273
Treiman, S. B. Effect of equatorial ring current on cosmic-ray intensity—130
Triebwasser, Sol, Edward S. Dayhoff, and Willis E. Lamb, Jr. Fine structure of H atom—98
—— (see Dayhoff, Edward S.)—106
Trischka, John W. (see Goldberg, Joshua N.)—278
Trolan, J. K. (see Dyke, W. P.)—799
Tunnicliffe, P. R. Differential and total neutron scattering cross sections of deuteron in energy range 0.1 to 1.0 Mev—1247
Turkevich, A., J. B. Niday, and A. Tompkins. Radiochemical studies on fission of Th^{232} with Li+D neutrons—552
Turkevich, John (see Larach, Simon)—1060
Turner, Thomas J. (see Hall, Harry H.)—340(A)
Tyler, W. W. and A. C. Wilson, Jr. Thermal conductivity, electrical resistivity, and thermoelectric power of graphite—870
Tyren, Helge (see Barkas, Walter H.)—1

Van Allen, J. A. Cosmic-ray intensity above atmosphere near geomagnetic pole—891(T)
van der Ziel, A. Shot noise in semiconductors—900(A)
—— (see Mattson, R. H.)—899(A)
Van Horn, D. D. Diffusion and motion of phase in binary alloys—910(A)
Van Hove, Leon. Occurrence of singularities in elastic frequency distribution of crystal—1189
van Kampen, N. G. S-matrix and causality condition. I. Maxwell field—1072
Van Winkle, Q. (see Elson, R.)—320(L)
Varney, Robert N. Drift velocity of ions in O_2, N_2, and CO_2—337(A); 708
Verlet, Loup (see Martin, André)—519(L)
von Krzywoblocki, M. Z. Boundary layer theory—906(A)

Wagner, Frank, Jr., M. S. Freedman, D. W. Engelkemeir, and J. R. Huizenga. Radiations of 6.7-day U^{237}—502
—— (see Freedman, Marvin S.)—302
Wainwright, T. (see Paaren, G.)—901(A)
Walker, J. G. (see Bozorth, R. M.)—624
Walker, R. L., D. C. Oakley, and A. V. Tollestrup. Photoproduction of neutral mesons in H at high energies—1301(L)
Walt, M., R. L. Becker, M. Okazaki, and R. E. Fields. Total fast neutron cross sections of Co, Ga, Se, Cd, Te, Pt, Au, Hg, and Th—1271
—— (see Adair, R. K.)—1165
—— (see Becker, R. L.)—904(A)
Wangsness, Roald K. Antiferromagnetic resonance above Curie temperature—142
—— **and F. Bloch.** Dynamical theory of nuclear induction—728
Waniek, R. W. and Taiichiro Ohtsuka. Angular distribution of particles from stars—1307(L)
—— **and Taiichiro Ohtsuka.** Nuclear stars in emulsions—882(L)
Wanlass, S. D. (see Leighton, R. B.)—148
Wannier, Gregory H. Threshold law for ionization of atoms by electrons—336(A)
Wargo, P. (see Haxby, B. V.)—893(A)
Watkins, G. D. and R. V. Pound. Intensities of nuclear magnetic resonances in cubic crystals—658(L)
Watson, Kenneth M. Multiple scattering and many-body problem—applications to photomeson production in complex nuclei—575
—— Photoproduction and multiple scattering of mesons within atomic nuclei—904(T)
—— (see Francis, Norman C.)—328(L)
Weaver, H. E., Jr. Magnetic moments of Si^{29}, S^{33}, Zn^{67}, As^{75}, Se^{77}, Te^{123}, and Te^{125}—923
Weber, A. H. (see Antal, J. J.)—900(A)

Weddell, J. B. and J. H. Roberts. Angular distribution and differential cross section of $Li^6(n,\alpha)H^3$—891(A)
Wehner, G. and G. Medicus. Sputtering at low ion velocities —339(A)
—— (see Medicus, G.)—339(A)
Weinstock, Bernard, Bernard M. Abraham, and Darrell W. Osborne. Nuclear alignment and entropy of liquid He^3 —787
—— **and John R. Pellam.** Thermal Rayleigh disk measurements in He^3-He^4 mixtures—521(L)
Weissman, S. I. (see Townsend, J.)—606
Welton, T. A. (see Simon, A.)—886(L)
Wentzel, G. Three-nucleon interactions in Yukawa theory —684
Werle, J. Higher order corrections in meson theory of nuclear forces—527(L)
Wessel, Günter (see Lew, Hin)—894(A)
Whalen, J. A., F. T. Porter, and C. S. Cook. High energy negatron spectrum of Sc^{46}—902(A)
Whalen, J. F. (see Coomes, E. A.)—894(A)
Whalin, E. A. and A. O. Hanson. Observation of the $(\gamma,2n)$ reaction in Ta—324(L)
Wheeler, John Archibald (see Hill, David Lawrence)—1102
White, Alan D. (see Lampert, Murray A.)—337(A)
White, David, O. D Gonzales, and H. L. Johnson. Heat conduction of boundary layer in liquid He II—593
Whitesell, W. J. (see Johnson, V. A.)—941
Whiting, F. B. (see Aldrich, L. T.)—631
Wilkins, J. Ernest, Jr. (see Goldstein, Herbert)—1150(L)
Wilkinson, D. H. (see Carver, J. H.)—658(L)
Wilkinson, M. K. (see Gingrich, N. S.)—910(A)
Wilkinson, Roger G. (see Roggenkamp, Paul L.)—903(A)
Willard, H. B. (see Kington, J. D.)—530(L)
Williams, Corre and Herbert D. Schwetman. Analysis of bridged-T network by Laplace transformations—899(A)
Williams, Dudley (see Ting, Yu)—595
Williams, H. Bartel and Albert J. Hatch. Confirmatory measurements in high frequency secondary electron resonance discharge mechanism—339(A)
—— (see Hatch, Albert J.)—339(A)
Williams, R. W. New particles in cosmic rays—340(T)
Wilson, A. C., Jr. (see Tyler, W. W.)—870
Wilson, C. W. III and G. E. Pake. Nuclear magnetic relaxation in polytetrafluoro-ethylene and polyethylene—896(A)
Wilson, H. W. and Walter H. Barkas. Text of charge symmetry hypothesis: Positive to negative pion production ratio obtained in bombarding C with α-particles and protons—758
Winans, J. G. Possible inconsistency in customary use of vectors—914(A)
Winston, Harvey. Comparison of Slater's and Peckar's treatments of perturbed periodic potentials—317(L)
Winther, Aage (see Kofoed-Hansen, O.)—526(L)
Witmer, Enos E. Excited energy levels of nuclei as rational multiples of electron mass—905(A)
Wittels, M. Lattice expansion of quartz due to fast neutron bombardment— 656(L)
Witten, Louis. Ionizing and heating plasma—335(A)
Wood, D. E. (see Roberts, J. H.)—905(A)
Woodhouse, R. L. Effect of weak magnetic field on constricted arc in fluorescent lamp—342(A)
Worley, R. Edwin. Third Ryberg series of N_2—864
Wright, Byron T. Spectrometer measurement on high energy positrons of Na^{22}—902(A)
Wu, Ta-You. Spectrum of discrete eigenvalues in negative atomic ion—629
—— (see Trainor, L. E. H.)—273
Wyckoff, H. O. (see Motz, J. W.)—968
Wyly, L. D. and A. Zucker. Activities in light nuclei from nitrogen ion bombardment—524(L)

Zaffarano, D. J. (see Mize, J. P.)—902(A)
Zissis, G. J. (see Deverall, G. V.)—895(A)
Zucker, A. (see Wyly, L. D.)—524(L)
Zucker, E. R. (see Mandeville, C. E.)—559

Author Index to Volume 90

References with (A) are to abstracts of papers presented at meetings of the American Physical Society, and those with (T) designate title only; references with (L) are to Letters to the Editor; references to (E) are to Errata.

Aarons, M. W., J. Ashkin, F. Feiner, J. G. Gorman, and L. Smith. Nuclear cross sections of negative and positive pions—342(A)

Abe, Hidetaro and Junji Shimada. Anomalous magnetic resonance absorption of Cu acetate at 40 kMc/sec—317(L)

Abragam, A. Indirect interaction between nuclear spins in Cu acetate—358(A)

—— (see Kambe, K.)—348(A)

—— (see Pound, R. V.)—993(L)

Abraham, Bernard M., Darrell W. Osborne, and Bernard Weinstock. Nuclear alignment and entropy of liquid He^3—347(A)

Abrahams, Elihu (see Kittel, C.)—238

Acquista, N. (see Mann, D. E.)—359(A)

Adel, Arthur. Absorption line-width in infrared spectrum of atmospheric CO_2—1024

Ahrens, Tino. Pseudoscalar interaction in theory of β-decay—974

Akeley, E. S. (see Jacobs, Ira)—386(A)

Albers-Schönberg, H., F. Hänni, E. Heer, T. B. Novey, and P. Scherrer. Effect of electric quadrupole interaction on γ-γ directional correlation in Cd^{111}—322(L)

Albrecht, H. O. (see Mandeville, C. E.)—25; 364(A); 992(L)

Alford, W. L. and R. B. Leighton. Mean lifetimes of V-particles and heavy mesons—622

Allen, H. C., Jr. (see Meal, H. C.)—348(A)

Allison, Samuel K. and Harvey Casson. Scintillation response from NaI(Tl) crystals under bombardment with 60–600 kev positive ions—354(A); 880

Allred, J. C. (see Armstrong, A. H.)—340(A)

Alperovitch, E. (see Lidofsky, L.)—387(A)

Amdur, I. and W. T. Lindsay. Scattering of fast N_2 molecules by N_2—344(A)

Anderson, Carl E., George W. Wheeler, and W. W. Watson. Inner bremsstrahlung associated with K-capture in A^{37}—606

Anderson, E. C. (see Cowan, C. L., Jr.)—493(L)

Anderson, J. M. (see Goldstein, L.)—151(L); 486(L)

Anderson, James L. Use of functionals in evaluating S matrix—373(A)

Angell, C. E. and J. P. Perry. Total cross sections of 37-Mev pions in H—724(L)

Antonoff, George. Methods for advancing subject of liquid—385(A)

—— (see Madrazo, Raymond, Jr.)—385(A)

Appleton, G. L. (see Halpern, O.)—869

Arase, E., Gerson Goldhaber, and S. Goldhaber. Elastic pion-deuteron scattering—160(L)

—— (see Goldhaber, S.)—344(A)

Arfken, G. B. (see Guernsey, R. L.)—1132(A)

Armstrong, A. H., J. C. Allred, and L. Rosen. Interaction of 14-Mev neutrons with protons and deuterons—340(A)

Arnold, James R. and Thomas Sugihara. Decay scheme of natural Lu^{176}—332(L)

Artman, J. O. and J. P. Gordon. Pressure broadening of O_2 lines in mm wavelength region—338(A)

Ascoli, Giulio. Mass of cosmic-ray mesons at mountain altitudes—1079

Ashkin, J. (see Aarons, M. W.)—342(A)

Auluck, F. C. and D. S. Kothari. Fermi's theory of nucleon collisions and zero-point energy of pions—1002(L)

Austern, N. and S. T. Butler. Coulomb effects in deuteron stripping—365(A)

Baerg, A. P. Neutron capture cross section of Em^{239}—1121(L)

Bainbridge, Kenneth T., M. Goldhaber, and Elizabeth Wilson. Influence of chemical state on lifetime of nuclear isomer, Tc^{99m}—430

—— (see Kraushaar, J. J.)—610

Bair, J. K., J. D. Kington, and H. B. Willard. N^{14} level structure from $C^{13}(p,n)N^{13}$—575

—— (see Willard, H. B.)—865

Ballam, J., D. R. Harris, A. L. Hodson, R. Ronald Rau, G. T. Reynolds, and Marcello Vidale. Magnetic field cloud chamber for studying nuclear interactions in cosmic radiation. I. Equipment—369(A)

—— (see Rau, R. Ronald)—369(A)

Ballard, Stanley S. and Kathryn A. McCarthy. Thermal conductivity values for $BaTiO_3$—375(A)

Bame, S. J., Jr. (see Perry, J. E., Jr.)—380(A)

Band, William and Raymond A. Nelson. Cluster theory of saturated vapor pressure of He isotope mixtures—744

Barbour, Ian. Z-dependence of cross section and energy in cosmic-ray stars—361(A)

Barker, W. A. and Z. V. Chraplyvy. Conversion of amplified Dirac equation to approximately relativistic form, erratum—1131(E)

Barnes, R. G. (see Harrick, N. J.)—260

Barnett, C. F. (see Evans, G. E.)—825

Barnett, S. J. Gyromagnetic ratios of microcrystalline and macrocrystalline materials—315(L)

Barschall, H. H. (see Walt, M.)—714(L)

Bartell, L. S. and L. O. Brockway. Investigation of electron distribution in atoms by electron diffraction—833

Bartholomew, G. A. and B. B. Kinsey. γ-rays produced by neutron capture in Cd^{113}—355(A)

Bay, Z., V. P. Henri, and F. McLernon. Lifetimes of excited states of Ni^{60}—371(A)

—— (see Kanner, H.)—371(A)

Beach, E. H. (see King, J. S.)—381(A)

Becker, Robert A. (see Bendel, W. L.)—888

—— (see Brown, Hugh N.)—323(L)

Beers, Y. (see Weisbaum, S.)—338(A)

Beghian, L. E., H. H. Halban, T. Husain, and L. G. Sanders. Energy levels of C^{13} from $Be^9(\alpha,n)C^{13}$—1129(L)

—— (see Hicks, D.)—163(L)

Bekefi, G. Diffraction of electromagnetic waves by aperture in infinite screen—385(A)

Belinfante, F. J. and J. C. Swihart. Special-relativistic linear theory of gravitation—357(A)

Bell, George I. Capture and loss of electrons by fission fragments—548

Bell, R. E. and R. L. Graham. Time distribution of positron annihilation in liquids and solids—644

Bendel, W. L., F. J. Shore, H. N. Brown, and R. A. Becker. Disintegration of 24-min Ag^{108}—888

Benenson, R. E. Energy levels in N^{14} and C^{14} from deuteron bombardment of C^{12}—420

Bennett, Clarence and Victor H. Coffin. Molar refraction of CO_2 as function of density and age of gas—344(A)

Bennett, Willard H. Magnetically self-focusing discharges—387(A)

Bergmann, Otto. Conservation laws in classical electrodynamics—315(L)

Bergmann, Peter G. Self-consistency of Lagrangian quantization—357(A)

—— (see Thomson, Robb M.)—357(A)

Berko, Stephen and Frank L. Hereford. Deflection of high energy electrons in magnetized Fe—341(A)
Berman, Arthur I. Total Compton and pair production cross sections at 19.5 Mev—210
Bernardini, G., R. Reitz, and E. Segrè. Photomesonic fission of Bi—573
Bernstein, W. (see Chase, R. L.)—353(A)
—— (see Schardt, A. W.)—353(A)
Bethe, H. A. Sign of phase shifts in meson-nucleon scattering—994(L)
—— **and F. J. Dyson.** Asymptotic behavior and differential equation of meson wave function—372(A)
Bever, R. S. (see Sproull, R. L.)—352(A)
Beyster, J. R. (see Carter, R. E.)—389(A)
Bichsel, H. and R. F. Mozley. Range of protons in Al—354(A)
—— (see Mozley, R. F.)—354(A)
Biedenharn, L. C. and John M. Blatt. Variational principle for n-p scattering with tensor forces—365(A)
Biondi, Manfred A. Processes involving ions and metastable atoms in Hg afterglows—730
Birks, J. B. Response of organic scintillation crystals to short-range particles, erratum—1131(E)
Bitter, Francis. Magneto-resonance and magnetic optics—358(T)
Bjornerud, E. K. (see York, C. M.)—167(L)
Black, Clayton F. Angular distributions of (d,p) reactions—381(A)
Blair, J. S. and G. F. Chew. Fourth order corrections to scattering of pions by non-relativistic nucleons—1065
Blatt, John M., A. K. Stebbins, and D. J. Tendam. (α,n) and $(\alpha,2n)$ cross sections of Ag^{109}—460
—— (see Biedenharn, L. C.)—365(A)
Bleuler, E., J. W. Blue, S. A. Chowdary, A. C. Johnson, and D. J. Tendam. Isomerism of In^{110} and In^{119}—464
Blewett, J. P. Accelerators incorporating alternating-gradient focusing—347(T)
Bloom, A. L. and J. N. Shoolery. High resolution of nuclear resonance signals in flowing samples—358(A)
Bloom, Stanley. Spectral line broadening by electrons—382(A)
—— **and Henry Margenau.** Quantum theory of spectral line broadening—791
Blue, J. W. (see Bleuler, E.)—464
Bockelman, C. K., C. P. Browne, A. Sperduto, and W. W. Buechner. Inelastic scattering of protons and deuterons from B^{10}—340(A)
—— (see Browne, C. P.)—340(A)
Bodansky, D., A. Sachs, and J. Steinberger. Differential cross sections for scattering of 58-Mev π^+ mesons in H—996(L)
——, **A. M. Sachs, and J. Steinberger.** Phase-shift analysis of scattering of positive mesons at 58 Mev—997(L)
Boehm, F., D. C. Peaslee, and V. Perez-Mendez. Search for 1-Mev γ from N^{16} decay—1119(L)
—— **and C. S. Wu.** Inner bremsstrahlung and ionization of atom accompanying β-decay—369(A)
—— (see Wu, C. S.)—388(A)
Bohr, Aage and Ben R. Mottelson. Rotational states in even-even nuclei—717(L)
Boley, F. I. and D. S. Dunavan. Radioactive decay of Y^{91}—158(L)
Boorse, H. A. (see Smith, B.)—156(L)
Booth, E. C. (see Rasetti, F.)—388(A)
Borowitz, Sidney (see Boyet, Howard)—341(A)
—— (see Mostov, Philip M.)—376(A)
Borst, L. B. Resonance scattering in In—354(A); 859
Bortner, T. E. and G. S. Hurst. Energy per ion pair for 5-Mev α-particles in He—160(L)
Bots, G. J. C. and C. J. Gorter. Fountain effect in He II below 1°K—1117(L)
Boyd, A. W. (see MacKenzie, D. R.)—327(L)
Boyet, Howard and Sidney Borowitz. Scattering of electrons by H atoms—341(A)
Braams, R. and C. L. Smith. Photoneutron reaction in Ca^{40}—995(L)
Bracci, A., U. Facchini, and A. Malvicini. Spectrum of γ-radiation emitted in reaction $n+p \rightarrow d+\gamma$—162(L)
Braid, T. H. Measurements of neutron capture γ-rays with scintillation spectrometer—355(A)
Bramson, H. J. (see Seifert, A. M.)—349(A)
Branin, Franklin H., Jr. Bi-directional electronic counter for use in optical interferometry—345(A)
Brattain, W. H. (see Portis, A. M.)—988(L)
Braunstein, R. and J. W. Trischka. Nuclear-molecular interactions of Li^7F^{19}—348(A)
Bray, P. J. (see Harrick, N. J.)—260
Breckenridge, R. G. Semiconducting intermetallic compounds—488(L)
Breit, G. (see Gluckstern, R. L.)—1026
Brentano, J. C. M. and T. L. Thourson. X-ray investigation on effect of mechanical surface treatment on lattice regularity of quartz and calcite—351(A)
Brice, M. K. (see Cork, J. M.)—444; 579
Bridge, H. S., C. Peyrou, B. Rossi, and R. Safford. Cloud chamber observations of heavy charged unstable particles in cosmic rays—921
—— (see Peyrou, C.)—368(A)
—— (see Safford, R.)—369(A)
Bridgman, P. W. Recent results at high pressures—367(T)
Brockman, F. G. (see Corliss, L. M.)—1013
Brockway, L. O. (see Bartell, L. S.)—833
Broder, Jacob (see Keck, Paul H.)—521
Brolley, J. E., Jr. (see Dickinson, W. C.)—388(A)
Bronzo, Joseph (see Truell, Rohn)—152(L)
Brooks, Harvey. Diffusion of injected carriers in semiconductor of mixed conductivity type—336(A)
—— (see Ham, Frank)—383(A)
Brosi, A. R. (see Ketelle, B. H.)—567
Brower, D. (see Hinman, G.)—370(A)
Brown, Harry B. and Robert Stump. Continuous γ-radiation accompanying internal conversion in Ba^{137m}—1061
Brown, Hugh N. and Robert A. Becker. Excitation of 16-μsec state in Ta^{181} by capture of bremsstrahlung—328(L)
—— (see Bendel, W. L.)—888
Brown, L. Carlton (see Manring, Edward)—348(A)
—— (see Schwarz, Guenter)—351(A)
Brown, Laurie M. Grain density in nuclear emulsions—95
Brown, N. L. (see Cole, R. H.)—352(A)
Brown, Sanborn C. (see Goldey, James M.)—336(A)
Brown, W. L., R. C. Fletcher, and S. Machlup. Annealing of bombardment damage in solids—709(L)
—— **and W. Shockley.** n-type conduction on p-type Ge surfaces—336(A)
Browne, C. P., C. K. Bockelman, W. W. Buechner, and A. Sperduto. Inelastic scattering of protons and deuterons from N^{14} and Li^6—340(A)
—— (see Bockelman, C. K.)—340(A)
Brownell, L. E. (see Meinke, W. W.)—353(A)
Brueckner, K. A. Damping of virtual nucleon-pair formation in pseudoscalar meson theory—476
—— Elastic scattering of pions in D—715(L)
—— **and K. M. Watson.** Construction of potentials in quantum field theory—699
Brysk, Henry. Extreme single-particle model and β-decay—365(A)
Bube, Richard H. Electronic transitions in luminescence of ZnS phosphors—70

Buechner, W. W. (see Bockelman, C. K.)—340(A)
—— (see Browne, C. P.)—340(A)
Bunbury, D. StP. β-decay of Li^8—1121(L)
Burgess, R. E., H. Kroemer, and J. M. Houston. Corrected values of Fowler-Nordheim field emission functions $v(y)$ and $s(y)$—515
Burke, B. F. and M. W. P. Strandberg. Zeeman effect in rotational spectra of asymmetric-rotor molecules—303; 338(A)
Burson, S. B. (see Jordan, W. C.)—862
Buskirk, A. V., H. O. Cohn, L. R. Etter, C. J. Karzmark, R. H. Rediker, and R. W. Thompson. New magnet chamber for study of V particles—369(A)
—— (see Thompson, R. W.)—329(L)
Butler, S. T. (see Austern, N.)—365(A)
Byfield, H. (see Kessler, J.)—343(A)
—— (see Lederman, L.)—344(A)

Calhoun, B. A. Electrical conductivity of magnetite at low temperatures—374(A)
Callen, Herbert B. (see Offenbacher, Elmer L.)—401
Cameron, John R. Elastic scattering of α-particles by oxygen—839
Carlson, B. C. (see Rohrlich, F.)—378(A)
Carr, E. F. and R. D. Spence. Influence of magnetic field on microwave dielectric constant of liquid crystal—339(A)
Carr, W. J., Jr. Spin-dependent couplings in many electron system—383(A)
Carter, D. E. and M. P. Givens. Soft x-ray absorption of Fe and Fe_2O_3—379(A)
Carter, R. E. and J. R. Beyster. Inelastic collision cross sections for fission spectrum neutrons—389(A)
Caspar, D. L. and C. R. Woese. Inactivation of dysentery toxin with ionizing radiation—384(A)
Casson, Harvey (see Allison, Samuel K.)—354(A); 880
Caswell, R. S. (see Nelson, C. M.)—364(A)
Cavallo, L. (see Seliger, H. H.)—443
Chamberlain, Joseph W. and Norman J. Oliver. OH in airglow at high latitudes—1118(L)
Champion, K. S. W. Constriction of high power discharges by intense magnetic field—387(A)
Chang, C. H., C. S. Cook, and H. Primakoff. Transmission of electrons through thin metallic foils—544
Chang, W. Y., W. Bernstein, and A. W. Schardt. Versatile coincidence gray wedge pulse-height analyzer—353(A)
—— (see Grodzins, L.)—361(A)
—— (see Schardt, A. W.)—353(A)
Cheka, J. S. Fast neutron film dosimeter—353(A)
Ch'en, Shang-Yi and Donald A. Kohler. Broadening and shift of second doublet of Rb absorption series under different pressures of A and He—1019
Cheng, L. S. and M. L. Pool. Disintegration of Sc^{47}—886
Chew, G. F. (see Blair, J. S.)—1065
Chisholm, R. and B. Touschek. Spin orbit coupling and mesonic Lamb shift—763
Chou, C. N. Energy spectra of cosmic ray photons and electrons from plastic scintillation counter measurements—473
Chowdary, S. A. (see Bleuler, E.)—464
Chrapylvy, Z. V. (see Barker, W. A.)—1131(E)
Chu, Sheng To (see Tifford, Arthur N.)—377(A)
Clapp, Roger E. Elementary particle structure—356(A)
Clark, G. L. (see Goldstein, L.)—151(L); 486(L)
Clark, G. W. Scintillation counter measurements of absorption of N-component—368(A)
Clarke, R. L. (see Paul, E. B.)—381(A)
Clauser, F. H. Turbulent boundary layers having equilibrium velocity profiles in adverse pressure gradients—379(T)
Coffin, Victor (see Bennett, Clarence)—344(A)
Cohen, B. L., E. Newman, T. H. Handley, and A. Timnick. Angular distribution of deuterons from $Be^9(p,d)Be^9$—328(L)
—— (see Neidigh, R. V.)—340(A)
Cohen, M. H. Nuclear quadrupole coupling in solids—348(A)
Cohn, H. O. (see Buskirk, A. V.)—369(A)
Cole, R. H., R. W. Swenson, and N. L. Brown. Dielectric constants of solid HCl and HBr—352(A)
Coleman, E. W. (see Meinke, W. W.)—353(A)
Coleman, John W. Electron gun—386(A)
Colladay, G. S. (see Juenker, D. W.)—772
Collins, S. C. and F. J. Zimmerman. Cyclic adiabatic demagnetization—991(L)
Colton, E. T. (see Lees, S.)—346(A)
Conklin, G. L. (see Zucker, E. R.)—387(A)
Conwell, E. M. High field mobility in Ge with impurity scattering dominant—769
Cook, C. Sharp and Fred T. Porter. $Zn^{64}(d,\alpha n)Cu^{61}$—429
—— (see Chang, C. H.)—544
Cook, L. G. and K. D. Shafer. Neutron activation of Ca^{48}—1121(L)
Cook, W. R., Jr., and Hans Jaffe. Ferro-electricity in oxides of fluorite structure—375(A)
Coomes, E. A. (see Juenker, D. W.)—772
Cooper, D. I., D. H. Frisch, and R. L. Zimmerman. p-p scattering in interference minimum region—339(A)
—— (see Zimmerman, R. L.)—339(A)
Cooper, John N. (see Green, Donald W.)—1132(A)
Corey, H. E. (see Vogel, F. L.)—489(L)
Cork, Bruce, p-p scattering at 32.0 Mev—1129(L)
Cork, J. M., J. M. LeBlanc, D. W. Martin, W. H. Nester, and M. K. Brice. Nuclear levels associated with Zr^{95} and Nb^{95}—579
——, **J. M. LeBlanc, W. H. Nester, D. W. Martin, and M. K. Brice.** Radioactive decay of Cs^{134}, Os^{185}, Os^{191}, and Os^{193}—444
—— (see Jordan, W. C.)—862
Corliss, L. M., J. M. Hastings, and F. G. Brockman. Neutron diffraction study of $MgFe_2O_4$—1013
Corrsin, S. Propagation of turbulence into irrotational flow ——376(A)
Corson, Dale R. Radiation by electrons in large orbits—748
Coryell, Charles D. (see Richter, Harold G.)—389(A)
Coté, R. E. and P. Kusch. Low frequency resonances in spectra of diatomic molecules—103
Cowan, C. L., Jr., F. Reines, F. B. Harrison, E. C. Anderson, and F. N. Hayes. Large liquid scintillation detectors —493(L)
—— (see Reines, F.)—492(L)
Cowen, J. A. and R. D. Spence. Temperature dependence of ferromagnetic resonance in (Ni-Fe) alloy—359(A)
Crandall, W. E. (see Schecter, L.)—633
Crasemann, Bernd. Decay of Ga^{64} and Ga^{65}—995(L)
—— **and Harry T. Easterday.** Decay of Cr^{49}—1124(L)
Cronemeyer, D. C. (see Rank, D. H.)—202
Crosbie, Edwin A. Relative energy levels of P-shell nuclei in intermediate coupling—138
Crouch, M. F. and D. E. Diller. Method for absolute neutron source calibration—361(A)
Crussard, J., L. Leprince-Ringuet, D. Morellet, A. Orkin-Lecourtois, and J. Trembley. K-mesons—1127(L)
Culpepper, S. V. (see Seliger, H. H.)—443
Curie, Daniel. Mechanism of phosphorescence in crystal phosphors—154(L)
Cutler, M. Effect of surface states in diode rectification theory—337(A)

Dacey, G. C. Space-charge limited hole current in Ge—759
Dailey, B. P. Rotational spectrum and molecular structure of $C_2H_3Cl^{35}$—337(A)
Damm, C. C. (see Smith, Lincoln G.)—324(L)
Damon, P. E. and R. R. Edwards. Electromagnetic spectrum of RaD—280
Darlington, Lillian E., Jack Haugsnes, Harry M. Mann, and James H. Roberts. Angular distribution of $Li^6(n,\alpha)H^3$ for neutrons of 200, 270, 400, and 600 kev—1049
Dash, William C. Additive coloration of single crystals of BaO—352(A)
Daubin, Scott M. (see Pipkin, Francis M.)—353(A)
Daunt, J. G. (see Horowitz, M.)—379(A)
Davis, Marguerite. Biological determination of range of low voltage electrons—384(A)
deBretteville, A., Jr. (see Lefker, R.)—345(A)
Dehmelt, H. G. Nuclear quadrupole resonance—348(T)
Déjardin, G., J. Janin, and M. Peyron. Vibration-rotation band system of OH in near infrared—359(A)
Del Castillo, G. (see Grodzins, L.)—361(A)
del Rio, C. S. and Valentine L. Telegdi. Inelastic nuclear scattering of photons by Rh^{103}—439
Dempster, J. R. Hugh. Calculations on μ-meson capture in nuclei—349(A)
der Mateosian, E. and Luke C. L. Yuan. Surface effect of NaI scintillators—868
Deser, Stanley and Paul C. Martin. Covariant meson-nucleon equation—1075
de-Shalit, A. Effects of departure from single particle model on nuclear magnetic moments—83
Deutsch, R. W. Secondary particles resulting from 375-Mev α-bombardment of nuclei—499(L)
DeWitt, Bryce S. Pair production by curved metric—357(A)
Dexter, D. L. Small angle scattering of x-rays from cold-worked solids—1007
Dicke, R. H. Excitation of superradiant states: New technique for high resolution microwave spectroscopy—337(T)
Dickinson, W. C. and J. E. Brolley, Jr. Angular distribution of fragments from neutron-induced fission—388(A)
Dieterich, Ernest J. Excitation of light by H ions—386(A)
Diller, D. E. (see Crouch, M. F.)—361(A)
Dodd, J. S. (see Lefker, R.)—345(A)
Draper, J. E. and B. D. McDaniel. Pulsed source of fast neutrons—362(A)
Drell, S. D. (see King, William C.)—326(L)
Dudziak, Walter F. π^+ meson production cross sections from C by 341-Mev protons—342(A)
Duller, N. M. (see Walker, W. D.)—320(L)
DuMond, Jesse W. M. (see Hoyt, Harry C.)—169(L)
Dunavan, D. S. (see Boley, F. I.)—158(L)
Dunlap, W. C., Jr. (see Saby, John S.)—630; 1131(E)
Dutta, Ajit Kumar. Electrical conductivity of single crystals of graphite—187
Dutton, David and Robert Maurer. Color centers and trapped charge in KCl and KBr—126
Dvorak, H. R. and R. N. Little, Jr. Total cross sections of Cl, Na, Ti, and Br for fast neutrons—618
Dyson, Freeman J. Use of Tamm-Dancoff method in field theory—994(L)
——, **S. S. Schweber, and W. M. Visscher.** Theoretical analysis of meson-proton scattering—372(A)
—— (see Bethe, H. A.)—372(A)
—— (see Mitra, A. N.)—372(A)

Easterday, Harry T. (see Crasemann, Bernd)—1124(L)
Edwards, R. R. (See Damon, P. E.)—280
Edwards, S. F. Non-perturbation approach to quantum electrodynamics—284
Elson, R., P. A. Sellers, and E. R. John. Thermal neutron capture cross sections of Pa^{231} and Pa^{233}—102
Emrich, R. J., J. E. Mack, and R. A. Shunk. Variation with time of flow variables in shock tube—375(A)
Engelder, Theodore C. Search for short-lived nuclear isomers—259
Engelkemeir, D. W., P. R. Fields, and J. R. Huizenga. Radiations of Pu^{242}—6
Erickson, R. A. Neutron diffraction studies of antiferromagnetism in MnF_2 and some isomorphous compounds—779
Eschenfelder, A. H. and R. T. Weidner. Saturation effects in paramagnetic resonance absorption and spin-lattice relaxation time—358(A)
Eshelby, J. D. Equation of motion of a dislocation—248
Etter, L. R. (see Buskirk, A. V.)—369(A)
—— (see Thompson, R. W.)—329(L); 1122(L)
Evans, G. E., P. M. Stier, and C. F. Barnett. Stopping of heavy ions in gases—825
Evett, Arthur A. and Henry Margenau. Forces between H_2 molecules—1021

Facchini, U. (see Bracci, A.)—162(L)
Fagot, W. C. (see Simpson, J. A.)—1068
Fairbank, Henry A. (see King, J. C.)—347(A); 989(L)
Fano, U. Geometrical characterization of nuclear states and theory of angular correlations—577
Farnsworth, H. E. (see Schlier, Robert E.)—351(A)
Faust, W. R., V. E. Scherrer, and R. B. Theus. γ-radiation from interaction of 14-Mev neutrons with matter—355(A)
Feiner, F. (see Aarons, M. W.)—342(A)
Feld, B. T. Analysis of photomeson production data—342(A)
—— (see Wattenberg, A.)—380(A)
Ferguson, R. C. and E. B. Wilson, Jr. Microwave spectrum and structure of SOF_2—338(A)
Feshbach, Herman, Charles E. Porter, and Victor F. Weisskopf. Formation of compound nucleus in neutron reactions—166(L)
Feynman, R. P. λ-transition in liquid He—1116(L)
Fields, P. R. (see Engelkemeir, D. W.)—6
Findley, D. E. (see Worthington, H. R.)—899
Fiora, Verna C. (see Turner, T. E.)—338(A)
Fleming, W. H. and H. G. Thode. A^{38} in pitchblende minerals and nuclear processes in nature—857
Fletcher, R. C. (see Brown, W. L.)—709(L)
Flint, H. T. and E. Marjorie Williamson. Coordinate operators and fundamental lengths—318(L)
Fonger, W. (see Simpson, J. A.)—934
Foote, H. L., Jr., V. L. Sailor, and H. H. Landon. Low energy neutron resonance cross sections for Ho, Er, Lu, and Tm—362(A)
—— (see Landon, H. H.)—363(A)
Forbes, Stuart G. Activation cross sections for 14-Mev neutrons, erratum—1131(E)
Ford, Kenneth W. First excited states of even-even nuclei—29; 366(A)
—— (see Wilets, L.)—366(A)
Forsthoff, C. W., R. H. Goeckermann, and R. A. Naumann. Formation and decay of Mo^{99m}—1004(L)
Foss, Martyn H. Rotating condenser for synchrocyclotron oscillator—353(A)
Foster, Bruce P. (see May, John E.)—243; 370(A)
Fowler, W. B., R. P. Shutt, A. M. Thorndike, and W. L. Whittemore. Observation of V^0 particles produced at cosmotron—1126(L)
Fox, J. G. (see Grove, D. J.)—378(A)
—— (see Mott, W. E.)—712(L)
Fox, R. E. (see Hickam, W. M.)—386(A)
—— (see Kjeldaas, T., Jr.)—386(A)

Frankl, D. R. and T. A. Read. Internal friction of rocksalt single crystals—351(A)
Franklin, R., M. Friedman, and R. Setlow. Ultraviolet action spectrum of bacillus megatherium bacteriophage—384(A)
Fraser, J. S. and J. C. D. Milton. Distribution of prompt neutron emission probability for fission fragments of U^{233}—389(A)
—— (see Milton, J. C. D.)—388(A)
Friedman, M. and E. Pollard. Ionizing radiation evidence for internal structure in bacterial virus—384(A)
—— (see Franklin, R.)—384(A)
Frisch, David H. *S*-wave two-body interaction in nuclei—367(A)
—— (see Cooper, D. I.)—339(A)
—— (see Storrs, C. L.)—339(A)
—— (see Zimmerman, R. L.)—339(A)
Fry, W. F. Evidence for emission of neutrino following nuclear capture of μ-meson—999(L)
—— **and George R. White.** Range distribution of μ-mesons from π-meson decay in photographic emulsions—207
—— (see White, George R.)—349(A)
Frye, G. M. and L. Rosen. Angular distribution and energy spectrum of charged particles produced by 14-Mev neutrons on Li^6 and Li^7—381(A)
Fumi, F. G. and L. Wolfenstein. Allowed final states for annihilation into 3 photons—498(L)
Furuichi, Jiro (see Mitsui, Toshito)—193

Garwin, R. L. Search for V^0 particles produced by 450-Mev protons—274
Geller, M. (see von Hippel, A.)—364(A)
Geltman, Sydney. Mobility of He molecular ions in He—808
Gerjuoy, E. (see Saxon, David S.)—373(A)
Ghiorso, Albert (see Hyde, Earl K.)—267
Gilleo, M. A. Photoemission from Ag into AgCl, KBr, NaCl, and new bands of photosensitivity in AgCl—364(A)
Ginther, Robert J. (see Schulman, James H.)—351(A)
Givens, M. P. (see Carter, D. E.)—379(A)
Glass, Neel W., Louis K. Jensen, and J. Reginald Richardson. Short-lived radioisotopes P^{28} and Cl^{32}—320(L)
Glasser, R. G. and Marcel Schein. Energy of nucleon-nucleon collisions—218
Glaubman, Michael J. Spins and parities of excited states in even-even nuclei—1000(L)
Glazer, Herbert and Howard Reiss. Application of Fermi-Thomas model in computing dipole moment of ICl—360(A)
Gluckstern, R. L. and M. H. Hull, Jr. Polarization dependence of integrated bremsstrahlung cross section—1030
——, **M. H. Hull, Jr., and G. Breit.** Polarization of bremsstrahlung radiation—1026
Godbole, R. D. (see Wattenberg, A.)—380(A)
Goeckermann, R. H. (see Forsthoff, C. W.)—1004(L)
Goldberg, Joshua N. Gravitational radiation—356(A)
Goldberg, M. D. (see Hughes, D. J.)—497(L)
Goldemberg, J. and L. Katz. High energy γ-γ cross section of In^{115}—308
Goldey, James M. and Sanborn C. Brown. Microwave determination of electrical properties of Ge—336(A)
Goldhaber, Gerson and Leon Lederman. Positive pion scattering in H—343(A)
—— (see Arase, E.)—160(L)
—— (see Goldhaber, S.)—344(A)
Goldhaber, M. Families of fundamental particles—369(A)
—— (see Bainbridge, Kenneth T.)—430
Goldhaber, S., E. Arase, and Gerson Goldhaber. Elastic pion-deuteron scattering—344(A)
—— (see Arase, E.)—160(L)
Goldman, J. E. Theory of resistance minimum in metals—379(A)
Goldschmidt-Clermont, Y., L. S. Osborne, and M. B. Scott. Photoproduction of neutral mesons in H—350(A)
Goldstein, J. S. (see Salpeter, E. E.)—983
Goldstein, L., J. M. Anderson, and G. L. Clark. Interaction of microwaves propagated through gaseous discharge plasma—151(L)
——, **J. M. Anderson, and G. L. Clark.** Quenching of afterglow in gaseous discharge plasmas by low power microwaves—486(L)
Goldwasser, E. L., F. E. Mills, and T. R. Robillard. Direct measurement of effect of polarization on energy losses of fast electrons—378(A)
Good, R. H., Jr. Generalization of WKB method to radial wave equations—131
Goodman, Clark (see Kiehn, R. M.)—362(A)
Gordon, J. P. (see Artman, J. O.)—338(A)
Gordon, W. L. and J. A. Soules. Ross filter design for x-ray scattering experiments—346(A)
Gordy, Walter (see King, William C.)—319(L)
Gorman, J. G. (see Aarons, M. W.)—342(A)
Gorter, C. J. (see Bots, G. J. C.)—1117(L)
—— (see Kramers, H. C.)—1117(L)
Gorter, E. W. and J. A. Schulkes. Reversal of spontaneous magnetization as function of temperature in LiFeCr spinels—487(L)
Gove, H. E. p-γ angular correlations in $C^{12}(p,p'\gamma)$—370(A)
Grad, Harold (see Mostov, Philip M.)—376(A)
Graham, R. L. (see Bell, R. E.)—644
Grant, F. A. and A. D. Krumbein. Effect of temperature on duration of $^3P_2$ metastable level of Ne—59
Green, Donald W., J. C. Harris, and John N. Cooper. Method for measuring the half-lives of positron emitters—1132(A)
Green, G. K. Brookhaven cosmotron—347(T)
Green, H. S. Generalized method of field quantization—270
Green, J. B. and R. A. Loring. Zeeman effect in spectra of Te—80
Green, Melville S. Statistical mechanics of irreversible processes in fluids—376(A)
Green, Thomas A. Elastic scattering of π-mesons by deuterons—161(L)
Green, W. D. (see Lees, S.)—346(A)
Greenwald, Selma (see McGuire, T. R.)—373(A)
Greisen, K. and W. D. Walker. Ratio of neutral to charged particles in nuclear interacting component of cosmic rays—915
Grodzins, L., G. Del Castillo, and W. Y. Chang. Two-particle showers from Be—361(A)
Gross, E. P. (see von Hippel, A.)—364(A)
Grove, D. J. and J. G. Fox. e/m for 385-Mev protons—378(A)
Guernsey, R. L. and G. B. Arfken. Vector addition coefficient identity—1132(A)
Gunst, S. B. (see Page, L. A.)—377(A)
Gurney, I. D. C. Lattice sums: Validity of Evjen's method—316(L)

Haber, Agnes (see Sugarman, Nathan)—342(A)
Hahn, E. L. Spin-echo pulse technique in nuclear resonance studies—348(T)
Halban, H. H. (see Beghian, L. E.)—1129(L)
Hall, G. G. Electronic structure of diamond—316(L)
Hall, H. H. and J. L. Powell. Scattering of protons by protons—912

Halpern, O. and G. L. Appleton. Scattering of slow neutrons by O_2 molecules—869
Ham, Frank and Harvey Brooks. Effect of boundary states on free electron diamagnetism—383(A)
Hamermesh, Bernard and Clyde Kimball. Photodisintegration cross section of Be at 2.185 Mev—1063
——, **G. R. Ringo, and S. Wexler.** Thermal neutron capture cross section of H—603
Hamilton, Donald R. β-γ polarization correlations—370(A)
—— (see Pipkin, Francis M.)—353(A)
Hammer, C. L., E. C. Raka, and R. W. Pidd. Scattering of high energy electrons by nuclei—341(A)
—— (see Raka, E. C.)—341(A)
Hammond, William R., D. N. Kundu, and M. L. Pool. Activity assignment to Ti^{51}—157(L)
Handley, Thomas H. and Elmer L. Olson. Dy^{157}—500(L)
—— (see Cohen, B. L.)—323(L)
Hänni, F. (see Albers-Schönberg, H.)—322(L)
Hansen, K. F. (see Kiehn, R. M.)—362(A)
Harrick, N. J., R. G. Barnes, P. J. Bray, and N. F. Ramsey. Nuclear rf spectra of D_2 and H_2 in intermediate and strong magnetic fields—260
Harris, D. R. (see Ballam, J.)—369(A)
—— (see Rau, R. Ronald)—369(A)
Harris, Edward G. and Michel A. Melkanoff. Quadrupole moment of Li^7—585
Harris, F., B. Rossi, and I. Escobar Vallejo. East-west asymmetry for positive and negative mesons near equator—360(A)
Harris, J. C. (see Green, Donald W.)—1132(A)
Harrison, F. B. (see Cowan, C. L., Jr.)—493(L)
Harrison, G. R. Echelle spectroscopy—367(T)
Hartzler, A. J. and R. T. Siegel. Measurements with 390-Mev neutrons—362(A)
Harvey, J. A. (see Hughes, D. J.)—497(L)
Hastings, J. M. (see Corliss, L. M.)—1013
Haugsnes, Jack (see Darlington, Lillian E.)—1049
Havens, W. W., Jr. (see Seifert, A. M.)—349(A)
Hayes, F. N. (see Cowan, C. L., Jr.)—493(L)
Hayes, S., R. Smoluchowski, and R. W. Turner. Small angle x-ray scattering in deformed crystals—350(A)
Haynes, J. R. and J. A. Hornbeck. Temporary traps in Si and Ge—152(L)
Hazen, W. E., C. A. Randall, Jr., and R. W. Williams. Experiments on air showers—361(A)
—— (see Heineman, R. E.)—496(L)
—— (see Williams, R. W.)—361(A)
Heer, C. V. and C. Rauch. Magnetic susceptibility of colored KCl from 1°K to 300°K—530
Heer, E. (see Albers-Schönberg, H.)—322(L)
Heineman, R. E. and W. E. Hazen. Density distribution within 2 meters of large air shower axes—496(L)
Heller, Jack. Theory of nonhomogeneous turbulence—376(A)
Heller, W. and W. J. Pangonis. Refractive index corrections for molecular weight determined from light scattering—345(A)
—— (see Pangonis, W. J.)—345(A)
Hellund, E. J. Inner bremsstrahlung and magnetic moment of the neutrino—721(L)
Henley, E. M. and M. A. Ruderman. Recoil effects in meson-nucleon scattering—719(L)
Henri, V. P. (see Bay, Z.)—371(A)
—— (see Kanner, H.)—371(A)
Henry, Warren E. Magnetic saturation and apparent molecular fields of $MnCl_2 \cdot 4H_2O$—492(L)
Hereford, Frank L. and Jerome P. Keuper. Azimuthal distribution of photoelectrons produced by 0.5-Mev polarized photons—1043
—— **and Jerome P. Keuper.** Photoelectron ejection by 0.51-Mev polarized photons—382(A)
—— (see Berko, Stephen)—341(A)
Hermans, J. J. and Robert Ullman. Statistics of stiff chains—384(A)
Herrmann, G. (see Weisbaum, S.)—338(A)
Herschman, A. (see Hull, M. H., Jr.)—482
Heydenburg, N. P. (see Talbott, F. L.)—186
—— (see Temmer, G. M.)—340(A)
Hickam, W. M., R. E. Fox, and T. Kjeldaas, Jr. Ionization probability near threshold for formation of Xe^{++}, Kr^{++}, A^{++}, and Ne^{++}—386(A)
—— (see Kjeldaas, T., Jr.)—386(A)
Hicks, B. L. (see Turner, T. E.)—338(A)
Hicks, D. A., T. Husain, L. G. Sanders, and L. E. Beghian. Levels in N^{14} from $C^{13}(p,\gamma)N^{14}$—163(L)
—— (see Schecter, L.)—633
Hildebrand, B. Energy loss distribution of 624-kev electrons in thin foils—378(A)
Hill, David L. (see Wheeler, John A.)—366(A)
—— (see Wilets, L.)—366(A)
Hill, R. D. (see Swan, J. B.)—257
Hill, Richard William. Elastic scattering of α-particles by C—845
Hiller, Dale M. and Don S. Martin, Jr. Radiochemical studies on photofission of Th—581
Hillman, Peter and R. H. Stahl. Total cross section of He for high energy neutrons—362(A)
Hinman, G., D. Brower, and R. Leamer. Internal conversion in Na^{22} and Fe^{59}—370(A)
Hodson, A. L. (see Ballam, J.)—369(A)
—— (see Rau, R. Ronald)—369(A)
Hofmann, J. A. and K. Strauch. Interaction of 95-Mev protons with D, Li, Be, C, Al, Cu, and Pb nuclei—449
Holmes, John R. (see Parker, Lee W.)—142
Horan, John R. Non-uniform track shrinkage in nuclear emulsions—717(L)
Hornbeck, J. A. Trapping of injected carriers in semiconductors—336(T)
—— (see Haynes, J. R.)—152(L)
Horowitz, M. and J. G. Daunt. Specific heat measurements on pure metals at low temperatures—379(A)
Horton, G. K. (see Sharp, R. T.)—316(L)
Horton, J. and R. Sherr. α-γ angular correlation in ThC—388(A)
Houston, J. M. (see Burgess, R. E.)—515
Howe, Horace A. and K. R. MacKenzie. Positron-electron scattering at 1.3 Mev—678
Howling, D. H., E. Mendoza, and J. E. Zimmerman. Method of measuring specific heats at very low temperatures—347(A)
Hoyt, Harry C., Joseph J. Murray, and Jesse W. M. DuMond. Comparison of γ-ray reflections from (550) and (310) planes of quartz—169(L)
Hsiao, C. A. and V. L. Telegdi. Mechanism of $O^{16}+h\nu \rightarrow 4He^4$—494(L)
Hughes, D. J., J. A. Harvey, M. D. Goldberg, and Marilyn J. Stafne. Neutron-electron interaction—497(L)
——, **F. G. P. Seidl, H. Palevsky, and J. S. Levin.** Neutron resonance measurements with Brookhaven fast chopper—363(A)
—— (see Levin, J. S.)—363(A)
Hughes, Francis J. (see Jensen, Erling N.)—557
Hughes, Vernon W. (see Weinreich, Gabriel)—377(A)
Hugo, T. J. (see Naudé, S. M.)—318(L)
Huizenga, J. R. (see Engelkemeir, D. W.)—6
Hull, G. F., Sr. Experimental discoveries announced in programme of meeting of fifty years ago—367(T)

Hull, M. H., Jr., and A. Herschman. Effect of short range repulsion on low energy singlet nucleon-nucleon scattering —482
—— (see Gluckstern, R. L.)—1026; 1030
Hulm, J. K. Thermal resistivity of Hg in intermediate state —1116(L)
Hulthén, Lamek and Bengt C. H. Nagel. Photodisintegration of the deuteron—62
Humphrey, J. N., Frances L. Lummis, and W. W. Scanlon. Capacitance effects in thin conductive films—111
Hurst, G. S. (see Bortner, T. E.)—160(L)
Husain, T. (see Beghian, L. E.)—1129(L)
—— (see Hicks, D.)—163(L)
Hyde, Earl K. and Albert Ghiorso. α-branching of AcK and presence of As in nature—267

Ingram, D. J. E. Paramagnetic resonance in Mn formate—711(L)
Inn, Edward C. Y. (see Watanabe, K.)—155(L);—359(A)
—— (see Zelikoff, Murray)—359(A)

Jackson, J. David and D. I. Wanklyn. Disintegration of C by fast neutrons—381(A)
Jackson, J. M. and W. A. Rense. Origin of zodiacal light —345(A)
—— (see Pietenpol, W. B.)—156(L)
Jacobs, Ira and E. S. Akeley. Transverse motion of electron in constant wave speed section of linear accelerator —386(A)
Jacobs, James A. (see Schrader, Carlton D.)—159(L)
Jaffe, Hans (see Cook, W. R., Jr.)—375(A)
Jagger, John. Particle size of α-amylase—384(A)
Janes, G. S. and W. L. Kraushaar. Photoproduction of π^+ mesons from H—341(A)
Janin, J. (see Déjardin, G.)—359(A)
Jankus, V. Z. Radiative correction for collision loss of heavy particles—4
Jeffries, C. D. Spin and magnetic moment of Ca^{45}—1130(L)
Jelatis, J. G. (see von Hippel, A.)—364(A)
Jen, C. K. Classical model for rotational magnetic moments in molecules—359(A)
Jensen, Erling N., L. Jackson Laslett, Don S. Martin, Jr., Francis J. Hughes, and William W. Pratt. Radiations from Se^{75}—557
Jensen, Louis K. (see Glass, Neel W.)—320(L)
Jesse, William P. and John Sadauskis. α-particle ionization in pure gases and average energy to make ion pair—1120(L)
John, E. R. (see Elson, R.)—102
Johnson, A. C. (see Bleuler, E.)—464
Johnson, N. R. (see Sheline, R. K.)—325(L)
Johnson, P. D. Recent advances in interpretation of luminescence in solids—363(T)
Johnson, V. A. and F. M. Shipley. Adiabatic Hall effect in semiconductors—523
Jones, G. A. and D. H. Wilkinson. Purity of isotopic spin of charge parity states—722(L)
Jones, John W. and Truman P. Kohman. Synchrocyclotron production and properties of Mg^{28}—495(L)
Jongenburger, P. Extra resistivity due to vacancies in Cu—710(L)
Jordan, W. C., J. M. Cork, and S. B. Burson. Decay of Rh^{104m} (4.3-min) and Rh^{104} (44-sec)—862
Juenker, D. W., G. S. Colladay, and E. A. Coomes. Surface barrier analysis for highly refractory metals by means of Schottky deviations—772

Kahn, David. Energy loss of protons in metallic foils and mica—503
Kallmann, H. K. Continuous layer formation in atmosphere under influence of solar radiation—153(L)
Kambe, K. and A. Abragam. Line width in pure quadrupole resonance experiments in crystals—348(A)
Kane, J. A. (see Mott, W. E.)—712(L)
Kane, R. P. (see Sarabhai, V.)—204
Kanner, H., Z. Bay, and V. P. Henri. Accuracy of time measurements by delayed coincidences—371(A)
Kantrowitz, Arthur. Studies of thermally ionized gases produced by shock waves.—368(T)
Kaplon, M. F., D. M. Ritson, and W. D. Walker. High energy nuclear interactions in Pb and light elements—716(L)
—— (see Ritson, D. M.)—360(A)
Karplus, Robert, Margaret Kivelson, and Paul C. Martin. Meson-nucleon scattering—1072
Karzmark, C. J. (see Buskirk, A. V.)—369(A)
—— (see Thompson, R. W.)—329(L); 1122(L)
Kash, S. W. and D. C. Woods. Measurement of transport mean free path of thermal neutrons in D_2O by B poisoning method—564
Kasnitz, Harold L. and Kurt Sitte. Structure and composition of air-shower cores—361(A)
Kato, W. Y. (see Levin, J. S.)—363(A)
Katz, L. (see Goldemberg, J.)—308
Keck, Paul H. Solubility of Si in Ga and In—379(A)
—— **and Jacob Broder.** Solubility of Si and Ge in Ga and In—521
Kellogg, D. A. Cross sections for products of 90-Mev neutrons on C—224
Kendrick, W. M. (see Turner, T. E.)—338(A)
Kessler, J., H. Byfield, L. M. Lederman, and K. Rogers. Production of high energy photons in pion collisions—343(A)
—— (see Lederman, L.)—344(A)
Ketelle, B. H., A. R. Brosi, and F. M. Porter. Gallium 67 —567
Keuffel, J. W. (see Meyer, A. J.)—349(A)
Keuper, Jerome P. (see Hereford, Frank L.)—382(A); 1043
Kiehn, R. M., Clark Goodman, and K. F. Hansen. Total neutron cross sections of Cl and C—362(A)
Kimball, Clyde (see Hamermesh, Bernard—1063
King, J. C. and Henry A. Fairbank. Second sound velocity in mixtures of He^3—He^4—347(A); 989(L)
King, J. S. and E. H. Beach. Angular distributions of (d,p) reactions on P^{31}, Cl^{35}, V^{51}, and Sc^{45}—381(A)
King, R. W. and D. C. Peaslee. Odd-odd spins and j-j coupling—1001(L)
King, William C. and Walter Gordy. One to two mm wave spectroscopy—319(L)
Kington, J. D. (see Bair, J. K.)—575
—— (see Willard, H. B.)—865
Kinsey, B. B. (see Bartholomew, G. A.)—355(A)
Kip, A. F. Paramagnetic resonance resulting from conduction-electrons in metals—348(T)
—— (see Portis, A. M.)—988(L)
Kirk, Russell D. (see Schulman, James H.)—351(A)
Kittel, C. and Elihu Abrahams. Dipolar broadening of magnetic resonance lines in magnetically-diluted crystals —238
—— (see Portis, A. M.)—988(L)
Kivel, B. Pressure broadening by electron impacts—382(A)
Kivelson, D. and E. B. Wilson, Jr. Constants of centrifugal distortion—338(A)
Kivelson, Margaret (see Karplus, Robert)—1072
Kjeldaas, T., Jr., W. M. Hickam, and R. E. Fox. Relative ionization probability of He near threshold—386(A)
—— (see Hickam, W. M.)—386(A)

Klein, Abraham. Lamb shift for spinless electrons—372(A)
—— Tamm-Dancoff formalism and symmetric pseudoscalar theory of nuclear forces—1101
Kleiner, W. H. Orbital effect in neutron-electron magnetic scattering—168(L)
Kleinman, David A. Energy distribution of slow neutrons scattered in crystals—355(A)
Klick, Clifford C. and James H. Schulman. Luminescence of divalent Mn in solids—363(A)
Koehler, W. C. and E. O. Wollan. Paramagnetic scattering of neutrons by trivalent ions of Nd and Er—354(A)
Kohler, Donald A. (see Ch'en, Shang-Yi)—1019
Kohman, Truman P. (see Jones, John W.)—495(L)
Kohn, W. Adiabatic treatment of slow atomic collisions—383(A)
Kolb, E. D. (see Slichter, W. P.)—987(L)
Kotani, M. (see Miller, S. L.)—542
Kothari, D. S. (see Auluck, F. C.)—1002(L)
Kothari, L. S. Production of heavy mesons—1087
Kramers, H. C., F. A. W. van den Burg, and C. J. Gorter. Heat pulses in He II between 0.1°K and 1.0°K—1117(L)
Kranz, A. Z. and W. W. Watson. Thermal diffusion constant of HCl—344(A)
Kraushaar, J. J., Elizabeth D. Wilson, and Kenneth T. Bainbridge. Disintegration constant of Be^7 in Be, BeO, and BeF_2—610
Kraushaar, W. L. (see Janes, G. S.)—341(A)
Kriessman, C. J. and T. R. McGuire. Magnetic susceptibilities of Hf, Gd, and Mn—374(A)
Kroemer, H. (see Burgess, R. E.)—515
Kronheimer, Erwin H. Calculation of nuclear binding energies with single-particle oscillator wave-functions—1003(L)
Kruger, Paul and Nathan Sugarman. Evidence for 25.5-day Sr—76-sec Rb chain—158(L)
Krumbein, A. D. (see Grant, F. A.)—59
Kruse, U. E. (see Malenka, B. J.)—365(A)
Kulp, J. Laurence and Herbert L. Volchok. Constancy of cosmic ray flux over past 30,000 years—713(L)
Kundu, D. N. (see Hammond, William R.)—157(L)
Kusch, P. (see Coté, R. E.)—103
Kusumoto, Osamu, Saburo Miyake, Koichi Suga, and Yuzuru Watase. Example of multiple meson production observed with high pressure H_2-filled cloud chamber—998(L)

Laitone, E. V. and Helmer Nielsen. Transonic flow past wedge profiles by hydraulic analogy—375(A)
Lakin, W. and L. Wolfenstein. Nuclear reactions involving polarized deuterons—365(A)
Lamb, Willis E., Jr. (see Yergin, Paul F.)—377(A)
Landon, H. H., V. L. Sailor, and H. L. Foote, Jr. Neutron resonance energy measurements with Brookhaven crystal spectrometer—363(A)
—— (see Foote, H. L., Jr.)—362(A)
Laslett, L. Jackson (see Jensen, Erling N.)—557
Lawson, R. D. and S. D. Drell. Double meson photoproduction—326(L)
Lax, Melvin. Transition temperatures for spherical model ferromagnets—374(A)
—— (see Levitas, Alfred)—374(A)
Leaf, Boris. Continuum in special relativity—1090
Leamer, R. (see Hinman, G.)—370(A)
LeBlanc, J. M. (see Cork, J. M.)—444; 579
Lederman, Leon, H. Byfield, J. Kessler, and K. Rogers. Pion scattering and absorption cross sections in Pb and C—344(A)
—— (see Goldhaber, Gerson)—343(A)
—— (see Kessler, J.)—343(A)
Lee, T. D., F. E. Low, and D. Pines. Motion of slow electrons in polar crystal—297
—— (see Pines, D.)—382(A)
Lees, S., W. D. Green, and E. T. Colton. Low frequency oscillator, circular sweep generator, and direct reading phase measuring instrument—346(A)
Lefker, R., A. deBretteville, Jr., and J. S. Dodd. Single crystal high temperature heater for x-ray spectrometer—345(A)
Lehovec, Kurt. Space charge layer and distribution of lattice defects at surface of ionic crystals—350(A)
Leighton, R. B. (see Alford, W. L.)—622
—— (see York, C. M.)—167(L)
Lemonick, Aaron (see Pipkin, Francis M.)—353(A)
Lenard, A. Inner bremsstrahlung in μ decay—372(A); 968
Leprince-Ringuet, L. (see Crussard, J.)—1127(L)
Levin, J. S., W. Y. Kato, N. G. Sjostrand, and D. J. Hughes. Neutron resonances in Ag, Th, and Mn—363(A)
—— (see Hughes, D. J.)—363(A)
Levinger, J. S. Effects of radioactive disintegrations on inner electrons of the atom—11
Levitas, Alfred and Melvin Lax. Improved spherical treatment of Ising model—374(A)
Lew, Hin and Günter Wessel. Hfs of $3p\ ^2P_{1/2}$ state of Al^{27}—1
Lewis, H. W. and G. H. Wannier. Spherical model of a ferromagnet, erratum—1131(E)
Li, C. W. Nuclear mass determinations from disintegration energies: O to S, erratum—1131(E)
Lidofsky, L., E. Alperovitch, and C. S. Wu. β-spectrum of Cs^{138}—387(A)
Liepmann, H. W. Skin friction in supersonic and high subsonic flow—379(T)
Lin, C. C. Stability of boundary layer at supersonic speeds—379(T)
Lindenfeld, P. (see Steinberger, J.)—343(A)
Lindsay, W. T. (see Amdur, I.)—344(A)
Lindström, Gunnar. Establishment of absolute energy scale in β-spectroscopy—369(T)
Lipworth, Edgar (see Yergin, Paul F.)—377(A)
Littauer, R. M., A. M. Perry, and W. M. Woodward. Photomesons from H—342(A)
Little, R. N., Jr. (see Dvorak, H. R.)—618
Livingston, M. S. Strong focusing synchrotron—368(T)
Livingston, Ralph and Henry Zeldes. Quadrupole moment ratio of I^{129} and I^{127} from pure quadrupole spectra—609
Locher, K. and P. Stoll. (γ,α) reaction of B^{11} and B^{10}—164(L)
Loeb, Leonard B. Current increase at constant amplification factor in steady corona with coaxial cylindrical geometry—144
Longdon, L. W. Non-central force matrix elements for nuclear d^3 configuration—1125(L)
Lönsjö, O. (see Roderick, H.)—371(A)
Loring, R. A. (see Green, J. B.)—80
Lounsbury, M. (see MacKenzie, D. R.)—327(L)
Lovberg, R. H. (see Yarnell, J. L.)—292
Low, F. E. (see Lee, T. D.)—297
—— (see Pines, D.)—382(A)
Löwdin, Per-Olov. Atomic self-consistent fields. I. Calculation of Slater functions—120
Luckey, David. Excitation curve for photomesons from Be—711(L)
Lummis, Frances L. (see Humphrey, J. N.)—111

MacDonald, J. Ross. Polarization capacitance effects in photoconductors and semiconductors—364(A)
—— (see Thickens, R. W.)—375(A)
Machlup, S. (see Brown, W. L.)—709(L)
Mack, J. E. (see Emrich, R. J.)—375(A)

MacKenzie, D. R., M. Lounsbury, and A. W. Boyd. β^- half-life of Pu^{241}—327(L)
—— (see Howe, Horace A.)—678
Madrazo, Raymond, Jr., and Georgè Antonoff. Interpolation of vapor pressures—385(A)
Maita, J. P. (see Morin, F. J.)—337(A)
Malenka, B. J., U. E. Kruse, and N. F. Ramsey. Polarizability of deuteron—365(A)
Malkus, Willem V. R. Discrete transitions in thermal turbulence—376(A)
Malvicini, A. (see Bracci, A.)—162(L)
Mandeville, C. E. and H. O. Albrecht. α-particle induced phosphorescence of Ag-activated NaCl—25; 364(A)
—— **and H. O. Albrecht.** Phosphorescence of thoria—992(L)
—— (see Zucker, E. R.)—387(A)
Mann, D. E. and N. Acquista. Vibrational spectrum of CTFE—359(A)
Mann, Harry M. (see Darlington, Lillian E.)—1049
Mann, L. G. (see West, H. I.)—370(A)
Manring, Edward, Carlton Brown, and Dudley Williams. Nuclear quadrupole transitions in paradibromobenzene—348(A)
Marcus, Paul M. Statistical basis of 2-fluid models of superconductivity—346(A)
—— (see Maxwell, E.)—346(A)
Margenau, Henry (see Bloom, Stanley)—791
—— (see Evett, Arthur A.)—1021
Marmo, Frederick (see Watanabe, K.)—155(L)
Marquez, Luis. β-spectrum of Mg^{28}—330(L)
Marshall, John H. Liquid A ionization chamber measurement of shape of β-ray spectrum of K^{40}—371(A)
Martin, D. W. (see Cork, J. M.)—444; 579
Martin, Don S., Jr. (see Hiller, Dale M.)—581
—— (see Jensen, Erling N.)—557
Martin, Paul C. (see Deser, Stanley)—1075
—— (see Karplus, Robert)—1072
Marton, L., J. Arol Simpson, and J. A. Suddeth. Electron beam interferometer—490(L)
Matossi, Frank. Vibrational emission spectra in glow discharges—359(A)
—— (see Nudelman, Sol)—363(A)
Matthias, B. T. Superconducting compounds of non-superconducting elements—487(L)
—— (see Salam, Abdus)—690
Maurer, Robert (see Dutton, David)—126
Maxwell, E. and P. M. Marcus. Aspects of 2-fluid model of superconductivity—346(A)
May, John E. and Bruce P. Foster. γ-rays from Mg^{28}—243; 340(A)
McCarthy, John A. Search for double β-decay in Sn^{124} and Zr^{96}—853
McCarthy, Kathryn A. (see Ballard, Stanley S.)—375(A)
McClure, Gordon W. Specific primary ionization of H_2, He, Ne, and A by high energy electrons—796
McDaniel, B. D. (see Draper, J. E.)—362(A)
—— (see Weil, J. W.)—380(A)
McGruer, J. N. (see Worthington, H. R.)—899
McGuire, T. R. and Selma Greenwald. Magnetic susceptibility and x-ray diffraction measurements of VO and TiO—373(A)
—— (see Kriessman, C. J.)—374(A)
McLernon, F. (see Bay, Z.)—371(A)
Meal, H. C. and H. C. Allen, Jr. Pure quadrupole spectra of HCl and DCl—348(A)
Meinke, W. Wayne. Half-life of Pd^{109} and neutron activation cross section of Pd^{108}—410
——, **E. W. Coleman, J. V. Nehemias, and L. E. Brownell.** 10-kC Co^{60} source—353(A)
Meissner, H. (see Meissner, W.)—709(L)
Meissner, W., F. Schmeissner, and H. Meissner. Temperature, current, magnetic field phase diagram of superconductivity—709(L)
Melkanoff, Michel A. (see Harris, Edward G.)—585
Melkonian, Edward. Recent developments in methods of analysis of slow neutron transmission data in neighborhood of nuclear energy levels—362(A)
Melvin, M. Avramy. Derivation of gauge condition in new electrodynamics—389(A)
—— Generalization of new classical electrodynamics—357(A)
Mendenhall, R. I. (see Zucker, E. R.)—387(A)
Mendoza, E. (see Howling, D. H.)—347(A)
Merz, Walter J. Double hysteresis loop of $BaTiO_3$ at Curie point—375(A)
Metzger, Franz R. Spin and parity of 2.3-Mev excited state of Te^{124}—328(L)
—— (see Schiff, D.)—849
Meyer, A. J. and J. W. Keuffel. μ-meson capture probabilities for intermediate Z elements—349(A)
Meyerhof, W. E. (see Roderick, H.)—371(A)
Michaelis, R. P. and C. E. Violet. Ratio of plateau to minimum grain density for electrons—723(L)
Millburn, G. P. (see Schecter, L.)—633
Miller, Park H. (see Wahlig, Charles F.)—337(A)
Miller, S. L. and C. H. Townes. Microwave absorption spectrum of O_2^{18} and $O^{16}O^{17}$—537
—— **C. H. Townes, and M. Kotani.** Electronic structure of O_2—542
Mills, F. E. (see Goldwasser, E. L.)—378(A)
Milton, J. C. D. and J. S. Fraser. Response of NaI(Tl), KI(Tl), and stilbene phosphors to fission fragments—388(A)
—— (see Fraser, J. S.)—389(A)
Mitra, A. N. and F. J. Dyson. Evidence for direct meson-meson interaction—372(A)
Mitra, S. K. Active nitrogen—516
Mitsui, Toshito and Jiro Furuichi. Domain structure of rochelle salt and KH_2PO_4—193
Miyake, Saburo (see Kusumoto, Osamu)—998(L)
Morellet, D. (see Crussard, J.)—1127(L)
Morin, F. J. and J. P. Maita. Comparison of Cu-doped Ge with heat treated Ge—337(A)
Morita, Masato. Interference terms of electron-neutrino angular correlation—1005(L)
Morrish, A. H. Nuclear interactions of 210-Mev π^- mesons in emulsions—674
Morse, Philip M. Excitation of molecular rotation-vibration by electron impact—51
Moshinsky, Marcos. Poles of S matrix for nuclear reactions—365(A)
Moskowitz, Marvin. Apparatus for measuring thermal conductivity of metals in vacuum at high temperatures—379(A)
Mostov, Philip M., Harold Grad, and Sidney Borowitz. Moment method solution of Boltzmann equation for rough sphere molecular model—376(A)
Moszkowski, S. A. and V. L. Telegdi. Nuclear double γ-emission—366(A)
Mott, W. E. and R. B. Sutton. p-p scattering at 435 Mev—339(A)
—— **R. B. Sutton, J. G. Fox, and J. A. Kane.** Differential cross section for elastic p-p scattering at 435 Mev—712(L)
Mottelson, Ben R. (see Bohr, Aage)—717(L)
Motz, Henry T. Prompt γ-rays from slow neutron capture—355(A)
Mozley, R. F. and H. Bichsel. Analyzing magnet—354(A)
—— (see Bichsel, H.)—354(A)
Murray, Joseph J. (see Hoyt, Harry C.)—169(L)

Nagel, Bengt C. H. (see Hulthén, Lamek)—62
Nagel, E. (see Wu, C. S.)—388(A)
Naudé, S. M. and T. J. Hugo. Emission spectrum of AlF—318(L)
Naumann, R. A. (see Forsthoff, C. W.)—1004(L)
Nedzel, V. Alexander. Total cross sections for 400-Mev neutrons—169(L)
Nehemias, J. V. (see Meinke, W. W.)—353(A)
Neher, H. V. Fluctuations and latitude-effect of cosmic rays at high altitudes and latitudes—360(T)
——, **V. Z. Peterson, and E. A. Stern.** Fluctuations and latitude effect of cosmic rays at high altitudes and latitudes—655
—— **and E. A. Stern.** Energy distribution of cosmic rays—360(A)
Neidigh, R. V. and B. L. Cohen. Angular distributions of 21-Mev protons elastically scattered by various nuclei—340(A)
Nelson, C. M., R. L. Sproull, and R. S. Caswell. Conductivity changes in KCl produced by γ and n irradiation—364(A)
Nelson, Edward B. (see Schrader, Carlton D.)—159(L)
Nelson, Raymond A. (see Band, William)—744
Nergaard, L. S. Studies in oxide-coated cathodes—368(T)
Nester, W. H. (see Cork, J. M.)—444; 579
Neugebauer, H. E. J. Generalization of Kirchhoff's theorem to electromagnetic fields—385(A)
Neuman, Maurice. Radiation of a high energy electron in constant magnetic field—682
Newman, E. (see Cohen, B. L.)—323(L)
Niday, James B. (see Turkevich, A.)—342(A)
Nielsen, Helmer (see Laitone, E. V.)—375(A)
Novey, T. B. (see Albers-Schönberg, H.)—322(L)
Novick, Robert (see Yergin, Paul F.)—377(A)
Nudelman, Sol and Frank Matossi. Influence of electric fields on luminescence—363(A)

O'Day, Marcus. Electron physics in upper atmosphere—368(T)
Offenbacher, Elmer L. and Herbert B. Callen. Directional effects in electric breakdown of ionic crystals—401
Ohtsuka, T. (see Wanick, R. W.)—355(A)
Olbert, S. Atmospheric effects on cosmic-ray intensity at sea level—360(A)
Oldenberg, O. Active nitrogen, airglow—727
Oliver, Norman J. (see Chamberlain, Joseph W.)—1118(L)
Orkin-Lecourtois, A. (see Crussard, J.)—1127(L)
Olson, Elmer L. (see Handley, Thomas H.)—500(L)
O'Rourke, R. C. Deviations from Brillouin's free-spin theory in $MnSiF_6 \cdot 6H_2O$—786
Ortel, William C. G. Neutrons produced in cosmic-ray stars—368(A)
Osborne, Darrell W. (see Abraham, Bernard M.)—347(A)
Osborne, L. S. Photomeson production from H—349(T)
—— (see Goldschmidt-Clermont, Y.)—350(A)
Overhauser, Albert W. Isothermal annealing effects in irradiated Cu—393

Page, L. A., P. Stehle, and S. B. Gunst. Direct comparison of m/e for positron and electron—377(A)
Palevsky, H. (see Hughes, D. J.)—363(A)
Pangonis, W. J. and W. Heller. Solid angle corrections for light scattering measurements—345(A)
—— (see Heller, W.)—345(A)
Parker, Eugene N. Acoustical radiation from velocity field in compressible fluid—240
—— Extension of Heisenberg's model of turbulence to critical Reynolds numbers—221
Parker, Lee W. and John R. Holmes. New fine structure in neutral oxygen—142
Paul, E. B., R. L. Clarke, and W. T. Sharp. Angular distribution of long range α-particles from $F^{19}(p,\alpha)O^{16}$—381(A)
Paul, William. Pressure dependence of resistivity of Ge—336(A)
Pearson, G. L. High impedance field-effect Si transistor—336(A)
—— **and M. Tanenbaum.** Magneto-resistance effect in InSb—153(L)
Pease, Jane S. (see Pease, Robert L.)—371(A)
Pease, Robert L. and Jane S. Pease. Exact interaction of scalar and electrostatic fields—371(A)
Peaslee, D. C. (see Boehm, F.)—1119(L)
—— (see King, R. W.)—1001(L)
Pell, E. M. Recombination rate in Ge by observation of pulsed reverse characteristic—278
Perez-Mendez, V. (see Boehm, F.)—1119(L)
Perry, A. M. (see Littauer, R. M.)—342(A)
Perry, J. E., Jr., and S. J. Bame, Jr. $T(p,\gamma)$ reaction—380(A)
Perry, J. P. (see Angell, C. E.)—724(L)
Peterson, V. Z. (see Neher, H. V.)—655
Petschek, Albert G. Absorption of slow π^- mesons by He^4 nuclei—959
Peyron, M. (see Déjardin, G.)—359(A)
Peyrou, C., R. Safford, and H. Bridge. Experimental results on V^0 particles—368(A)
—— (see Bridge, H. S.)—921
—— (see Safford, R.)—369(A)
Pfann, W. G. (see Vogel, F. L.)—489(L)
Phillips, James A. Energy loss of low energy protons in some gases—532
Picus, Gerald S. Transfer rate of liquid He II film near zero level difference—719(L)
Pidd, R. W. (see Hammer, C. L.)—341(A)
—— (see Raka, E. C.)—341(A)
Pietenpol, W. B. and W. A. Rense. Observations of zodiacal light during total solar eclipse—345(A)
——, **W. A. Rense, F. C. Walz, D. S. Stacey, and J. M. Jackson.** Lyman-α line photographed in sun's spectrum—156(L)
Pines, D., F. Low, T. D. Lee, and C. N. Yang. Motion of slow electrons in polar crystals—382(A)
—— (see Lee, T. D.)—297
Pipkin, Francis M., Scott M. Daubin, Aaron Lemonick, and Donald R. Hamilton. Fast triple coincidence circuit—353(A)
Pollard, E. C. Physical studies on viruses—367(T)
—— (see Friedman, M.)—384(A)
Pool, M. L. (see Cheng, L. S.)—886
—— (see Hammond, William R.)—157(L)
Porter, Charles E. (see Feshbach, Herman)—166(L)
Porter, F. M. (see Ketelle, B. H.)—567
Porter, Fred T. (see Cook, C. Sharp)—429
—— (see Whittle, Charles E.)—498(L)
Portis, A. M., A. F. Kip, C. Kittel, and W. H. Brattain. Electron spin resonance in Si semiconductor—988(L)
Portnoy, W. M. (see Swan, J. B.)—257
Pound, R. V. and A. Abragam. Angular correlations from liquid sources—993(L)
Powell, J. L. (see Hall, H. H.)—912
Pratt, William W. (see Jensen, Erling N.)—557
Price, P. J. Macroscopic theory of superfluid He^3-He^4 mixtures, erratum—1131(E)
Prim, R. C. (see Shockley, W.)—753
Primakoff, H. (see Chang, C. H.)—544
Purcell, E. M. Nuclear magnetism—367(T)

Rainwater, James. Mesonium—349(T)
Raka, E. C., C. L. Hammer, and R. W. Pidd. Scattering of high energy electrons by nuclei—341(A)
—— (see Hammer, C. L.)—341(A)
Ramsey, Norman F. Spin interactions of accelerated nuclei in molecules—232; 382(A)
—— (see Harrick, N. J.)—260
—— (see Malenka, B. J.)—365(A)
Randall, C. A., Jr. (see Hazen, W. E.)—361(A)
Rank, D. H. and D. C. Cronemeyer. Infrared absorption characteristics of thermiated Ge—202
Raphael, R. B. and J. Schwinger. High energy nucleon scattering and isobars—373(A)
Rasetti, F. and E. C. Booth. γ-ray spectrum of ionium—388(A)
Rau, R. Ronald, Marcello Vidale, G. T. Reynolds, D. R. Harris, A. L. Hodson, and J. Ballam. Magnetic field cloud chamber for studying nuclear interactions in cosmic radiation. II. Preliminary results—369(A)
—— (see Ballam, J.)—369(A)
Rauch, C. (see Heer, C. V.)—530
Read, T. A. (see Frankl, D. R.)—351(A)
Rediker, R. H. (see Buskirk, A. V.)—369(A)
Rediker, R. H. (see Thompson, R. W.)—329(L); 1122(L)
Reines, F. and C. L. Cowan, Jr. Proposed experiment to detect free neutrino—492(L)
—— (see Cowan, C. L., Jr.)—493(L)
Reiss, Howard. Chemical equilibria involving electrons as independent chemical entities in impurity semi-conductors—336(A)
—— (see Glazer, Herbert)—360(A)
Reitz, R. (see Bernardini, G.)—573
Rense, W. A. (see Jackson, J. M.)—345(A)
—— (see Pietenpol, W. B.)—156(L); 345(A)
Reynolds, G. T. (see Ballam, J.)—369(A)
—— (see Rau, R. Ronald)—369(A)
Reynolds, John H. Isotopic constitution of Si, Ge, and Hf—1047
—— **and T. J. Ypsilantis.** Techniques in isotopic abundance measurements on elements of Group IV—378(A)
Rice, O. K. and Benjamin Widom. Thermodynamics of He film—987(L)
Richardson, J. Reginald (see Glass, Neel W.)—320(L)
Richter, Harold G. and Charles D. Coryell. Fission of U with 16-Mev x-rays—389(A)
Rinehart, M. C. (see Sargent, C. P.)—343(A)
Ringo, G. R. (see Hamermesh, B.)—603
Ritson, D. M., M. F. Kaplon, and W. D. Walker. High energy cosmic-ray interactions in photographic emulsion and Pb—360(A)
—— (see Kaplon, M. F.)—716(L)
Roberts, A., W. Spry, and J. Tinlot. Charge exchange scattering of 40-Mev π-mesons in H and D—343(A)
—— **and J. Tinlot.** Charge-exchange scattering of 34-Mev π-mesons in H and D—951
Roberts, James H. (see Darlington, Lillian E.)—1049
Roberts, Shepard. Dielectric changes of electroluminescent phosphor during illumination—364(A)
Robillard, T. R. (see Goldwasser, E. L.—378(A)
Robinson, Lawrence Baylor. Production of fissionable isotopes in thermal reactor—1054
Roderick, H., O. Lönsjö, and W. E. Meyerhof. Decay scheme of P^{32}—371(A)
Rogers, K. (see Kessler, J.)—343(A)
—— (see Lederman, L.)—344(A)
Rogosa, G. L. and Guenter Schwarz. Extent of perfect single crystal regions within imperfect single crystals—351(A)
—— (see Schwarz, Guenter)—351(A)
Rohrlich, F. and B. C. Carlson. Energy loss of positrons and electrons—378(A)
Rorschach, H. E., Jr. (see Teasdale, Tom S.)—709(L)
Rose, M. E. O^{14} β-decay and Fermi interaction—1123(L)
—— **and C. L. Terry.** Effect of finite DeBroglie wavelength in theory of β-decay—479
—— (see Armstrong, A. H.)—340(A)
—— (see Frye, G. M.)—381(A)
Rosenstock, Herbert B. Response of pulsed Geiger tube—352(A)
Ross, M. (see Sundaresan, M. K.)—372(A)
Rossi, B. (see Bridge, H. S.)—921
—— (see Harris, F.)—360(A)
—— (see Safford, R.)—369(A)
Rothstein, Jerome. Concept of physical object—356(A)
Rubin, Robert J. Propagation of "plastic" wave in material exhibiting strain-rate effect—346(A)
Ruby, Stanley L. (see Rustad, Brice M.)—370(A)
Ruderman, M. A. Nuclear forces from pseudoscalar meson theory—183
—— Pseudoscalar β-decay and RaE—366(A)
—— (see Henley, E. M.)—719(L)
Rustad, Brice M. and Stanley L. Ruby. β-recoil correlation in decay of He^6—370(A)
Ryder, E. J. Mobility of holes and electrons in high electric fields—766

Saby, John S. and W. C. Dunlap, Jr. Impurity diffusion and space charge layers in fused-impurity p-n junctions—630; 1131(E)
Sachs, A. (see Bodansky, D.)—996(L); 997(L)
—— (see Steinberger, J.)—343(A)
Sachs, Mendel. Nuclear hfs of Mn^{++}—1058
Sadauskis, John (see Jesse, William P.)—1120(L)
Safford, R., C. Peyrou, H. Bridge, and B. Rossi. Cloud-chamber observations on unstable heavy charged particles in cosmic rays—369(A)
—— (see Bridge, H. S.)—921
—— (see Peyrou, C.)—368(A)
Sagane, Ryokichi. Pion production ratios by proton bombardment—1003(L)
Sailor, V. L. (see Foote, H. L., Jr.)—362(A)
—— (see Landon, H. H.)—363(A)
Salam, Abdus and P. T. Matthews. Fredholm theory of scattering in given time-dependent field—690
Salkovitz, E. I. and P. L. Smith. Plastic deformation in ADP crystals—350(A)
Salpeter, E. E. and J. S. Goldstein. Momentum space wave functions. II. Deuteron ground state—983
—— (see Sundaresan, M. K.)—372(A)
Sanders, L. G. (see Beghian, L. E.—1129(L)
—— (see Hicks, D.)—163(L)
Sarabhai, V. and R. P. Kane. Worldwide effects of continuous emission of cosmic rays from the sun—204
Sargent, C. P. and M. C. Rinehart. Absorption of negative pions in H—343(A)
Satchler, G. R. Angular distribution of γ-rays from stripping reactions—722(L)
Saxon, David S. and E. Gerjuoy. Variational calculation of high energy scattering by Yukawa potential—373(A)
Scanlon, W. W. (see Humphrey, J. N.)—111
Schardt, A. W., W. Bernstein, and R. L. Chase. Gray wedge time delay analyzer—353(A)
—— (see Chase, R. L.)—353(A)
Scharff-Goldhaber, Gertrude. Excited states of even-even nuclei—587
Schawlow, A. L. Nuclear quadrupole resonances in Br and I compounds—348(A)

Schecter, L., W. E. Crandall, G. P. Millburn, D. A. Hicks, and A. V. Shelton. High energy charged particles from targets bombarded by 190-Mev deuterons—633
Schein, Marcel (see Glasser, R. G.)—218
Scherrer, P. (see Albers-Schönberg, H.)—322(L)
Scherrer, V. E. (see Faust, W. R.)—355(A)
Schiff, D. and F. R. Metzger. γ-γ directional correlations in Co^{56}, Xe^{133}, and Hg^{198}—849
Schlier, Robert E. and H. E. Farnsworth. Studies of gas adsorption on (100) faces of Cu and Ni crystals by low speed electron diffraction—351(A)
Schmeissner, F. (see Meissner, W.)—709(L)
Schrader, Carlton D., Edward B. Nelson, and James A. Jacobs. Angular correlation of cascade γ-rays from decay of Au^{198}—159(L)
Schubauer, G. B. Turbulent processes as observed in boundary layer and type—379(T)
Schulkes, J. A. (see Gorter, E. W.)—487(L)
Schulman, James H., Robert J. Ginther, and Russell D. Kirk. Enhancement of x-ray-induced absorption bands in alkaline-earth compounds—351(A)
—— (see Klick, Clifford C.)—363(A)
Schwarz, Guenter, L. Carlton Brown, and G. L. Rogosa. X-ray path through calcite for anomalous transmission—351(A)
—— (see Rogosa, G. L.)—351(A)
Schweber, S. S. (see Dyson, F. J.)—372(A)
Schwinger, Julian (see Raphael, R. B.)—373(A)
Scott, M. B. (see Goldschmidt-Clermont, Y.)—350(A)
Scovil, Georgiana. Hall effect in Ti—337(A)
Segrè, E. (see Bernardini, G.)—573
Seidl, F. G. P. (see Hughes, D. J.)—363(A)
Seifert, A. M., H. J. Bramson, and W. W. Havens, Jr. Photographic study of muon range spectrum from $\pi \rightarrow \mu$ decay—349(A)
Seliger, H. H., L. Cavallo, and S. V. Culpepper. Half-life of I^{131}—443
Sellers, P. A. (see Elson, R.)—102
Selove, W., K. Strauch, and F. Titus. n-p scattering near 180° at 94 Mev—339(A)
Senitzky, I. R. Transition from classical to quantum interaction between electron and high frequency field—386(A)
Setlow, Richard. Quantum yield for inactivation of dry chymotrypsin—383(A)
—— (see Franklin, R.)—384(A)
Shafer, K. D. (see Cook, L. G.)—1121(L)
Shanks, Daniel. Blasius and Weyl constants in boundary layer theory—377(A)
Shapiro, E. (see Zucker, E. R.)—387(A)
Shapiro, Mathew M. Cross sections for formation of compound nucleus by charged particles—171
Sharp, R. T. and G. K. Horton. Variational approach to uni-potential many-electron problem—316(L)
Sharp, W. T. (see Paul, E. B.)—381(A)
Sheline, R. K. and N. R. Johnson. Decay scheme of Mg^{28}—325(L)
Shelton, A. V. (see Schecter, L.)—633
Sherman, Dora F. Production of μ-mesons and their behavior in nuclear research emulsions—469
Sherr, R. (see Horton, J.)—388(A)
Shimada, Junji (see Abe, Hidetaro)—317(L)
Shipley, F. M. (see Johnson, V. A.)—523
Shockley, W. Cyclotron resonances, magnetoresistance, and Brillouin zones in semiconductors—491(L)
—— **and R. C. Prim.** Space charge limited emission in semiconductors—753
—— (see Brown, W. L.)—336(A)
Shoolery, J. N. (see Bloom, A. L.)—358(A)
Shore, F. J. (see Bendel, W. L.)—888
Shull, C. G. (see Wilkinson, M. K.)—374(A)
Shunk, R. A. (see Emrich, R. J.)—375(A)
Shutt, R. P. (see Fowler, W. B.)—1126(L)
Siegel, R. T. (see Hartzler, A. J.)—362(A)
Siegert, Arnold J. F. Theory of condensation—344(A)
—— Theory of fusion and condensation—97
Simon, Albert. Higher spin polarizations in nuclear reactions—325(L)
—— Theory of polarized particles in nuclear reactions—991(L)
—— **and T. A. Welton.** Production of polarized particles in nuclear reactions—1036
Simon, Ivan. Structure of SiO_2 and B_2O_3 glasses compacted by very high pressures—350(A)
Simons, Lennart. Existence of positronium chloride—165(L)
Simpson, J. Arol and W. C. Fagot. Properties of low energy nucleonic component at large atmospheric depths—1068
——, **W. Fonger, and S. B. Treiman.** Cosmic-ray intensity-time variations and origin. I. Neutron intensity variation method and meteorological factors—934
—— **and R. B. Uretz.** Cosmic-ray neutron production in elements as function of latitude and altitude—44
—— (see Marton, L.)—490(L)
Singer, S. F. Meteorites as cosmic-ray meters—168(L)
Sitte, Kurt (see Kasnitz, Harold L.)—361(A)
Sjostrand, N. G. (see Levin, J. S.)—363(A)
Slichter, W. P. and E. D. Kolb. Solute distribution in Ge crystals—987(L)
Smart, J. Samuel. Magnetic structure transitions—55
—— Specific heats of ferrites—374(A)
Smith, B. and H. A. Boorse. He II film transport rates over various surfaces—156(L)
Smith, Cyril L. Inactivation of desoxyribonuclease by particle bombardment and by heat—383(A)
—— (see Braams, R.)—995(L)
Smith, L. (see Aarons, M. W.)—342(A)
Smith, Lincoln G. and C. C. Damm. Mass synchrometer doublet measurement at masses 28 and 30—324(L)
Smith, P. L. (see Salkovitz, E. I.)—350(A)
Smoluchowski, R. (see Hayes, S.)—350(A)
Snowdon, S. C. and W. D. Whitehead. Total neutron cross sections of Au, Cl, and P—615
Snyder, H. S. Alternating-gradient focusing principle—347(T)
Soules, J. A. (see Gordon, W. L.)—346(A)
Spence, R. D. (see Carr, E. F.)—339(A)
—— (see Cowen, J. A.)—359(A)
Spencer, L. V. Calculation of peaked angular distributions from Legendre polynomial expansions and application to multiple scattering of charged particles—146
—— **and Charles Wolff.** Penetration and diffusion of hard x-rays: Polarization effects—510
Sperduto, A. (see Bockelman, C. K.)—340(A)
—— (see Browne, C. P.)—340(A)
Spetner, L. M. Fade-time of Rayleigh distributed random function—346(A)
Sproull, R. L. and R. S. Bever. O vacancies in BaO crystals—352(A)
—— (see Nelson, C. M.)—364(A)
Spry, W. (see Roberts, A.)—343(A)
Squires, G. L. (see Stewart, A. T.)—1125(L)
Stacey, D. S. (see Pietenpol, W. B.)—156(L)
Stafne, Marilyn J. (see Hughes, D. J.)—497(L)
Stahl, R. H. (see Hillman, Peter)—362(A)
Stebbins, A. K. (see Bleuler, E.)—460
Steffen, Rolf M. Evidence of mixed $E1+M2$ transition and angular momenta of Sr^{88} levels—321(L)

—— Interaction of electric field gradients and nuclear electric quadrupole moments in angular correlation—1119(L)
Stehle, P. (see Page, L. A.)—377(A)
Stein, Richard and John J. Keane. Scattering of light from polymer films—384(A)
Steinberger, J., A. Sachs, and P. Lindenfeld. Internal pair production of γ-rays of mesonic origin: Alternate modes of π^0 decay—343(A)
—— (see Bodansky, D.)—996(L); 997(L)
Stern, E. A. (see Neher, H. V.)—360(A); 655
Sternglass, E. J. Temperature dependence of secondary electron emission from Ta, Pt, and graphite—380(A)
Sternheimer, R. M. Double-focusing by system of two magnets with nonuniform fields—352(A)
Stewart, A. T. and G. L. Squires. Scattering of slow neutrons by ortho- and para-hydrogen—1125(L)
Stewart, John Q. Kinds of energy—356(A)
Stier, P. M. (see Evans, G. E.)—825
Stoll, P. (see Locher, K.)—164(L)
Storrs, C. L. and D. H. Frisch. Total neutron scattering cross sections of polyethylene and C at 1.32 Mev—339(A)
Strandberg, M. W. P. (see Burke, B. F.)—303; 338(A)
Stratton, W. R. (see Yarnell, J. L.)—292
Strauch, K. (see Hofmann, J. A.)—449
—— (see Selove, W.)—339(A)
Stump, Robert (see Brown, Harry B.)—1061
Suddeth, J. A. (see Marton, L.)—490(L)
Suga, Koichi (see Kusumoto, Osamu)—998(L)
Sugarman, Nathan and Agnes Haber. Interaction of negative pions with Hg—342(A)
—— (see Kruger, Paul)—158(L)
Sugihara, Thomas (see Arnold, James R.)—332(L)
Sugita, T. (see Yamaka, E.)—992(L)
Sundaresan, M. K., E. E. Salpeter, and M. Ross. Theoretical analysis of meson-proton scattering—372(A)
Sunyar, A. W. Disintegration of W^{187}: Evidence for slow $E1$ transition—387(A)
Sutton, R. B. (see Mott, W. E.)—339(A); 712(L)
Sutton, R. M. Response of Oersted medallist: Heritage of physics teacher—367(T)
Swan, J. B., W. M. Portnoy, and R. D. Hill. Radioactivity of Pt^{191} and Pt^{191m}—257
Swenson, R. W. (see Cole, R. H.)—352(A)
Swihart, J. C. (see Belinfante, F. J.)—357(A)

Talbott, F. L. and N. P. Heydenburg. γ-ray resonances in the α-particle bombardment of Be and B—186
Talmi, Igal. Spins and parities of excited states in even-even nuclei—1001(L)
Tanaka, K. Radiation emitted by uniformly moving particles—358(A)
Tanenbaum, M. (see Pearson, G. L.)—153(L)
Tchen, C. M. Transfer processes in isotropic turbulence—376(A)
Teasdale, Tom S. and H. E. Rorschach, Jr. Paramagnetic effect in superconductors—709(L)
Telegdi, Valentine L. (see del Rio, C. S.)—439
—— (see Hsiao, C. A.)—494(L)
—— (see Moszkowski, S. A.)—366(A)
Temmer, G. M. and N. P. Heydenburg. Precision α-α scattering at low energies—340(A)
Tendam, D. J. (see Bleuler, E.)—460; 464
Tenney, F. and J. Tinlot. Low energy π^+ interactions in Be—342(A)
Terry, C. L. (see Rose, M. E.)—479
Theus, R. B. (see Faust, W. R.)—355(A)
Thickens, R. W. and J. R. MacDonald. Electret-like behavior in polarized $BaTiO_3$ ceramic—375(A)
Thode, H. G. (see Fleming, W. H.)—857
—— (see Walker, W. H.)—447
Thomas, E. E. (see Vogel, F. L.)—489(L)
Thomas, L. H. (see Zondek, B.)—738
Thompson, R. W., A. V. Buskirk, L. R. Etter, C. J. Karzmark, and R. H. Rediker. Disintegration of V^0 particles—329(L)
——, **A. V. Buskirk, L. R. Etter, C. J. Karzmark, and R. H. Rediker.** Unusual example of V^0 decay—1122(L)
—— (see Buskirk, A. V.)—369(A)
Thomson, Robb M. and Peter G. Bergmann. Spin and statistics of general-relativistic Dirac field—357(A)
Thorndike, A. M. (see Fowler, W. B.)—1126(L)
Thourson, T. L. (see Brentano, J. C. M.)—351(A)
Tietz, T. Movable critical points of nonlinear wave equation—495(L)
Tifford, Arthur N. and Sheng To Chu. Boundary layer on spinning axisymmetric bodies—377(A)
Timnick, A. (see Cohen, B. L.)—323(L)
Tinlot, J. (see Roberts, A.)—343(A); 951
—— (see Tenney, F.)—342(A)
Tittman, Jay. Thermal energy relaxation length of Ra-Be neutrons in water—256
Titus, F. (see Selove, W.)—339(A)
Tolhoek, H. A. Theory of directional distribution and polarization of β- and γ-rays emitted by oriented nuclei—366(A)
Toll, John S. Radiative corrections to forward Compton scattering—372(A)
Tompkins, Althea (see Turkevich, A.)—247
Touschek, B. (see Chisholm, R.)—763
Townes, C. H. (see Miller, S. L.)—537; 542
Trammell, G. T. Elastic scattering of neutrons from paramagnetic rare earth atoms—355(A)
Trefftz, Eleanor. Energy bands in Nb metal—380(A)
Treiman, S. B. (see Simpson, J. A.)—934
Trembley, J. (see Crussard, J.)—1127(L)
Trischka, J. W. (see Braunstein, R.)—348(A)
Truell, Rohn and Joseph Bronzo. Ultrasonic attenuation measurements in Ge—152(L)
Turkevich, A. and James B. Niday. Radioactive products of interaction of π^- with As^{75}—342(A)
—— and Althea Tompkins. Search for Si^{32} in natural Si—247
Turner, R. W. (see Hayes, S.)—350(A)
Turner, T. E., Verna C. Fiora, W. M. Kendrick, and B. L. Hicks. Preliminary analysis of microwave spectrum of C_2H_4NH—338(A)

Uehling, Edwin A. (see Young, J. A., Jr.)—990(L)
Ullman, Robert (see Hermans, J. J.)—384(A)
Uretz, R. B. (see Simpson, J. A.)—44
Urey, Harold C. Abundances of elements, erratum—1131(E)

Vaidya, P. C. Spherically symmetric solutions in nonsymmetrical field theories. I. Skew symmetric tensor—695
Vallejo, I. Escobar (see Harris, F.)—360(A)
van den Burg, F. A. W. (see Kramers, H. C.)—1117(L)
Van Vleck, J. H. Two barrier phenomena—367(T)
van Wieringen, J. S. Anomalous behavior of g-factor of LiFeCr spinels as function of temperature—488(L)
Vidale, Marcello (see Ballam, J.)—369(A)
—— (see Rau, R. Ronald)—369(A)
Violet, C. E. (see Michaelis, R. P.)—723(L)
Visscher, W. M. (see Dyson, F. J.)—372(A)
Vogel, F. L., W. G. Pfann, H. E. Corey, and E. E. Thomas. Observations of dislocations in lineage boundaries in Ge—489(L)
Volchok, Herbert L. (see Kulp, J. Laurence)—713(L)

von Hippel, A., E. P. Gross, J. G. Jelatis, and M. Geller. Photocurrent space charge build-up and field emission in alkali halide crystals—364(A)

Wahlig, Charles F. and Park H. Miller. Photo-Hall-Voltaic effect—337(A)
Wakely, P. G. Binding energy calculation on He^4 with single particle wave functions—724(L)
Walchli, H. E. Nuclear magnetic resonance measurements of Se—331(L)
Walker, William D. Interactions of μ-mesons—234; 349(A)
—— **and N. M. Duller.** Unstable particles from penetrating showers—320(L)
—— (see Greisen, K.)—915
—— (see Kaplon, M. F.)—716(L)
—— (see Ritson, D. M.)—360(A)
Walker, W. H. and H. G. Thode. Relative abundances and neutron capture cross sections of Nd isotopes—447
Walt, M. and H. H. Barschall. Angular distribution of elastically scattered 1-Mev neutrons—714(L)
Walz, F. C. (see Pietenpol, W. B.)—156(L)
Waniek, R. W. and T. Ohtsuka. Stars initiated by neutrons—355(A)
Wanklyn, D. I. Fast neutron reactions in O and Ne—381(A)
—— (see Jackson, J. David)—381(A)
Wannier, Gregory H. Threshold law for single ionization of atoms or ions by electrons—817
—— (see Lewis, H. W.)—1131(E)
Watanabe, K., Edward C. Y. Inn, and Murray Zelikoff. Absorption coefficients of O_2 in vacuum uv—359(A)
——, **Frederick Marmo, and Edward C. Y. Inn.** Formation of D layer—155(L)
—— (see Zelikoff, Murray)—359(A)
Watase, Yuzuru (see Kusumoto, Osamu)—998(L)
Watson, K. M. (see Brueckner, K. A.)—699
Watson, W. W. (see Anderson, Carl E.)—606
—— (see Kranz, A. Z.)—344(A)
Wattenberg, A., B. T. Feld, and R. D. Godbole. High energy photoproton production—380(A)
Weaver, Albert B. Search for penetrating showers from H_2 at sea level using a cloud chamber—86
Weber, J. Quantum effects in noise—357(A)
—— Quantum theory of damped electrical oscillator and noise—977
Weidner, R. T. (see Eschenfelder, A. H.)—358(A)
Weil, J. W. and B. D. McDaniel. Photoproduction of protons by monoenergetic 190-Mev γ-rays—380(A)
Weinreich, Gabriel and Vernon W. Hughes. Atomic beam magnetic resonance experiments on He^3—377(A)
Weinstock, Bernard (see Abraham, Bernard M.)—347(A)
Weisbaum, S., Y. Beers, and G. Herrmann. S-band spectrum of HDO—338(A)
Weisskopf, Victor F. (see Feshbach, Herman)—166(L)
Welton, T. A. Theory of Lamb shift—373(A)
—— (see Simon, A.)—1036
Wessel, Günter (see Lew, Hin)—1
West, H. I. and L. G. Mann. Measurement of γ-ray spectra using three-crystal pair spectrometer—370(A)
Wexler, S. (see Hamermesh, B.)—603
Weyl, Peter K. Energy loss of heavy charged particles in gases—378(A)
Wheeler, George W. (see Anderson, Carl E.)—606
Wheeler, John A. and David L. Hill. Collective model of nucleus—366(A)
White, George R. and W. F. Fry. Range distribution of μ-mesons from π-meson decays in photographic emulsions—349(A)
—— (see Fry, W. F.)—207
Whitehead, W. D. (see Snowdon, S. C.)—615
Whittemore, W. L. (see Fowler, W. B.)—1126(L)
Whittle, Charles E. and Fred T. Porter. γ-ray cascade following decay of Sc^{46}—498(L)
Widgoff, M. Multiplicity of neutrons from interaction of μ^- mesons at rest in Pb, Bi, Sn, and Al—891
Widom, Benjamin (see Rice, O. K.)—987(L)
Wilets, L., D. Hill, and K. W. Ford. Contribution of nuclear distortion to isotope shifts—366(A)
Wilkinson, D. H. Possible breakdown of isotopic spin and charge parity selection rules—721(L)
—— (see Jones, G. A.)—722(L)
Wilkinson, M. K. and C. G. Shull. Neutron diffraction studies on various ferromagnetic alloys—374(A)
Willard, H. B., J. K. Bair, and J. D. Kington. $T(p,n)He^3$ and $T(p,\gamma)He^4$—865
—— (see Bair, J. K.)—575
Williams, A. O., Jr. Two-electron self-consistent field—803
Williams, Dudley (see Manring, Edward)—348(A)
Williams, R. W. and W. E. Hazen. Experiments on air showers—361(A)
—— (see Hazen, W. E.)—361(A)
Williamson, E. Marjorie (see Flint, H. T.)—318(L)
Wilson, E. B., Jr. (see Ferguson, R. C.)—338(A)
—— (see Kivelson, D.)—338(A)
Wilson, Elizabeth (see Bainbridge, Kenneth T.)—430
—— (see Kraushaar, J. J.)—610
Wilson, Robert R. Scattering of 1.3-Mev γ-rays by electric field—720(L)
Winsberg, Lester. Interaction of π^- mesons with I^{127}—343(A)
Woese, C. R. (see Caspar, D. L.)—384(A)
Wolfenstein, L. Tensor operators in isotopic spin space—371(A)
—— (see Fumi, F. G.)—498(L)
—— (see Lakin, W.)—365(A)
Wolff, Charles (see Spencer, L. V.)—510
Wollan, E. O. (see Koehler, W. C.)—354(A)
Woods, D. C. (see Kash, S. W.)—564
Woodward, W. M. (see Littauer, R. M.)—342(A)
Woonton, G. A. Diffraction field of circular aperture—385(A)
Worley, R. Edwin. Third Rydberg series of N_2, erratum—1131(E)
Worthington, H. R., J. N. McGruer, and D. E. Findley. p-p scattering from 1.8 to 4.2 Mev—899
Wright, Byron T. Spectrometer measurement on high energy positrons of Na^{22}—159(L)
Wu, C. S., F. Boehm, and E. Nagel. Radiations from RaD and RaE—388(A)
—— (see Boehm, F.)—369(A)
—— (see Lidofsky, L.)—387(A)

Yadoff, Oleg. Free electron emission in atmosphere—387(A)
Yamaka, E. and T. Sugita. Energy band structure in Si crystal—992(L)
Yang, C. N. (see Pines, D.)—382(A)
Yarnell, J. L., R. H. Lovberg, and W. R. Stratton. Angular distribution of $He^3(d,p)He$ between 240 kev and 3.56 Mev—292
Yergin, Paul F., Willis E. Lamb, Jr., Edgar Lipworth, and Robert Novick. Fine structure of singly ionized He—377(A)
Yevick, George J. Pines-Bohm theory of many particles with long-range forces—383(A)
York, C. M., R. B. Leighton, and E. K. Bjornerud. Direct experimental evidence for existence of heavy V^+ particle—167(L)

Young, J. A., Jr., and Edwin A. Uehling. Energy absorption in ferromagnetic resonance—990(L)
Young, R. A. (see Ziegler, W. T.)—115
Ypsilantis, T. J. (see Reynolds, J. H.)—378(A)
Yuan, Luke C. L. (see der Mateosian, E.)—868

Zeldes, Henry (see Livingston, Ralph)—609
Zeldes, Nissan. Spark spectrum of Gd II—413
—— spins of Li^8 and B^{10} in shell-model—416
Zelikoff, Murray, Edward C. Y. Inn, and K. Watanabe. Absorption coefficients of N_2O and CO_2 in vacuum uv—359(A)
—— (see Watanabe, K.)—359(A)
Ziegler, W. T. and R. A. Young. Studies of compounds for superconductivity—115
Zimmerman, F. J. (see Collins, S. C.)—991(L)
Zimmerman, J. E. (see Howling, D. H.)—347(A)
Zimmerman, R. L., D. I. Cooper, and D. H. Frisch. *n-d* and *p-d* scattering in *S*-wave region—339(A)
—— (see Cooper, D. I.)—339(A)
Zirin, Harold. Exchange potential in electron gas at nonzero temperature—795
Zondek, B. and L. H. Thomas. Stability of limiting case of plane Couette flow—738
Zucker, Alexander. Nuclear reactions with 25-Mev nitrogen nuclei—380(T)
Zucker, E. R., C. E. Mandeville, E. Shapiro, R. I. Mendenhall, and G. L. Conklin. γ-radiation from Zr^{88} and Nb^{93}—387(A)
Zucker, Francis J. Guided surface waves on lossy structures—385(A)

Author Index to Volume 91

References with (A) are to abstracts of papers presented at meetings of the American Physical Society, and those with (T) designate title only; references with (L) are to Letters to the Editor; references with (E) are to Errata.

Abragam, A. and K. Kambe. Dipolar broadening of quadrupole resonance line width in zero applied field—894
Acquista, N. (see Mann, D. E.)—464(A)
Adair, R. K. (see Fields, R. E.)—441(A)
Adam, J. S. (see Butler, J. P.)—1219
Adams, R. V. (see Whetten, N. R.)—432(A)
Ajzenberg, Fay, C. M. Braams, and W. W. Buechner. Neutrons from proton bombardment of Be^9—463(A)
—— **and W. W. Buechner.** Neutrons from proton bombardment of Be^9—674
Akers, Lawrence K. and Ernest A. Jones. Raman spectrum, force constants, and calculated thermodynamic properties of GeF_4—236(A)
Albers-Schönberg, H., K. Alder, O. Braun, E. Heer, and T. B. Novey. Effect of electric quadrupole interaction on γ-γ directional correlation in Cd^{111}—1287(L)
——, **E. Heer, T. B. Novey, and R. Rüetschi.** Effect of the electric quadruple interaction on the γ-γ directional correlation in Cd^{111}. II—199(L)
Albert, R. D. and E. R. Gaerttner. Neutron capture resonances using (n,γ) scintillation detector—451(A)
Albrecht, H. O. and C. E. Mandeville. Phosphorescence of and energy storage in Ag-activated NaCl—471(A)
—— (see Mandeville, C. E.)—219(A); 470(A); 566
Alder, K. and A. Winther. Theory of Coulomb excitation of nuclei—1578(L)
—— (see Albers-Schönberg, H.)—1287(L)
Aldrich, L. T. Natural variations in abundance of isotopes—442(T)
Alers, P. B. and R. T. Webber. Magnetoresistance of Bi crystals at low temperatures—1060
Alfrey, Turner, Jr. Opening remarks—225(T)
Allen, G. Band structures of one-dimensional crystals with square well potentials—531
—— **and Rolf Landauer.** Energy-band crossings for periodic square well potentials—471(A)
Allen, K. W. (see Almqvist, E.)—1022(L)
Allison, B. A. (see Scherrer, V. E.)—768(L)
Allison, Samuel K. Break-up energy of Be^8—882
Allred, J. C., A. H. Armstrong, and L. Rosen. Interactions of 14-Mev neutrons with protons and deuterons—90
Almqvist, E., K. W. Allen, J. T. Dewan, and T. P. Pepper. $He^3(He^3,p)Li^5$ and $T(He^3,p)He^5$—1022(L)
Almy, G. M. (see Butler, W. A.)—58
Alpher, R. A., J. W. Follin, Jr., and R. C. Herman. Initial conditions in expanding universe and element synthesis—479(A)
—— **and R. J. Rubin.** Transmission of sound pulse through shock wave—1030(A)
Althaus, E. J. and R. D. Sard. Cloud-chamber study of neutron production by sea-level cosmic rays, with particular reference to μ mesons stopped in Pb—373
Altshuler, Saul. Exchange scattering of electron by H atom—1167
Ames, D. P., M. E. Bunker, L. M. Langer, and B. M. Sorenson. Disintegration of Sr^{91} and Y^{91m}—68
Amster, Adolph B. and Quentin Van Winkle. Nucleoprotein monolayers—211(A)
Anderson, G. W., P. S. Freier, and J. E. Naugle. Time and directional study of primary heavy nuclei—431(A)
Anderson, H. L., E. Fermi, R. Martin, and D. E. Nagle. Angular distribution of pions scattered by H—155
Anderson, James L. Green's functions in S-matrix theory—479(A)
Anderson, Kinsey and John R. Winckler. High-altitude cosmic-ray investigation by means of Čerenkov counter. I. Instrumentation details—431(A)
—— (see Winckler, John R.)—431(A)
Anderson, R. L. (see Hunter, L. P.)—1315
Andrew, E. R. Nuclear magnetic resonance modulation correction—425(L)
Angell, C. E. and J. P. Perry. Total cross sections for 37-Mev pions in H—468(A)
—— (see Perry, J. P.)—1289(L)
Annis, M. (see Wilkins, H. C.)—480(A)
Anslow, Gladys A. and Irene S. White. Correlation of infrared and uv spectra of associated alcohols—241(A)
Anthony, D. J., B. Waldman, and W. C. Miller. Elastic scattering of 1.7-Mev electrons—439(A)
Armstrong, A. H. (see Allred, J. C.)—90
Arnowitt, R. Bound states of meson-nucleon system—459(A)
Aronofsky, J. S. Effect of gas slip on unsteady flow of gas through porous media—1052(A)
Artman, J. O. and P. E. Tannenwald. Measurement of permeability tensor in ferrites—1014(L)
Asaro, Frank and I. Perlman. Patterns in α spectra of even-even nuclei—763(L)
Ashkin, Julius and Seymour H. Vosko. Graphical method for obtaining phase shifts from experimental data on meson-nucleon scattering—1248
Austern, N., S. T. Butler, H. McManus, and W. T. Sharp. Angular distributions from (n,p) nuclear reactions—453(A)
Averbach, B. L. (see Warren, B. E.)—233(A)
Azumi, K. Magnetostriction in Fe-Co alloys—434(A)

Babcock, M. L., D. F. Holshouser, and H. Von Foerster. Diode characteristic of hollow cathode—755(L)
Bach, D. R. and P. V. C. Hough. (d,t) reactions and triton wave function—463(A)
Bacher, R. F. Caltech synchrotron and some experiments with high-energy photons—477(T)
Bailey, L. Evan (see Heckman, Harry H.)—1237
Balasubrahmanyam, V. K. (see Rao, A. S.)—764(L)
Balazs, N. L. Energy-momentum tensor of electromagnetic field inside matter—240(A); 408
Baldock, Russell, John R. Sites, L. O. Gilpatrick, and Howard E. Carr. Mass spectrometer analysis of UO_2F_2 in UF_4—242(A)
Ballam, J., D. R. Harris, A. L. Hodson, R. Ronald Rau, George T. Reynolds, S. B. Treiman, and M. L. Vidale. Kinetic energies of V_1^0 particles—1019(L); Momenta of V^0 particles—446(A)
Band, William. Low-temperature diamagnetism of electrons in cylinder—249
Bandtel, Kenneth C., Wilson J. Frank, and Richard Madey. Photoproduction of π^- mesons from D—487(A)
—— (see Frank, Wilson J.)—487(A)
—— (see Godfrey, Charles)—487(A)
Barangèr, M. Stark shift and broadening due to electrons—436(A)
Barbour, J. P. (see Dyke, W. P.)—1043
Barkas, Walter H. Analysis of high-energy nuclear disintegrations—477(T)
—— (see Smith, F. M.)—765(L)
Barnes, C. B. (see Heer, C. V.)—412(L)
Barnes, R. G., P. J. Bray, and N. J. Harrick. Spin-orbit and spin-spin interactions in H_2—475(A)

—— (see Bray, P. J.)—475(A)
Barnes, S. W. Pion-nucleon scattering—466(T)
Barnett, C. F. Characteristics of Allen-type electron multiplier—224(A)
Barnett, S. J. Gyromagnetic ratios of microcrystalline materials, erratum—1580(E)
Barr, E. Scott. Sharp shadows as "images"—226(A)
Barr, T. A., Jr. Values of diffusion coefficients for some chain polymers computed from anomalous osmotic pressure data—211(A)
Barrett, P. H. Decay of heavy mesons in nuclear emulsion—446(A)
Barschall, H. H. (see Walt, M.)—441(A)
Bartoe, W. F. (see Protzman, T. F.)—211(A)
Baskir, E. (see Oxley, C. L.)—419(L)
Bass, J. Space and time spectra in homogeneous turbulence—1031(A)
Bassi, P., G. Clark, and B. Rossi. Time delays in air showers—432(A)
Batta, M. E. γ rays from 14-Mev neutron bombardment of C, O, Al, Fe, and Pb—441(A)
Batzel, R. E., W. W. T. Crane, and G. D. O'Kelley. Excitation function for $Al^{27}(d,\alpha p)Na^{24}$ reaction—939
Bauer, Ernst and Ta-You Wu. Origin of ionization in E layer of ionosphere—458(A)
Bauer, S. H. (see Widom, B.)—240(A)
Beams, J. W. Studies of tensile strengths and adhesion of metals by means of high centrifugal fields—239(T)
—— (see Morton, H. S., Jr.)—449(A)
—— (see Robeson, A.)—493(A)
Bearden, J. A., M. D. Earle, J. M. Minkowski, and J. S. Thomsen. Present status of fundamental atomic constants—482(A)
Beck, C. K. Raleigh research reactor—226(T)
Becker, E. W., R. Misenta, and O. Stehl. Difference in viscosity of ortho- and para-deuterium at low temperatures—414(L)
Becker, M., M. Cutler, T. Firle, R. Shulman, and W. Spitzer. Lifetime of minority carriers in localized crystal regions—491(A)
Becker, R. A. (see Shore, F. J.)—1203
Becker, R. L. (see Fields, R. E.)—441(A)
Becker, W. M. and K. Lark-Horovitz. Ge films—230(A)
Beckman, Olof, Torben Huus, and Črtomir Zupančič. Excitation curves for α particles from B^{11} bombarded with protons—606
Beer, A. C. (see Willardson, R. K.)—243(A)
Beers, Yardley and Samuel Weisbaum. Uhf rotational line of HDO—1014(L)
Beiser, Arthur. Zenith angle variation of cosmic-ray meson intensity—446(A)
Belinfante, Frederick J. Deficiency of phenomenological theory of Lamb shift—1285(L)
—— Intrinsic magnetic moment of particle of spin 3/2—477(A)
—— (see Swihart, J. C.)—500(A)
Belmont, E. (see Lehovec, K.)—492(A)
Belser, Richard B. Effect of sputtering rate on resistivity and "aging" of sputtered Ag films—221(A)
—— Versatile radiation oven—246(A)
—— **and Robert J. Raudebaugh.** Structure and aging of thin metal films—449(A); 499(A)
—— (see Raudebaugh, Robert J.)—449(A)
Benade, A. H. Mean life of μ^- mesons stopped in Fe—971
Bendel, W. L. (see Shore, F. J.)—1203
Benedict, T. S. Microwave observation of collision frequency of holes in Ge—1565(L)
—— **and W. Shockley.** Carrier contribution to dielectric constant of Ge—207(A)
Benesch, William and Tait Elder. Relative optical collision diameters from pressure broadening of individual infrared absorption lines—308
Bengston, J. and R. M. Thaler. Phase-shift analysis of high-energy p-p scattering—454(A)
—— (see Thaler, R. M.)—454(A)
Bennett, F. D. (see Bergdolt, V. E.)—1033(A)
Bennett, W. H. and E. O. Hulburt. Magnetic self-focusing of auroral protons—1562(L)
Bent, R. D., T. W. Bonner, and R. F. Sipple. γ rays from disintegration of C^{13} by deuterons—472(A)
Bergdolt, V. E. and F. D. Bennett. Preliminary drag measurements in pressurized range—1033(A)
Bergmann, Peter G. Generalized canonical ensemble in quantum mechanics—477(A)
—— **and Alice C. Thomson.** Generalized statistical mechanics and Onsager relations—180
Bergstein, J. and R. D. Birkhoff. Performance of 125-kv accelerator and spectrometer—223(A)
Berko, Stephan and Frank L. Hereford. Deflection of high-energy electrons in magnetized Fe—1127
Berkowitz, A. E. and A. D. Franklin. Approach to saturation in diluted ferromagnetic powders—206(A)
Berlincourt, Ted G. Relation between de Haas-van Alphen effect and magnetoresistance in Bi—1277(L)
—— **and M. C. Steele.** Method for measuring magnetic moments of superconductors—215(A)
Bernstein, W. (see Schwartz, Robert B.)—883
—— (see Weiss, M. M.)—483(A)
Bershader, Daniel. Shock-tube studies of transient boundary layers in compressible flow—470(A)
—— (see Bradley, L. C.)—469(A)
Bersohn, R. (see Weneser, J.)—1257
Bertaut, E. F. Electric field and energy in dipole lattices—415(L)
Bess, Leon. Possible mechanism for $1/f$ noise generation in semiconductor filaments—1569(L)
Betchov, R. Asymmetry of turbulent functions—470(A)
—— Stability of isotropic turbulence—1031(A)
Bethe, H. A., L. Maximon, and F. Low. Bremsstrahlung at high energies—417(L)
—— (see Cole, F. T.)—481(A)
Biggerstaff, J. A. (see Lafferty, D. L.)—223(A)
Billington, D. S. (see Cleland, J. W.)—238(A)
Biondi, Manfred A. Diffusion cooling of electrons in ionized gases—437(A)
Bird, George R. and Richard C. Mockler. Microwave spectrum of unstable molecule C—S—222(A)
Birkhoff, R. D. (see Bergstein, J.)—223(A)
—— (see Kalil, F.)—505
Birks, J. B. and M. E. Szendrei. Absolute scintillation efficiency of anthracene—197(L)
Birnbaum, Milton, Erich Harth, Leo Seren, and Ralph Tobin. (γ,n) thresholds of Cu^{63} and Ag^{109} based on (γ,n) thresholds of N^{14}, O^{16}, and C^{12}—474(A)
—— (see Harth, Erich)—474(A)
—— (see Seren, Leo)—474(A)
Birnbaum, W. (see Smith, F. M.)—765(L)
Biswas, S. N. Approximate solution of Heitler's integral equation—1026(L)
Bitter, F., H. Plotkin, B. Richter, A. Teviotdale, and J. E. R. Young. Magnetic scanning method for investigating hfs and isotope shift—421(L)
Blackadar, A. K. Second law of eddy thermodynamics—1031(A)
Blanchard, C. H. (see Spencer, L. V.)—240(A)
Blatt, John M. and M. H. Kalos. Ground state of deuteron with tensor forces—444(A)
—— (see Kalos, I. M. H.)—444(A)
—— (see Lustig, Harry)—453(A)

Blau, M., A. R. Oliver, and J. E. Smith. Neutron and meson stars induced in light elements of emulsion—949
Bleakney, W. (see Weimer, D.)—1032(A)
Blewett, J. P. (see Courant, E. D.)—202(L)
Blewitt, T. H. Deformation of Cu single crystals at 300° and 78°K—1115
——, **R. R. Coltman, R. E. Jamison, and J. K. Redman.** Stress-strain curves of Cu single crystal at 4.2°K—448(A)
——, **J. K. Redman, and F. A. Sherrill.** Deformation of Cu crystals at 78°K and 300°K—236(A)
—— (see Coltman, R. R.)—236(A)
—— (see Jamison, R. E.)—237(A)
—— (see Redman, J. K.)—448(A)
Bloch, Ingram and Yü-Chang Hsieh. Nuclear shell structure as many-body phenomenon—240(A)
Block, M. M., S. Passman, and W. W. Havens, Jr. Phenomenological interpretation of π^+ meson production by protons on C—210(A)
Bloembergen, N. (see Willenbrock, F. K.)—1281(L)
Bloom, S. D. and C. O. Muehlhause. Design of high-efficiency low-background fast neutron detector—494(A)
—— (see Toppel, B. J.)—473(A)
Bludman, Sidney. Hard-core interpretation of reaction $p+d\rightarrow\pi^++t$—487(A)
Bobb, Franklin C. (see Tipton, Isabel H.)—214(A)
Boch, A. L. and E. D. Hudson. Cyclotron efficiency and power distribution measurements—224(A)
Bockelman, C. K. (see Braams, C. M.)—474(A)
—— (see Buechner, W. W.)—1502
Bodansky, D., A. Sachs, and J. Steinberger. Differential cross sections for scattering of 48-Mev π^+ mesons in H—467(A)
Boehm, F. (see Wu, C. S.)—319
Bollinger, Lowell M., G. E. Thomas, and R. R. Palmer. Application of liquid scintillation neutron detector to time-of-flight spectroscopy—452(A)
—— (see Palmer, R. Ronald)—450(A)
—— (see Thomas, G.)—452(A)
Bömmel, H. and J. L. Olsen. Velocity of sound in superconducting Pb and Sn—1017(L)
Bonet, J. V. and A. V. Bushkovitch. Calculation of diamagnetic and paramagnetic susceptibility of N_2—433(A)
Bonner, T. W. (see Bent, R. D.)—472(A)
—— (see Cook, C. F.)—441(A)
Boorse, H. A. (see Worley, R. D.)—1567(L)
Booth, E. C. (see Rasetti, F.)—315; 1192
Borowitz, Sidney (see Mostov, Philip M.)—465(A)
Borst, L. B. (see Kunstadter, J. W.)—594
Bowen, Dwain B. Debye temperature of Cu_3Au—220(A)
Bowers, Raymond. Thickness of saturated He II film—1016(L)
Bowers, W. A. Application of Thomas-Fermi method to calculation of certain molecular vibration frequencies—242(A)
Bowman, J. C., S. Hayes, and R. Smoluchowski. X-ray study of graphitization—244(A)
Boyd, B. A. (see Domenicali, C. A.)—220(A)
Boyer, R. F. Relations between crystallization and second-order transition—225(T)
Bozorth, R. M. (see Williams, H. J.)—1107
Braams, C. M., C. K. Bockelman, C. P. Browne, and W. W. Buechner. Inelastic scattering of protons from Ca^{40}—474(A)
—— (see Ajzenberg, F.)—463(A)
Brabant, J. M., L. W. Cochran, and R. S. Caswell. Average energy of β rays of P^{32} and Ag^{111}—210(A)
Brachman, Malcolm K. and Roland E. Meyerott. Electron distributions for opacity calculations—437(A)
Bradley, L. C., C. C. Van Voorhis, and D. Bershader. Phosphorescence method for study of surface temperatures in supersonic flow field—469(A)
Braid, T. H. Neutron capture γ rays with scintillation spectrometer—442(A)
Braun, O. (see Albers-Schönberg, H.)—1287(L)
Bray, P. J. and R. G. Barnes. Nuclear shielding in H_2 and D_2—475(A)
—— (see Barnes, R. G.)—475(A)
Bray, Ralph and B. R. Gossick. Effect of transit time on Ge rectifier behavior—1011(L)
—— **and F. van der Maesen.** Thick p-n junctions in Ge—231(A)
Breckenridge, Robert G. Semiconducting intermetallic compounds—461(T)
—— **and William R. Hosler.** Electrical properties of TiO_2 semiconductors—793
——, **W. R. Hosler, and W. Oshinsky.** Electrical properties of InSb—243(A)
Breit, G. (see Thaler, R. M.)—454(A)
Breneman, Edward J. and Dudley Williams. Molecular rotation in liquids—465(A)
Brice, M. K. (see Cork, J. M.)—76; 497(A)
Bridge, H. S., H. Courant, H. DeStaebler, Jr., and B. Rossi. Recent experimental results on S particles—1024(L)
——, **C. Peyrou, B. Rossi, and R. Safford.** V^0 particles in multi-plate cloud chamber—362
Briggs, G. R., S. Singer, and W. K. Jentschke. α-α scattering at 21.8 and 22.9 Mev (proportional counter)—438(A)
Briggs, H. B. and R. C. Fletcher. Absorption of infrared light by free carriers in Ge—1342
—— (see Tanenbaum, M.)—1561(L)
Brooks, Harvey. Cohesive energy of alkali metals—1027(L)
—— 1952 NRC Conference on nature and properties of surfaces of solids—239(T)
Brown, Alexander and F. T. Reding. Infrared study of crystallization of polyethylene—226(A)
Brown, B. M. and D. H. Tomboulian. Nuclear moments of Ta^{181}, erratum—1580(E)
Brown, Fielding and George T. Reynolds. Cosmic-ray star production rates in gases—444(A)
Brown, Frank B., Jr., and A. V. Masket. Star clustering in nuclear emulsions—210(A)
Brown, H. N. (see Shore, F. J.)—1203
Brown, James B. He film flow—489(A)
Brown, R. J. S., K. F. Famularo, H. D. Holmgren, and D. M. Van Patter. Differential cross sections for elastic scattering of 1.0- to 3.25-Mev deuterons by He^3—438(A)
Brown, W. L. n-type surface conductivity on p-type Ge—518
—— **and R. C. Fletcher.** Annealing of bombardment damage in Ge: Experimental—237(A)
—— (see Fletcher, R. C.)—237(A)
Browne, C. P. (see Braams, C. M.)—474(A)
—— (see Buechner, W. W.)—1502
Brueckner, K. A. Radiative corrections to nuclear forces in pseudoscalar theory—761(L)
——, **J. Gell-Mann, and M. L. Goldberger.** Damping of virtual nucleon-pair formation in pseudoscalar meson theory—460(A)
—— (see Chappelear, J.)—480(A)
—— (see Watson, K. M.)—460(A)
Buck, Warren L. (see Swank, Robert K.)—495A; 927
Buder, E. E., J. J. Ruddick, and A. H. Weber. Photoemission of W in region of predicted Schottky deviations—561
Bueche, A. M. Reinforcement of silicone rubber—211(T)

Buechner, W. W., A. Sperduto, C. P. Browne, and C. K. Bockelman. Excited states of K^{40}—1502
—— (see Ajzenberg, Fay)—463(A); 674
—— (see Braams, C. M.)—474(A)
—— (see Sperduto, A.)—473(A)
Bunbury, D. StP. β decay of Li^8, erratum—1580(E)
Bunker, M. E., R. J. Prestwood, and J. W. Starner. Scintillation study of As^{77} and Br^{77}—1021(L)
—— (see Ames, D. P.)—68
—— (see Knight, J. D.)—889
Bunn, C. W. Molecular structure and crystallizability of polymers—225(T)
—— Recent work on structures of crystalline polymers—225(T)
Burke, Edward W. Isotope shift in B III—457(A)
Burkhardt, James L. Dipole photonuclear reactions and independent particle model—420(L)
Burrus, C. A. (see Trambarulo, R.)—222(A)
Burson, S. B. and W. C. Jordan. Argonne Laboratory scintillation coincidence spectrometer—498(A)
—— (see Jordan, W. C.)—497(A)
Burstein, Eli. Optical and photoconductive investigations of impurity levels in Ge and Si—213(T)
—— (see Lax, Melvin)—208(A); 492(A)
—— (see Sclar, N.)—215(A)
Burton, R. L. (see Cobbs, W. H., Jr.)—225(A)
Bushkovitch, A. V. (see Bonet, J. V.)—433(A)
—— (see Herbst, R. F.)—442(A)
Buskirk, A. V., L. R. Etter, C. J. Karzmark, R. H. Rediker, and R. W. Thompson. Magnetic cloud-chamber observations of V particles. I. Apparatus and reduction of data—445(A)
—— (see Thompson, R. W.)—446(A)
Butler, J. P. and J. S. Adam. Radiations of Ra^{227}—1219
Butler, S. T. Stripping and three-body system—488(T)
—— (see Austern, N.)—453(A)
—— (see Friedman, M. H.)—465(A)
Butler, W. A. and G. M. Almy. Photoprotons from Mo^{100} and Mo^{92}—58
Byatt, William J. Calculating approximate cross sections for electron scattering—240(A)
Byram, E. T., T. Chubb, H. Friedman, and N. Gailar. Lyman-α radiation in solar spectrum—1278(L)

Cabrera, N. Role of nucleation-theory in crystal growth—232(T)
Caldwell, W. C. (see Johnson, R. G.)—466(A)
Callen, Herbert B. Thermodynamics of irreversible processes—239(T)
—— (see Dank, M.)—229(A)
—— (see Harrison, Sol E.)—205(A)
—— (see Offenbacher, Elmer L.)—1580(E)
Cameron, A. G. W. and M. M. Hoffman. Angular and energy distributions of photoprotons from Al and Ta—473(A)
Cameron, J. R. (see Eppling, F. J.)—438(A)
Campbell, E. C. and F. Nelson. Chemical separation of 0.82-sec Pb^{207m} from Bi^{207}—499(A)
Campbell, R. B. (see Franklin, A. D.)—205(A)
Campbell, W. H. and J. I. Hopkins. Terphenyl-B liquid neutron detector—224(A)
Carlson, B. C. (see Gerhart, J. B.)—455(A)
Carlson, R. O. (see Fabricand, B. P.)—1403
—— (see Lee, Charles A.)—1395
Carlton, A. G. Optimum filter design for incompletely specified filter and noise processes—438(T)
Carmichael, B. M., M. B. Sampson, and O. E. Johnson. Inelastic scattering of alphas from N^{14}—473(A)
Carr, Howard E. Negative ions in gaseous phase—209(T)
—— (see Baldock, Russell)—242(A)
Carroll, Thomas J. Propagation of short radio waves well beyond horizon—458(A)
Carter, R. S., H. Palevsky, and V. W. Myers. Absorption cross section of Au and B for thermal and cold neutrons—450(A)
—— (see Myers, V. W.)—451(A)
Cartwright, W. F., C. Richman, M. N. Whitehead, and H. A. Wilcox. Production of positive pions by 341-Mev protons on protons—677
—— (see Oxley, C. L.)—419(L)
Case, K. M. and H. Mendlowitz. Measurement of gyromagnetic ratio for free electron: precession and depolarization—475(A)
—— (see Moldauer, P.)—459(A)
Caswell, R. S. (see Brabant, J. M.)—210(A)
Caulk, H. M. (see Davis, L. R.)—431(A)
Chandrasekhar, S. Thermal instability in hydrodynamics and hydromagnetics—488(T)
—— Thermonuclear reactions with light nuclei in stars—488(T)
——, **Donna Elbert, and Gerhard Herzberg.** Shift of 1^1S state of He—1172
Chang, Hung-Chi. Electric conduction at metal-semiconductor and metal-solution interfaces—214(A)
—— (see Morris, L. W.)—215(A)
Chappelear, J. and K. A. Brueckner. Photoproduction of mesons in D—480(A)
Charney, Jule. Use of high-speed computing machines in meteorological predictions—488(T)
Chase, C. E. Ultrasonic measurements in liquid He—489(A)
Chase, D. M. (see Rohrlich, F.)—454(A)
Chatterjee, Santimay and Ajit Kumar Saha. γ-γ angular correlation measurements—200(L)
Cheo, Peter (see Loh, H. Y.)—221(A)
Chiba, R. (see Takemoto, S.)—1024(L)
Chilton, A. B., J. N. Cooper, and J. C. Harris. Stopping power of several elements for protons—495(A)
Chou, C. N. Energy spectra of cosmic-ray photons and electrons from plastic scintillation counter measurements—433(A)
Chraplyvy, Zeno V. Approximate two-body relativistic wave equations—478(A)
—— Reduction of relativistic two-particle wave equations to approximate forms—388
Christian, R. S. and J. L. Gammel. Elastic scattering of protons and neutrons by deuterons—100
Christian, Russell H. and John M. Walsh. Experimental method to determine equation-of-state data for solids by shock-wave measurements—1030(A)
Chubb, T. (see Byram, E. T.)—1278(L)
Clark, A. E., R. A. Grandey, S. K. Kao, and L. Mann. Elastic scattering in nuclear emulsions—467(A)
Clark, G. (see Bassi, P.)—432(A)
Clark, L. B., Sr. Transparent, nonmetallic, electrically conducting film applications—471(A)
Clarke, Edward N. Oxygen-induced surface conductivity on Ge—756(L)
—— **and Robert L. Hopkins.** Electrical conductivity of mechanically distributed Ge surfaces—1566(L)
Clarke, R. L. (see Paul, E. B.)—463(A)
Cleland, J. W., D. S. Billington, and J. H. Crawford, Jr. Low-temperature fast-neutron bombardment of Cu-Be alloy—238(A)
—— (see Crawford, J. H., Jr.)—243(A)
Clement, J. D. (see Okazaki, A.)—440(A)
Clotfelter, B. E. Hall effect in flowing ion clouds—436(A)

Cobbs, W. H., Jr., S. B. Cole, and R. L. Burton. Orientation in polymeric films by infrared and x-ray techniques—225(A)
Cochran, J. F. (see Mapother, D. E.)—216(A)
Cochran, L. W. (see Brabant, J. M.)—210(A)
—— (see Jenkins, G. L.)—210(A); 915
Coester, F. Influence of extranuclear fields on γ-γ directional correlations—452(A)
Cohen, Bernard L. Ga^{66}—74
—— Statistical theory of nuclear reactions—241(A)
——, **R. V. Neidigh, and E. Newman.** Measurement of angular distributions of nuclear reaction products with internal cyclotron beam—486(A)
—— (see Newman, E.)—486(A)
Cohn, Hans O., L. R. Etter, and R. W. Thompson. Cluster-count determination of specific ionization of cloud-chamber tracks—445(A)
Cole, F. T. and H. A. Bethe. Capture of μ mesons in matter—481(A)
Cole, S. B. (see Cobbs, W. H., Jr.)—225(A)
Collins, F. C. Time lag in spontaneous nucleation due to non-steady-state effects—232(T)
Collins, R. J. and H. Y. Fan. Infrared absorption in n-type Ge—230(A)
—— (see Kaiser, W.)—230(A); 1380
Collins, T. L., W. H. Johnson, Jr., and A. O. Nier. Second minimum in packing fraction curve at 40 neutrons—482(A)
Coltman, R. R. and T. H. Blewitt. Effect of fast-neutron bombardment on diffusion in Cu_3Au—236(A)
—— (see Blewitt, T. H.)—448(A)
—— (see Redman, J. K.)—448(A)
Conwell, Esther M. Electrical properties of n-type Ge—208(A)
Cook, C. F. and T. W. Bonner. Scattering of 14-18 Mev neutrons in light elements—441(A)
Cook, Charles J., Emerson Jones, Jr., and Theodore Jorgensen, Jr. Range-energy relations of 10-250 kev protons and He ions in various gases—1417
Cool, R. L. (see Piccioni, O.)—433(A)
Cooper, C. Dewey. Near uv absorption spectrum of p-difluorobenzene vapor—241(A)
Cooper, J. N. (see Chilton, A. B.)—495(A)
Cooper, L. N. and E. M. Henley. μ-mesic atom—480(A)
Coor, T. (see Hornyak, W. F.)—463(A)
Corey, H. E. (see Vogel, F. L.)—230(A)
Cork, J. M., J. M. LeBlanc, W. H. Nester, and M. K. Brice. Nuclear levels in Cs^{131}—76; Radioactive decay of Ba^{131}—497(A)
—— (see Jordan, W. C.)—497(A)
Couling, L. and R. Smoluchowski. Anisotropy of grain boundary diffusion—245(A)
Coulliette, J. H. (see McCay, M. S.)—213(A)
Courant, E. D. Field inhomogeneities in alternating gradient synchrotron—456(A)
——, **M. S. Livingston, H. S. Snyder, and J. P. Blewett.** Origin of strong-focusing principle—202(L)
Courant, H. (see Bridge, H.)—1024(L)
Cowan, D. A. (see Gursky, Herbert)—209(A)
Cox, Everett F. Degeneration of shock wave into sound—1030(A)
Cox, J. T., P. B. Peyton, Jr., and Walter Gordy. Zeeman effect in microwave spectra of CH_3F and CH_3CCD—222(A)
Crane, H. R., R. W. Pidd, and W. H. Louisell. Method of measuring gyromagnetic ratio of free electron—475(A)
—— (see Louisell, W. H.)—475(A)
Crane, W. W. T. (see Batzel, R. E.)—939
Crawford, Frank S., Jr., and M. Lynn Stevenson. $p + p \rightarrow d + \pi^+$ cross section at 340 Mev and 327 Mev—468(A)
Crawford, George W. Measurement of thickness of thin films by employing electron microscope shadowcasting technique—214(A)
Crawford, J. H., Jr., J. W. Cleland, D. K. Holmes, and J. C. Pigg. Thermally unstable disorder in p-type Ge produced by fast neutron bombardment—243(A)
—— (see Cleland, J. W.)—238(A)
Crawford, M. F. and I. R. Dagg. Infrared absorption induced by static electric fields—1569(L)
Crittenden, E. C., Jr., and H. Dieckamp. Change of elastic constants resulting from annealing of Cu and Al cold worked at $-196°C$—232(A)
Croft, George T. and Foster C. Nix. de Haas-van Alphen effect in Sn-Sb alloys—212(A)
Crowell, A. D. (see Soller, T.)—1058
Cummins, William E. Forces and moments acting on body in time-varying potential stream—1029(T)
Cunningham, J. A. Multichannel pulse-height analyzer using storage tube—437(A)
Cutler, M. (see Becker, M.)—491(A)
Czyzak, S. J. (see Wessel, Walter)—986

Dagg, I. R. (see Crawford, M. F.)—1569(L)
Dailey, B. P. (see Solimene, N.)—464(A)
Dalgarno, A. Three-body scattering problems—198(L)
Daly, Richard T., Jr., and Jerrold R. Zacharias. Doppler effects in atomic-beam magnetic-resonance method—476(A)
Damm, C. C. and Lincoln G. Smith. Doublet measurements with mass synchrometer—482(A)
—— (see Smith, Lincoln G.)—481(A)
Danforth, W. E. (see Weinreich, O. A.)—231(A)
Danielson, G. C. (see Gardner, W. R.)—220(A)
—— (see Shaw, William C.)—208(A)
Dank, M. and H. B. Callen. Iteration-variation calculation of electronic structure of diamond—229(A)
Danos, Michael and Stanley Geschwind. Broadening of microwave absorption lines due to wall collisions—1159
Darden, S. E. (see Fields, R. E.)—441(A)
Darin, S. R. (see Taylor, G. R.)—211(A)
Darling, B. T. and P. R. Zilsel. Theory of finite displacement operators and fundamental length—1252
Dash, J. G. (see Goldstein, L.)—490(A)
—— (see Sommers, H. S., Jr.)—489(A)
Daunt, J. G. (see Heer, C. V.)—412(L)
—— (see Horowitz, M.)—1099
Davidson, J. P. Spectrum and half-life of κ meson—1020(L)
—— **and D. C. Peaslee.** Cross terms in allowed shape β spectra—1232
—— **and D. C. Peaslee.** $1/W$ terms in allowed β spectra—442(A)
Davies, E. B. (see Stoner, R. G.)—1032(A)
Davis, L. R., H. M. Caulk, and C. Y. Johnson. Intensity of primary protons and α particles—431(A)
Davis, Luther, Jr., Lawrence Rubin, and W. D. Straub. Recording of temperature-dependent electrical properties of semiconductors—490(A)
Davis, R. H. (see Eppling, F. J.)—438(A)
Davis, V. (see DeCarvalho, H. G.)—224(A)
Davisson, J. W. Electrical breakdown path orientation in alkali halide crystals—228(A)
—— (see Sclar, N.)—215(A)
Day, Harold R. Irradiation-induced photoconductivity in MgO—238(A); 822
Day, Robert B. (see Huus, Torben)—599
Dayton, B. and D. Willard. Decay of V^0 particle into two mesons—348

Dazai, T. (see Takemoto, S.)—1024(L)
DeBenedetti, S. (see Leipuner, L.)—198(L)
DeBretteville, A., Jr. Threshold field and free energy for antiferroelectric-ferroelectric phase transition in $PbZrO_3$—213(A)
Debye, Peter P. Hall effect and conductivity of Ge containing As or Ga as impurities—208(A)
DeCarvalho, H. G., V. Davis, and W. Tesh. Gradation development method for nuclear emulsions—224(A)
Dehmelt, H. G. Nuclear quadrupole resonance in rhombic S and quadrupole moments of S^{33} and S^{35}—313
de Klerk, D. and R. P. Hudson. Adiabatic demagnetization of chromium methylamine alum—278
DeLollis, N. J. (see Ehrlich, P.)—218(A)
DePasquali, G. (see Eby, F. S.)—495(A)
der Mateosian, E. and C. S. Wu. Decay and β spectrum of I^{129}—497(A)
de-Shalit, A. Energy levels of odd-odd nuclei—1479; Ground state of odd-odd nuclei—443(A)
—— (see Mihelich, J. W.)—78; 498(A)
Deshotels, W. J. and A. H. Weber. Effect of strong electrostatic fields on resistance of W wires—448(A)
DeStaebler, H., Jr. (see Bridge, H.)—1024(L)
Deutsch, R. W. Secondary particles resulting from high-energy bombardment—485(A)
Devaney, Joseph J. Theory of α decay—587
Deverall, G. V., K. W. Meissner, and G. J. Zissis. Hfs of resonance lines of In^{115}—297
Dewan, J. T. (see Almqvist, E.)—1022(L)
DeWire, J. (see Wolfe, B.)—446(A)
DeWitt, T. W. (see Padden, F. J.)—217(A)
—— (see Zapas, L. J.)—217(A)
Dexter, D. L. Small-angle scattering of x-rays from cold-worked crystals—448(A)
—— **and W. R. Heller.** Quantum theory of polarizability of idealized crystal—273
Dicke, R. H. (see Hawkins, W. B.)—1008(L)
Dieckamp, H. (see Crittenden, E. C., Jr.)—232(A)
Dienes, G. J. Variable activation energy and motion of lattice defects—1283(L)
—— **and D. A. Kleinman.** Nature of radiation damage in diamond—238(A)
Dillinger, J. R. (see Knudsen, W. C.)—489(A)
Ditzenberger, J. A. (see Fuller, C. S.)—193(L)
Divatia, Ajay S. (see Eppling, F. J.)—438(A)
Dixon, C. E. and C. J. Meechan. Hardness change in Cu irradiated with 1.25-Mev electrons—237(A)
Dobischek, Dietrich, Harold Jacobs, and John Freely. Mechanism of self-sustained electron emission from MgO—804
Dolan, W. W. Current density tables for field emission theory—510
——, **W. P. Dyke, and J. K. Trolan.** Field emission initiated vacuum arc. II. Resistively heated emitter—1054
Dolecek, R. L. Adiabatic magnetization of superconducting sphere—216(A); 490(A)
Domenicali, C. A. and B. A. Boyd. Thermoelectric power and electrical resistivity of dilute solid solution of Si in Cu—220(A)
Donahoe, F. J. Field and temperature dependence of de Haas-van Alphen effect in Zn alloy single crystals—212(A)
Donahue, D. J. (see Jones, K. W.)—879
Donahue, T. M. (see Foderaro, A.)—1561(L)
Douglas, C. A. Atmospheric transmission of light—459(T)
Douglas, R. A. (see Galonsky, A.)—439(A)
—— (see Haeberli, W.)—438(A)
—— (see Jones, K. W.)—482(A); 879
Doyle, Barbara (see Hutchinson, Franklin)—493(A)
—— (see Setlow, Richard)—494(A)
Drawbaugh, Donald (see Dresden, M.)—478(A)
Drell, S. D. and Kerson Huang. Many-body forces and nuclear saturation—1527
——, **K. Huang, and V. F. Weisskopf.** Many-body forces and nuclear saturation—460(A)
Dresden, M. and Donald Drawbaugh. Modified random walk problems—478(A)
Dresner, Lawrence. Spin-orbit coupling in pseudoscalar meson theory—201(L)
Duckworth, Henry E. (see Hogg, Benjamin G.)—1289(L)
DuMond, Jesse W. M. (see Hoyt, Harry C.)—1027(L)
Dunbar, D. N. F., H. K. Reynolds, W. A. Wenzel, and W. Whaling. Stopping cross section of gases for protons and deuterons—496(A)
Dungey, J. W. Origin of cosmic rays—766(L)
Dunlap, W. C., Jr. Acceptor states of Au in Ge—208(A)
—— Electrical properties of Au-Ge alloys—1282(L)
Dyke, W. P., J. K. Trolan, E. E. Martin, and J. P. Barbour. Field emission initiated vacuum arc. I. Experiments on arc initiation—1043
—— (see Dolan, W. W.)—1054
Dyson, F. J. Mass-renormalization with Tamm-Dancoff method—421(L)
—— Scattering of mesons by protons—409(T)
—— Wave function of relativistic system—1543

Earle, M. D. (see Bearden, J. A.)—482(A)
Easterday, Harry T. Radioactivity of Cu^{67}—653
Eatherly, W. P. Theoretical and experimental studies of electronic phenomena in graphite—239(T)
—— (see Rodeback, G. W.)—237(A)
Eby, F. S., W. K. Jentschke, and G. DePasquali. Response of NaI(Tl) scintillation crystals as function of Tl concentration—495(A)
Eckart, Carl. Relation between time-averages and ensemble-averages in statistical dynamics of continuous media—784
Edwards, David F. (see Green, Alex E. S.)—46; 443(A)
Eggen, D. T. and M. J. Laubenstein. Displacement energy for radiation damage in Cu—238(A)
Ehrlich, P. and N. J. DeLollis. Dielectric relaxation in styrene-acrylonitrile copolymer during and after its polymerization—218(A)
Eiland, P. F. (see Pepinsky, R.)—229(A)
Elbert, Donna (see Chandrasekhar, S.)—1172
Elder, Tait (see Benesch, William)—308
Elkind, M. M. and A. Sperduto. Energy levels of B^{11} and B^{12} by (d,p) reaction—463(A)
—— (see Sperduto, A.)—473(A)
Elliott, J. F., S. Legvold, and F. H. Spedding. Magnetic properties of Gd metal—28
Elliott, N. and M. Wolfsberg. Magnetic susceptibility of Wurster's blue between 65° and 356°K—435(A)
Engler, Nicholas A. (see Green, Alex E. S.)—40
Eppling, F. J., J. R. Cameron, R. H. Davis, Ajay S. Divatia, A. I. Galonsky, E. Goldberg, and R. W. Hill. Elastic scattering of protons—438(A)
Epstein, P. S. Absorption of sound in fogs and emulsions—458(A)
Epstein, Saul T. Causal interpretation of quantum mechanics—985
Erickson, R. A. and L. D. Roberts. Apparatus for magnetic measurements at low temperatures—216(A)
—— (see Roberts, L. D.)—488(A)
Eshelby, J. D. Tentative theory of metallic whisker growth—755(L)
Etter, L. R. (see Buskirk, A. V.)—445(A)
—— (see Cohn, Hans O.)—445(A)
—— (see Thompson, R. W.)—446(A)
Ewald, A. H. Solubility of solids in gases—215(A)
Ewald, A. W. Preparation of gray Sn filaments—244(A)

Fabricand, B. P., R. O. Carlson, C. A. Lee, and I. I. Rabi. Molecular beam investigation of rotational transitions. II. Rotational levels of KBr and their hfs—1403
—— (see Lee, Charles A.)—1395
Fader, W. J. (see Sperduto, A.)—473(A)
Fainberg, Joseph (see Schein, Marcel)—479(A); 973
Fairbank, Henry A. (see King, J. C.)—489(A)
Fairbank, W. M. (see Soller, T.)—1058
Famularo, K. F. and G. C. Phillips. Accurate determinations of nuclear reaction energies—1195
—— (see Brown, R. J. S.)—438(A)
—— (see Phillips, G. C.)—462(A)
Fan, H. Y. Infrared absorption in elementary semiconductors—213(T)
—— (see Collins, R. J.)—230(A)
—— (see Forster, J. H.)—229(A)
—— (see Gebbie, H. A.)—230(A)
—— (see Kaiser, W.)—230(A); 1380
—— (see Navon, D.)—491(A)
Fano, U. and L. V. Spencer. Energy spectrum resulting from electron slowing-down—240(A)
Farquhar, R. M. (see Russell, R. D.)—1223
Faust, W. R. (see Scherrer, V. E.)—768(L); 1476
Fechter, H. R. (see Hofstadter, R.)—422(L); 439(A)
Feld, Bernard T. Role of nucleon isobar in high-energy interactions—454(A)
Ferguson, A. J. and H. E. Gove. Resonances in $S^{32}(p,p)S^{32}$—439(A)
Fermi, Enrico. Nucleon polarization in pion-proton scattering—947
—— (see Anderson, H. L.)—155
—— (see Martin, R. L.)—467(A)
Ferry, John D. Relaxation distribution functions of polymers and their concentrated solutions and gels—218(T)
——, **Lester D. Grandine, Jr., and Edwin R. Fitzgerald.** Relaxation distribution function of polyisobutylene in transition from rubberlike to glasslike behavior and its dependence on temperature—217(A)
—— (see Fitzgerald, Edwin R.)—217(A)
Feshbach, Herman, C. E. Porter, and V. F. Weisskopf. Theory of total neutron cross sections—453(A)
—— (see Lomon, Earle)—454(A)
Feynman, R. P. Atomic theory of λ transition in He—1291; Atomic theory of liquid He near 0°K—1301
Fields, R. E., R. K. Adair, R. L. Becker, and S. E. Darden. Total n-p cross section at 1 Mev—441(A)
Fillnow, R. H., E. K. Halteman, and G. F. Mechlin. X-ray and metallurgical studies on neutron-irradiated Cu_3Au—236(A)
Fink, Richard W. and Edwin O. Wiig. Radiations of neutron-deficient Ba and Ce nuclides—194(L)
Finn, George. Evaporation of Cu from Ge—754(L)
Fireman, E. L. Measurement of (n,H^3) cross section in N and its relationship to T production in atmosphere—922
Firle, T. (see Becker, M.)—491(A)
Fisher, John C. Applications of dislocation theory to plastic deformation—205(T)
—— Strength of solid solution alloys—232(A)
Fisher, L. H. (see Kachickas, G. A.)—775
Fitzgerald, Edwin R., Lester D. Grandine, Jr., and John D. Ferry. Dynamic mechanical properties of polyisobutylene—217(A)
—— (see Ferry, John D.)—217(A)
Fleeman, Jerome. Effect of neutron irradiation on phase change in Sn—237(A)
Fletcher, R. C., W. L. Brown, and S. Machlup. Annealing of bombardment damage in Ge: Theoretical—237(A)
—— (see Briggs, H. B.)—1342
—— (see Brown, W. L.)—237(A)
Fletcher, W. H. (see Parker, F. W.)—235(A)
—— (see Shelton, R. D.)—235(A)
Flory, P. J. Equilibrium theory of crystallization—225(T)
Flowers, J. W. (see Shreckengost, R. C.)—224(A)
Floyd, J. J. (see Kunstadter, J. W.)—594
Foderaro, A. and T. M. Donahue. Production of sodium airglow excitation by imprisonment of resonance radiation—1561(L)
Foland, W. D. (see Tipton, Isabel H.)—214(A)
Foley, H. M. (see Sessler, A. M.)—444(A)
Follin, J. W., Jr. (see Alpher, R. A.)—479(A)
Foner, Simon. Hall effect in pure Ti, V, and Cr—447(A)
—— **and Emerson M. Pugh.** Hall effect in ordered and disordered Ni_3Mn—220(A); Hall effects of Co-Ni alloys and of Armco iron—20
Fonger, William H. Cosmic radiation intensity time variations and their origin. II. Energy dependence of 27-day variations—351
Foote, H. L., Jr. Low-energy neutron resonance scattering—450(A)
—— (see Sailor, V. L.)—450(A)
Foote, R. S. and Ben Petree. Operation of electromagnetic electron beam extractor—456(A)
—— (see Koch, H. W.)—455(A)
Ford, Kenneth W. (see Wilets, Lawrence)—1488
Forro, M. Method for determination of maximum energy of weak β emitters—483(A)
Forster, J. H., H. Y. Fan, and K. Lark-Horovitz. Deuteron irradiation of Ge near liquid N temperature—229(A)
Fosdick, Lloyd D. and Hubert M. James. New approximation method for order-disorder problems—1131
Fourie, D. J. Photoelectric effect of thin Bi films—803
Fowler, E. C., W. B. Fowler, R. P. Shutt, A. M. Thorndike, and W. L. Whittemore. Diffusion cloud chamber study of pion interactions in H and He—135
Fowler, J. L., C. H. Johnson, and J. R. Risser. Angular distribution of neutrons scattered from N—441(A)
Fowler, W. A. Experimental results on nuclear reactions in stars—456(T)
—— **and R. G. Thomas.** Analysis of $N^{15}(p,\alpha)C^{12}$ excitation function—473(A)
—— (see Warters, W. D.)—917
Fowler, W. B., R. P. Shutt, A. M. Thorndike, and W. L. Whittemore. Multiple pion production in n-p collisions observed at the cosmotron—758(L)
——, **R. P. Shutt, A. M. Thorndike, and W. L. Whittemore.** Pions and protons from target bombarded by 2.3-Bev protons in cosmotron—479(A)
——, **R. P. Shutt, A. M. Thorndike, and W. L. Whittemore.** Production of V_1^0 particles by π^- mesons in H—1287(L)
—— (see Fowler, E. C.)—135
Francis, Norman C. and Kenneth M. Watson. Elastic scattering of particles by atomic nuclei—454(A)
Frank, Wilson J., Kenneth C. Bandtel, Richard Madey, and Burton J. Moyer. Angular distribution of process $p + d \rightarrow t + \pi^+$—487(A)
—— (see Bandtel, Kenneth C.)—487(A)
—— (see Godfrey, Charles)—487(A)
Franklin, A. D., R. B. Campbell, and J. A. Weinman. Measurement of particle size of ultrafine ferromagnetic powders—205(A)
—— (see Berkowitz, A. E.)—206(A)
Frauenfelder, H. (see Lawson, J. S., Jr.)—484(A); 649
Frazer, B. C. Phase transition in $ND_4D_2AsO_4$—246(A)
—— **and Ray Pepinsky.** Phase transition in CsH_2AsO_4—212(A)
Frederikse, H. P. R. Thermoelectric power in Ge single crystals—491(A)

Freely, John (see Dobischek, Dietrich)—804
Freeman, A. J. Effective nuclear charges for atoms from self-consistent field calculations—1410
Freier, P. S. (see Anderson, G. W.)—431(A)
Freistadt, Hans. Electromagnetic mass in Darling's theory of elementary particles—478(A)
Fremlin, J. H. Nuclear reactions with cyclotron-accelerated He^a—488(T)
French, J. B. and Y. Shimamoto. Theory of multipole radiation—898
Fried, B. D. and R. J. Riddell, Jr. Tomonaga approximation—460(A)
Friedlander, G., Elizabeth Wilson, A. Ghiorso, and I. Perlman. Genetic relationships of 0.8-sec Pb^{207m} isomer—498(A)
—— (see Miller, J. M.)—485(A)
—— (see Welker, Joan P.)—484(A)
Friedman, H. (see Byram, E. T.)—1278(L)
Friedman, M. H. and S. T. Butler. Bose-Einstein condensation of imperfect gas—465(A)
Friedman, Murray. Influence of host in determining radiation sensitivity of bacterial virus—494(A)
Friedrich, L. W. and V. P. Jacobsmeyer. Electrical properties of elementary B—492(A)
Frisch, Harry L. Equipartition principle of generalized canonical ensembles—477(A); 791
—— (see Willis, Charles)—465(A)
Froehlich, Fritz E. and Kurt Sitte. Mean free path for shower production by high-energy π mesons—433(A)
Froman, Darol, James Kenney, and Victor H. Regener. Collision lengths of neutral, penetrating-shower-producing cosmic radiation in light and heavy water—707
Frost, Albert D., Charles R. Mingins, and Lawrence A. Howard. Electric wave filter combining piezoelectric divided electrode units—471(A)
Frost, R. T. and S. S. Hanna. $Li^6(d,t)Li^5(p)He^4$ reaction—462(A)
Frost, Robert H. and Carl E. Nielsen. Specific probable ionization of electrons observed with Wilson cloud chamber—864
Fry, W. F. Nuclear capture of μ^- mesons in photographic emulsions—481(T)
—— π^+ meson production by π^- mesons—1576(L)
—— Unusual π-μ decays in photographic emulsions—130
—— (see John, W.)—1234
Fuller, C. S. and J. A. Ditzenberger. Diffusion of Li into Ge and Si—193(L)
Fultz, Dave. Experiments in fluid mechanics for meteorological purposes—488(T)
Fung, Si Chang and A. Turkevich. Production of Cu radioactivity in interaction of negative pions and muons with Zn—480(A)
Furst, Milton and Hartmut Kallmann. Fluorescence, phosphorescence, and photostimulation of NaCl (AgCl) with high-energy irradiation—1356; Fluorescent light yields with α, β, and γ radiations—766(L)
Fusfeld, Herbert I. Comparison of resistivity and density changes in cold-worked brass—233(A)
Fuson, Nelson, Marie-Louise Josien, and Conrade C. Hinds. Infrared analysis of associated O−H and O−D stretching vibrations of simple carboxylic acids—234(A)
—— (see Josien, Marie-Louise)—235(A)

Gaerttner, E. R. (see Albert, R. D.)—451(A)
—— (see Yeater, M. L.)—451(A)
Gailar, N. (see Byram, E. T.)—1278(L)
Galonsky, A. I., W. Haeberli, E. Goldberg, and R. Douglas. Inelastic scattering of protons by Ne—439(A)
—— (see Eppling, F. J.)—438(A)
—— (see Haeberli, W.)—438(A)
Gammel, J. L. (see Christian, R. S.)—100
Gardner, W. R. and G. C. Danielson. Electron density in sodium tungsten bronze—220(A)
Garrett, R. E., F. L. Hereford, and B. W. Sloope. Inelastic scattering of *d*-*d* neutrons—441(A)
Garth, R. C. (see Hughes, D. J.)—1423
Garwin, R. L. Thermalization of positrons in metals—1571(L)
Gasiorowicz, S. Phenomenological study of meson-nucleon scattering—481(A)
Geballe, Ronald (see Harrison, Melvin A.)—1
Gebbie, H. A., M. Nisenoff, and H. Y. Fan. Photoconductivity and carrier traps in Ge—230(A)
Geisler, A. H. (see Wilson, V. C.)—494(A)
Geller, M. (see von Hippel, A.)—568
Gell-Mann, Murray and M. L. Goldberger. Formal theory of scattering—398
—— **and Valentine L. Telegdi.** Consequences of charge independence for nuclear reactions involving photons—169
—— (see Brueckner, K. A.)—460(A)
Gerhart, J. B., R. Sherr, and B. C. Carlson. Annihilation of fast positrons in flight—455(A)
—— (see Sherr, R.)—909
Gerjuoy, E. Theory of (d,p) reactions—453(A); 645
Geschwind, Stanley (see Danos, Michael)—1159
Ghiorso, A. (see Friedlander, G.)—498(A)
Ghosh, S. N. (see Trambarulo, R.)—222(A)
Gibbons, J. H. and Henry W. Newson. Neutron resonances in Bi, Tl, and Pb—209(A)
Gibbs, Julian H. Ferroelectricity in rochelle salt—447(A)
Gifford, Frank, Jr. Turbulent diffusion from volume source with nonuniform initial distribution—1031(A)
Gilleo, M. A. Photoemission from Ag into AgCl, KBr, NaCl, and new bands of photosensitivity in AgCl—534
Gillon, L. P. (see Mihelich, J. W.)—498(A)
Gilmore, F. R. Compressibility and thermal effects in cavitation—1029(T)
Gilpatrick, L. O. (see Baldock, Russell)—242(A)
Givin, H. H. (see Jenkins, G. L.)—210(A)
Glaser, Donald A. Bubble chamber tracks of penetrating cosmic-ray particles—762(L); Possible bubble chamber for study of ionizing events—496(A)
Glasser, R. G. (see Schein, Marcel)—479(A); 973
Glauber, Roy J. Potential scattering at high energies—459(A)
Glick, Harvey L. and W. F. Witzig. Resistivity of Cu_3Au during neutron irradiation—236(A)
Godfrey, Charles, Kenneth C. Bandtel, Wilson J. Frank, and Richard Madey. Production of tritons in *d*-*d* collisions—487(A)
Goertz, Matilda (see Williams, H. J.)—1107
Gokhale, G. S. (see Rao, A. S.)—764(L)
Goldberg, E. (see Eppling, F. J.)—438(A)
—— (see Galonsky, A.)—439(A)
—— (see Haeberli, W.)—438(A)
Goldberg, M. D. and J. A. Harvey. Coherent cross sections of Fe and Ni—451(A)
Goldberger, M. L. (see Brueckner, K. A.)—460(A)
—— (see Gell-Mann, M.)—398
Goldemberg, J. (see Montalbetti, R.)—659
Goldgraber, Howard D. Configuration interaction in Mo II—456(A)
Goldhaber, Gerson and S. Goldhaber. Inelastic scattering of negative pions—467(A)
Goldhaber, S. (see Goldhaber, Gerson)—467(A)
Goldman, J. E. (see Urquhart, Helen M. A.)—435(A)
Goldowski, N. Is it possible to teach physics to humanities students?—227(A)

Goldschmidt-Clermont, Y., L. S. Osborne, and A. W. Winston. Angular distribution of mesons from 320-Mev photons on protons—468(A)
Goldstein, Jack S. Properties of Salpeter-Bethe two-nucleon equation—461(A); 1516
Goldstein, L., H. S. Sommers, Jr., and J. G. Dash. Transmission of slow neutrons by liquid He—490(A)
Good, R. H., Jr. (see Miller, S. C., Jr.)—174
Good, W. M. Nuclear reactions with He^3 nuclei—226(T)
——, **W. E. Kunz, and C. D. Moak.** $He^3 + He^3$ reaction—462(A)
—— (see Kunz, W. E.)—676
Goodenough, J. B. Nucleation centers for domains of reverse magnetization—434(A)
Goodman, Clark (see Guernsey, Janet B.)—440(A)
—— (see Kay, Robert)—472(A)
—— (see Kiehn, R. M.)—66
—— (see McClelland, Clyde L.)—760(L)
Goodrich, M., J. S. Levinger, and W. Payne. Bremsstrahlung from P^{32} betas—455(A); 1225
—— (see Payne, W.)—497(A)
Gopalakrishnan, K. (see Tomlinson, E. P.)—484(A)
Gordy, Walter M. 1- to 2-mm wave spectroscopy—209(T)
—— (see Cox, J. T.)—222(A)
—— (see Hill, Robert M.)—222(A)
—— (see Mockler, Richard C.)—222(A)
—— (see Trambarulo, R.)—222(A)
—— (see Venkateswarlu, Putcha)—222(A)
Gossett, C. R. (see Phillips, G. C.)—462(A)
Gossick, B. R. Post-injection barrier emf of *p-n* junctions—1012(L)
—— (see Bray, R.)—1011(L)
Gouza, J. J. (see Protzman, T. F.)—211(A)
Gove, H. E. and E. B. Paul. Yield and angular distribution of γ rays from $B^{11}(p,\gamma)C^{12}$—463(A)
—— (see Ferguson, A. J.)—439(A)
Grad, Harold. Validity of Boltzmann equation—1031(T)
Graham, Irven C., David Pomeroy, W. C. McGarvey, and John G. Randall. Biophysical study of burns—214(A)
Grandey, R. A. (see Clark, A. E.)—467(A)
Grandine, Lester D., Jr. (see Ferry, John D.)—217(A)
—— (see Fitzgerald, Edwin R.)—217(A)
Green, Alex E. S. and David F. Edwards. Discontinuities in nuclear mass surface—46; 443(A)
—— **and Nicholas A. Engler.** Mass surfaces—40
Green, Farno L. Electromagnetic shims for focusing in fixed-frequency cyclotron—223(A)
Green, Louis C., Marjorie M. Mulder, and Paul C. Milner. Correlation energy in ground state of He I—35
Green, M. (see Keck, P. H.)—472(A)
Greenberg, J. Mayo. Scattering approximations for transparent nucleus model—454(A)
Gregg, E. C. (see Tucker, B. L.)—1579(L)
Gregory, Christopher. Construction of conservation equations for nonlocal field theories—770(L)
Grimes, D. M., L. W. Orr, and M. H. Winsnes. Reversible susceptibility in ferrimagnetic materials—435(A)
Gropp, Armin H. (see Letaw, Harry, Jr.)—235(A)
Grosof, Gerard M. (see Weinreich, Gabriel)—195(L)
Gross, E. P. Electron motion in polar crystals—228(A)
—— (see von Hippel, A.)—568
Grosse, A. V. (see Javan, A.)—222(A)
Grunwald, Ernest (see Marshall, Henry P.)—214(A)
Guernsey, Janet B. and Clark Goodman. Total neutron cross section of liquid A—440(A)
Gugelot, P. C. and H. A. Lauter. Inelastic scattering of 18.3-Mev protons—486(A)
Guinier, A. Possibilities of x-ray small-angle scattering for study of crystal imperfections—239(T)
Gursky, Herbert, Barbara Winnemore, and D. A. Cowan. Ranger study of Po-Be neutron spectrum—209(A)
Gursky, Judith Cassidy and P. K. S. Wang. Determination of x-ray spectrum from absorption measurements by Laplace transformation—239(A)
Gutowsky, H. S. and B. R. McGarvey. Nuclear magnetic resonance in Th compounds—81
Gutzwiller, Martin. Quantum electrodynamics in space of constant curvature—478(A)

Haeberli, W., A. Galonsky, E. Goldberg, and R. Douglas. Elastic scattering of protons by Ne—438(A)
—— (see Galonsky, A.)—439(A)
Hagstrum, Homer D. Electron ejection from Ta by He^+, He^{++}, and He_2^+—543
Hahn, Beat. Scintillations produced by α particles in CsI—772(L)
Hahn, T. M. (see Jenkins, G. L.)—210(A); 915
—— (see Lafferty, D. L.)—223(A)
Hall, R. W. (see Maxwell, L. R.)—206(A)
Halpern, J. and E. V. Weinstock. Photodisintegration of deuteron at 20 Mev—934
—— (see Weinstock, E. V.)—461(A)
Halteman, E. K. (see Fillnow, R. H.)—236(A)
Hamilton, J. Fredholm theory of S matrix—1524
Handley, T. H. (see Jones, W. H.)—486(A)
—— (see Newman, E.)—486(A)
Hanna, S. S. (see Frost, R. T.)—462(A)
—— (see Pruitt, J. S.)—463(A)
—— (see Shafroth, S. M.)—483(A)
Hansen, K. F. (see Kiehn, R. M.)—66
Hanson, H. P. and H. W. Schrader. Measurements of K edge jump ratios with linear motion x-ray spectrometer—457(A)
Harbottle, Garman. Half-life of Tl^{204}—1234
Harrick, N. J. (see Barnes, R. G.)—475(A)
Harris, D. R. (see Ballam, J.)—446(A); 1019(L)
Harris, J. C. (see Chilton, A. B.)—495(A)
Harris, S. P., C. O. Muehlhause, D. Rose, H. P. Schroeder, G. E. Thomas, Jr., and S. Wexler. Thermal *n-p* capture—125
Harrison, Melvin A. and Ronald Geballe. Simultaneous measurement of ionization and attachment coefficients—1
Harrison, Sol E. and Herbert B. Callen. Electronic interactions in ferromagnetic metals—205(A)
Hart, Edward W. Yield point strain—232(A)
Harth, Erich, Leo Seren, Milton Birnbaum, and Ralph Tobin. Thresholds for reactions $Cu^{63}(\gamma,n)Cu^{62}$ and $Ag^{109}(\gamma,n)Ag^{108}$—474(A)
—— (see Birnbaum, Milton)—474(A)
—— (see Seren, Leo)—474(A)
Hartman, P. L. and D. H. Tomboulian. Far uv radiation from Cornell synchrotron—1577(L)
Harvey, J. A. (see Goldberg, M. D.)—451(A)
Haskin, D. M. (see Schein, Marcel)—479(A); 973
Hastings, Samuel (see Lehnert, Richard)—1032(A)
Havas, Peter. Classical equations of motion of point particles—997
—— (see Mehl, Clarence R.)—393
Havens, W. W., Jr. (see Block, M. M.)—210(A)
—— (see Melkonian, E.)—450(A)
Hawkins, W. B. and R. H. Dicke. Polarization of Na atoms—1008(L)
Hayes, S. and R. Smoluchowski. Small-angle x-ray scattering in proton-irradiated diamond—244(A)
—— (see Bowman, J. C.)—244(A)
Haynes, C. W. and R. Smoluchowski. Grain boundary self-diffusion in body-centered lattice—245(A)
Haynes, J. R. (see Smith, Charles S.)—491(A)

Haynes, Sherwood K. (see Kerr, Robert J.)—214(A)
Heckman, Harry H. and L. Evan Bailey. Large-angle scattering of π^- mesons in Al, Cu, and Pb—1237
Heckman, R. C. and H. Sponer. Near uv vapor spectrum of thianaphthene—242(A)
Heer, C. V., C. B. Barnes, and J. G. Daunt. Magnetic refrigerator for maintaining temperatures below 1°K—412(L)
Heer, E. (see Albers-Schönberg, H.)—199(L); 1287(L)
Heikes, Robert R. Magnetic properties of pyrrhotite—212(A)
Hein, R. A. (see Steele, M. C.)—490(A)
Heindl, C. (see Sheer, C.)—449(A)
Heller, W. R. (see Dexter, D. L.)—273
Hemmendinger, Arthur. Interactions of T and He^3 with light nuclei below 5 Mev—488(T)
Hemstreet, H. W. and J. M. Reynolds. Electrical resistance of graphite at low temperatures—242(A)
—— (see Reynolds, J. M.)—1152
Henisch, H. K. Transistor experiments on binary Pb compounds—213(T)
Henkels, H. W. and J. Maczuk. Anisotropic resistivities of Se crystals at high frequencies—1562(L)
Henley, E. M. and M. A. Ruderman. Nuclear forces from extended sources—480(A)
—— (see Cooper, L. N.)—480(A)
Henry, Warren E. Magnetic saturation and apparent molecular fields of $MnCl_2 \cdot 4H_2O$—435(A)
Henshaw, D. G. and D. G. Hurst. Neutron diffraction by liquid He—1222
——, **D. G. Hurst, and N. K. Pope.** Neutron diffraction by liquid O_2, N_2, and A—472(A)
Herbst, R. F. and A. V. Bushkovitch. Pauli form of β decay matrix elements—442(A)
Hereford, Frank L. Polarized photons—226(T)
—— (see Berko, Stephan)—1127
—— (see Garrett, R. E.)—441(A)
Herlin, Melvin A. (see Rogers, D. H.)—489(A)
—— (see Waldron, S.)—447(A)
Herman, Frank. Energy band structure of diamond and Ge crystals—491(A)
Herman, R. C. (see Alpher, R. A.)—479(A)
Hertzberg, Abraham and William E. Smith. C.A.L. hypersonic test facility—1029(A)
—— **and W. Squire.** Shock tube for studying chemical kinetics—469(A)
Herzberg, Gerhard (see Chandrasekhar, S.)—1172
Heydenburg, N. P. and G. M. Temmer. α-particle scattering in N—439(A)
Heyman, R. J., A. Sherman, and T. Schiffman. Pressure multiplication in reentrant corners—1032(A)
Hill, David L. (see Wilets, Lawrence)—1488
Hill, F. K. Boundary layer hypersonic flow—1029(A)
Hill, R. D. Auger electron intensities—770(L)
—— (see Swan, J. B.)—424(L)
Hill, R. W. (see Eppling, F. J.)—438(A)
Hill, Robert M. and Walter Gordy. Temperature dependence of line breadths of O_2—222(A)
Hinds, Conrade C. (see Fuson, Nelson)—234(A)
Hines, R. L. Excitation function for $Mn^{55}(\gamma,3n)Mn^{52}$—474(A)
Hobstetter, John. Nucleation of solid-solid transitions—232(T)
Hodson, A. L. (see Ballam, J.)—446(A); 1019(L)
Hoerni, Jean A. and James A. Ibers. Complex amplitudes for electron scattering by atoms—1182
Hoffmann, Banesh. Similarity theory of relativity and Dirac-Schrödinger theory of electrons—751
Hoffman, M. M. (see Cameron, A. G. W.)—473(A)
Hofstadter, R., H. R. Fechter, and J. A. McIntyre. Electron scattering from nuclei at high energies—439(A)
——, **H. R. Fechter, and J. A. McIntyre.** Scattering of high-energy electrons and method of nuclear recoil—422(L)
Hogan, C. L. Electromagnetic phenomena in ferrites—461(T)
Hoge, Harold J. Series method for comparison of resistances—493(A)
Hogg, Benjamin G. and Henry E. Duckworth. Evidence for region of extra nuclear stability between 82- and 126-neutron shells—1289(L)
Holmes, D. K. (see Crawford, J. H., Jr.)—243(A)
Holmgren, H. D. (see Brown, R. J. S.)—438(A)
Holshouser, D. F. (see Babcock, M. L.)—755(L)
Holstein, T. Electromagnetic absorptivity of metals at low temperatures—490(A)
Honig, Richard E. Mass spectrometric study of sublimation of graphite—465(A)
Hopkins, J. I. (see Campbell, W. H.)—224(A)
—— (see Porter, P. T.)—209(A)
Hopkins, Robert L. (see Clarke, Edward N.)—1566(L)
Hornyak, W. F. and T. Coor. Capture γ rays from proton bombardment of Be—463(A)
Horowitz, M. and J. G. Daunt. Electronic and lattice specific heats in W, Mo, and Re—1099
Hosler, William R. (see Breckenridge, Robert G.)—243(A); 793
Hough, P. V. C. (see Bach, D. R.)—463(A)
Howard, Lawrence A. (see Frost, Albert D.)—471(A)
Howard, Louis N. and J. Samuel Smart. Specific heat discontinuity in antiferromagnets and ferrites—17
Howland, J. J., Jr. (see Welker, Joan P.)—484(A)
Hoyt, Harry C. and Jesse W. M. DuMond. γ radiation following decay of I^{130}—1027(L)
Hsiao, C. A. and V. L. Telegdi. Mechanism of reaction $O^{16} + h\nu \rightarrow 4He^4$—473(A)
Hsieh, Yü-Chang (see Bloch, Ingram)—240(A)
Huang, Kerson (see Drell, S. D.)—460(A); 1527
Huddlestone, R. H. Compton scattering on nucleons—461(A)
Hudson, D. E. (see Johnson, R. G.)—466(A)
—— (see Shaw, William C.)—208(A)
Hudson, E. D. (see Boch, A. L.)—224(A)
Hudson, R. P. (see de Klerk, D.)—278
Huebner, W. F. (see Phelps, John)—496(A)
Hughes, D. J., R. C. Garth, and J. S. Levin. Fast-neutron cross sections and nuclear level density—1423
—— (see Kato, W. Y.)—450(A)
—— (see Palevsky, H.)—451(A)
Hughes, Raymond H. Isotope shift in arc spectrum of Li—457(A)
Hughes, Vernon W., Gardiner Tucker, Emlyn Rhoderick, and Gabriel Weinreich. Magnetic moment of He atom in metastable triplet state—828
—— **and Gabriel Weinreich.** Effect of nuclear structure on hfs of He^3—196(L)
—— (see Perl, William)—842
—— (see Weinreich, Gabriel)—195(L)
Huibregtse, E. J. and L. P. Hunter. Current carrier lifetimes deduced from Hall coefficient and resistivity measurements—208(A)
—— (see Hunter, L. P.)—1315
Hulburt, E. O. (see Bennett, W. H.)—1562(L)
Hunter, L. P. Current carrier mobility ratio in semiconductors—207(A); 579
——, **E. J. Huibregtse, and R. L. Anderson.** Current carrier lifetimes deduced from Hall coefficient and resistivity measurements—1315

—— (see Huibregtse, E. J.)—208(A)
Huntington, H. B. Mobility of interstitial atoms in face-centered metal—1092
——, **G. A. Shirn, and E. S. Wajda.** Activation entropies for diffusion mechanisms—246(A)
Hurley, J. P. (see Whittle, C. E.)—498(A)
Hurst, D. G. (see Henshaw, D. G.)—472(A); 1222
Hutchinson, Franklin and Barbara Doyle. Inactivation of bovine serum albumin with low-voltage electrons—493(A)
—— (see Phelps, John)—496(A)
Hutchison, Thomas S. Precipitation effects in Cu-Fe alloys—449(A)
—— (see Reekie, James)—490(A)
Huus, Torben and Robert B. Day. γ radiation from B^{11} bombarded by protons—599
—— (see Beckman, Olof)—606

Ibers, James A. (see Hoerni, Jean A.)—1182
Inn, Edward C. Y. Photoionization of molecules in vacuum uv—1194
—— (see Watanabe, K.)—436(A); 1155
Innes, Frederick R. Matrix elements of spin-spin interaction—31
Iwersen, Eric, W. S. Koski, and Franco Rasetti. Triton-induced activities in Mg and Al—1229

Jaccarino, V. (see King, J. G.)—209(A); 476(A)
Jacobs, Donald H., Milton E. Pugh, and Seymour Scholnick. High-accuracy, high-speed shaft position digitalizer—492(A)
Jacobs, Harold (see Dobischek, Dietrich)—804
Jacobsmeyer, V. P. (see Friedrich, L. W.)—492(A)
Jakobson, M. J., A. G. Schulz, and R. S. White. Production of charged photomesons from He. H-He ratios—695
James, Hubert M. (see Fosdick, Lloyd D.)—1131
Jamison, R. E. and T. H. Blewitt. Deformation characteristics of reactor-irradiated Cu single crystals at 78°K and 300°K—237(A)
—— (see Blewitt, T. H.)—448(A)
Jarmie, Nelson, Gordon W. Repp, and R. Stephen White. Positive photomesons from H at 0°—1023(L)
—— (see White, R. Stephen)—468(A)
Jastram, P. S. (see Robinson, J. E.)—498(A)
—— (see Whittle, C. E.)—498(A)
Jastrow, Robert. Low-energy properties of nucleon-nucleon interaction—749
—— Saturation of nuclear forces—460(A)
Jaumot, Frank E., Jr., and Leonard Muldawer. Strain and crystallite size in experimental Fe powders—232(A)
—— (see Sanville, W. W.)—220(A)
—— (see Sutcliffe, Charles H.)—221(A)
Javan, A., G. Silvey, C. H. Townes, and A. V. Grosse. Quadrupole moments of Mn^{55}, Re^{185}, and Re^{187}—222(A)
Jeffries, C. D. and P. B. Sogo. Nuclear magnetic moment of Cr^{53} and Sr^{87}—1286(L)
Jelatis, J. G. (see von Hippel, A.)—568
Jen, C. K. Zeeman effect in microwave spectroscopy—458(T)
Jenkins, G. L., L. W. Cochran, H. H. Givin, J. L. Ryan, T. M. Hahn, and B. D. Kern. Angular distribution of 12-Mev γ rays from proton bombardment of B—210(A); G. L. Jenkins, L. W. Cochran, B. D. Kern, and T. M. Hahn—915
Jenkins, T. (see Luckey, D.)—468(A)
Jentschke, W. K. (see Briggs, G. R.)—438(A)
—— (see Eby, F. S.)—495(A)
—— (see Kerman, R. O.)—438(A)
—— (see Lawson, J. S., Jr.)—484(A)
John, W. and W. F. Fry. π^- and μ^- meson-induced fission—1234
Johns, M. W. (see McMullen, C. C.)—418(L); 1580(E)
Johnson, C. H. (see Fowler, J. L.)—441(A)
—— (see Trail, Carroll C.)—474(A)
Johnson, C. Y. (see Davis, L. R.)—431(A)
Johnson, Edgar G. and Alfred O. Nier. Angular aberrations in sector-shaped electromagnetic lenses for focusing beams of charged particles—10
Johnson, F. F. (see Tittman, J.)—452(A)
Johnson, J. B. and K. G. McKay. Secondary electron emission of crystalline MgO—582
Johnson, John L. and J. L. McHale. Calculation of half-widths of one-body resonances—87
—— (see McHale, J. L.)—452(A)
Johnson, O. E. (see Carmichael, B. M.)—473(A)
Johnson, R. G., W. C. Caldwell, D. E. Hudson, and F. H. Spedding. Mass spectrometric positive ion technique for determining phase transition temperatures and heats of transformation in metals—466(A)
Johnson, T. H. Research program of AEC—442(T)
Johnson, V. A. and K. Lark-Horovitz. Theory of thermoelectric power in semiconductors—230(A)
Johnson, W. H., Jr. (see Collins, T. L.)—482(A)
Jones, Emerson, Jr. (see Cook, Charles J.)—1417
Jones, Ernest A. (see Akers, Lawrence K.)—236(A)
Jones, G. A. (see Wilkinson, D. H.)—1575(L)
Jones, K. W., D. J. Donahue, M. T. McEllistrem, R. A. Douglas, and H. T. Richards. Break-up energy of Be^9—879
——, **M. T. McEllistrem, R. A. Douglas, and H. T. Richards.** Comparison of nuclear and γ-ray absolute energy scales—482(A)
Jones, Lawrence W. and Kent M. Terwilliger. Photoneutron production excitation functions to 320 Mev—699
Jones, Royce J. Oak Ridge 44-in. cyclotron—223(A)
Jones, W. H., J. H. Paehler, T. H. Handley, and A. Timnick. Yield distribution in proton fission of U—486(A)
Jordan, W. C., J. M. Cork, and S. B. Burson. Decay scheme for $_{66}Dy^{165m}$ (1.25 min) and $_{66}Dy^{165}$ (2.3 hr)—497(A)
—— (see Burson, S. B.)—498(A)
Jorgensen, Theodore, Jr. (see Cook, Charles J.)—1417
Josien, Marie-Louise, Nelson Fuson, and Essie M. Shelton. Infrared study of influence of molecular structure on carbonyl band in polycyclic quinones—235(A)
—— (see Fuson, Nelson)—234(A)

Kachickas, G. A. and L. H. Fisher. Formative time lags of uniform field breakdown in A—775
Kahn, Bernd and W. S. Lyon. K^{42} decay—1212
Kaiser, H. F. Electron cyclotrons (microtrons) for X- and K-band operation—456(A)
—— Relativistic particle cyclotron with electrostatic focusing—499(A)
Kaiser, W., R. J. Collins, and H. Y. Fan. Infrared absorption in p-type Ge—230(A); 1380
Kalil, F. and R. D. Birkhoff. Straggling distributions for electrons in passing through thin foils—505
Kallmann, Hartmut (see Furst, Milton)—766(L); 1356
Kalos, M. H. and J. M. Blatt. Ground state of deuteron with tensor forces—444(A)
—— (see Blatt, J. M.)—444(A)
Kambe, K. (see Abragam, A.)—894
Kandel, R. J. Ionization and dissociation of nitromethane by electron impact—436(A)
Kane, R. P. (see Sarabhai, V.)—688
Kao, S. K. (see Clark, A. E.)—467(A)

Kaplon, M. F., J. Z. Klose, D. M. Ritson, and W. D. Walker. Absorption mean free path of high-energy nucleonic component of cosmic radiation—1573(L)
Karzmark, C. J. (see Buskirk, A. V.)—445(A)
—— (see Thompson, R. W.)—446(A)
Kasper, J. S. (see Wilson, V. C.)—494(A)
Kastner, J. and G. N. Whyte. Half-life of Co^{60}—332
Katcoff, Seymour and William Rubinson. Yield of Xe^{133} in thermal neutron fission of U^{235}—1458
Kato, W. Y., Marilyn J. Stafne, J. S. Levin, and D. J. Hughes. Neutron resonances in Ag—450(A)
Katz, L. (see Montalbetti, R.)—659
Katz, Robert. Pairing effect in nuclei and isomerism—1487
Kay, Robert, Hans Mark, and Clark Goodman. Angular distribution of neutrons from $C^{14}(p,n)N^{14}$—472(A)
Keck, Paul H., M. Green, and M. L. Polk. Shapes of floating liquid zones between solid rods—472(A)
—— **and Wendell Van Horn.** Surface tension of liquid Si and Ge—243(A); 512
Keesom, P. H. and N. Pearlman. Atomic heat of Ge below 4°K—215(A); 1347; Heat capacity of KCl below 4°K—1354
Keffer, Frederic. Dipolar anisotropy in cubic ferromagnetic crystals—206(A)
Keister, G. L. (see Schmidt, F. H.)—483(A)
Keller, F. L. and A. H. Nielsen. Infrared spectrum and molecular constants of DBr—235(A)
Keller, W. E. (see Sommers, H. S., Jr.)—489(A)
Kendall, J. M. Compressible flow of viscous fluid in capillary connected to closed vessel—470(A)
Kenney, James (see Froman, Darol)—707
Kerman, R. O., R. Nilson, and W. K. Jentschke. α-α scattering at 21.6, 22.4, and 22.8 Mev (nuclear plate)—438(A)
Kern, B. D. (see Jenkins, G. L.)—210(A); 915
—— (see Lafferty, D. L.)—223(A)
Kerner, Edward H. Excitation of molecular rotations and vibrations in inelastic scattering processes—1174
Kerr, Robert J., Sherwood K. Haynes, and George R. Meneely. Study with NaI scintillation spectrometer of methods of estimating I^{131} contained in human thyroid—214(A)
Kevane, C. J., S. Legvold, and F. H. Spedding. Hall effect in Y, La, Ce, Pr, Nd, Gd, Dy, and Er—1372
Kiehn, R. M., Clark Goodman, and K. F. Hansen. Total neutron cross sections of Cl and C—66
Kikuchi, Ryoichi. Quantum statistical mechanics of ferromagnetism—205(A)
Kim, Y. B. Energy distribution of neutral mesons produced in cosmic-ray stars—445(A)
King, D. T. (see Seeman, Nathan)—446(A)
King, J. C. and Henry A. Fairbank. λ-point shift in He^3–He^4 mixtures—489(A)
King, J. G. and V. Jaccarino. Hfs and nuclear moment ratios of stable Br isotopes—209(A)
——, **H. H. Stroke, and V. Jaccarino.** Hfs of I—476(A)
Kip, A. F., C. Kittel, R. A. Levy, and A. M. Portis. Electronic structure of *F* centers: Hyperfine interactions in electron spin resonance—1066
—— (see Portis, A. M.)—207(A)
Kirkaldy, J. S. (see Westcott, C. H.)—495(A)
Kittel, Charles. Electronic structure of *F* centers—219(A)
—— Theory of conduction-electron spin resonance—239(T)
—— (see Kip, A. F.)—1066
Klein, Abraham. Construction of potentials in quantum field theory—1285(L); Convergence of adiabatic nuclear potential—460(A); 740
Klein, D. (see Oxley, C. L.)—419(L)
Klein, J. A. and A. H. Nethercot, Jr. Microwave spectrum of DI at 1.5-mm wavelength—1018(L)
Kleinman, D. A. (see Dienes, G. J.)—238(A)
Klema, E. D. and F. K. McGowan. γ-γ angular correlation in Ni^{60}—616
Kloepper, Robert M. Angular correlation of Ni^{60} γ-γ cascade—1026(L)
Klose, J. Z. (see Kaplon, M. F.)—1573(L)
Kmetko, E. A. Electrical properties of carbon bisulfate compounds—243(A)
—— (see Mrozowski, S.)—234(A)
Knight, J. D., M. E. Bunker, B. Warren, and J. W. Starner. Radiations of U^{240} and Np^{240}—889
Knight, W. D. Nuclear resonance line shapes at high rf fields—206(A)
Knipe, R. H. Molecular orbital treatment of contribution of π electrons to electric dipole moments of some phenyl halides—242(A)
Knudsen, W. C. and J. R. Dillinger. Linear velocity of He II film—489(A)
Kobayashi, Jinzo (see Ueda, Ryuzo)—1562(L)
Koch, H. W. X-ray spectrometer for nuclear-energy studies with betatron—477(T)
—— **and R. S. Foote.** Direct measurement of nuclear absorption of x-rays—455(A)
Koehler, J. S. Theory of initial stress strain curves in face-centered metals—233(A)
—— Work hardening in substitutional alloys—448(A)
Koehler, W. C. and E. O. Wollan. Slow-neutron scattering cross sections for rare earth nuclides—597
Koenigsberg, Ernest. Conductivity of thin films in longitudinal magnetic field—8
Kohn, Walter (see Rostoker, Norman)—234(A)
Kolsky, H. G. Low-energy properties of *n-p* system—459(A)
Korobkin, Irving. Heat transfer on hemispherical body in supersonic flow—469(A)
Koski, W. S. (see Iwersen, Eric)—1229
Koster, G. F. (see Slater, J. C.)—205(A); 1323
Kranz, A. Z. and W. W. Watson. A^{38} energy levels from $Cl(\alpha,p)$—1472
—— **and W. W. Watson.** Cl isotope separation by thermal diffusion—1469
Krishnan, K. G. (see Mihelich, J. W.)—498(A)
Krogstad, R., W. Nelson, and S. T. Stephenson. X-ray absorption fine structure with polarized x-rays—457(A)
Kroll, N. M. (see Weneser, J.)—1257
Krone, Ralph W. (see Reardon, William A.)—334; 442(A)
Kronheimer, Erwin H. Calculation of nuclear binding energies with single-particle oscillator wave functions, erratum—1580(E)
Kruse, U. E. (see Malenka, B. J.)—1165
—— (see Ramsey, N. F.)—1162
Kuhlthau, A. R. Viscous drag measurements on rarefied gas using high-rotational speed techniques—1029(A)
Kundu, D. N. H^3 and He^3 reactions with medium-heavy nuclei—488(T)
—— **and M. L. Pool.** Inverse Oppenheimer-Phillips process in $Cu^{65}(He^3,\alpha)$—417(L)
—— (see Pool, M. L.)—462(A)
Kunstadter, J. W., J. J. Floyd, and L. B. Borst. Long-lived delayed neutrons from fission—594
Kunz, W. E. Cross section of $He^3(H^3,H^1)He^4$ reaction from 100–800 kev He^3 energy—462(A)
——, **C. D. Moak, and W. M. Good.** Energy levels in Be^9 from $Li^6(He^3,p)Be^8$—676
Kupperian, J. E., Jr., and E. D. Palmatier. Ionization energy losses of relativistic μ mesons in gases—1186
Kurath, Dieter. Application of *jj*-coupling model to moderately light nuclei—1430

Kursunŏglu, Behram. Relativistic two-body equation—478(A)
Kurzweg, H. H. Physical problems encountered in high-speed flight—459(T)

Lafferty, D. L., J. A. Biggerstaff, B. D. Kern, and T. M. Hahn. High-current 120-kev positive ion accelerator—223(A)
Lamphere, R. W. Fission cross section of U^{234}—210(A); 655
Landauer, Rolf and John Swanson. Diffusion currents in Hall effect in semiconductors—207(A); 555
—— (see Allen, G.)—471(A)
Lander, J. J. Auger peaks in energy spectra of secondary electrons from various materials—1382
Landon, H. H. (see Sailor, V. L.)—450(A)
Langer, L. M., N. H. Lazar, and R. J. D. Moffat. Disintegration of Sb^{124}—338; 485(A)
—— (see Ames, D. P.)—68
—— (see Lazar, N.)—498(A)
—— (see Moffat, R. J. D.)—485(A)
Langmuir, D. B. Interpretation of "dc etch" phenomena—447(A)
Lark-Horovitz, K. (see Becker, W. M.)—230(A)
—— (see Forster, J. H.)—229(A)
—— (see Johnson, V. A.)—230(A)
Laubenstein, M. J. (see Eggen, D. T.)—238(A)
Lauritsen, C. C. (see Warters, W. D.)—917
Lauter, H. A. (see Gugelot, P. C.)—486(A)
Lawson, J. S., Jr., and H. Frauenfelder. Correction for finite angular resolution in directional correlation measurements—649
——, **H. Frauenfelder, and W. K. Jentschke.** Measurement of directional correlation of Ni^{60} γ-γ cascade—484(A)
Lax, Melvin and Eli Burstein. Broadening of impurity levels in Si—208(A)
—— **and Eli Burstein.** Lattice absorption in diamond: One-dimensional model—492(A)
Lazar, N. H., R. J. D. Moffat, and L. M. Langer. Disintegration of W^{180}—498(A)
—— (see Langer, L. M.)—338
—— (see Moffat, R. J. D.)—485(A)
Lazarus, D. (see Sonder, E.)—245(A)
—— (see Tomizuka, T.)—245(A)
Leaderman, Herbert. Rheology of polyisobutylene III. Approximation methods in linear viscoelasticity theory: Wiechert function calculations—217(A)
LeBlanc, J. M. (see Cork, J. M.)—76; 497(A)
Leddicotte, G. W. (see Reynolds, S. A.)—333
Lee, Charles A., B. P. Fabricand, R. O. Carlson, and I. I. Rabi. Molecular beam investigation of rotational transitions. I. Rotational levels of KCl and their hfs—1395
—— (see Fabricand, B. P.)—1403
Legvold, S. (see Elliott, J. F.)—28
—— (see Kevane, C. J.)—1372
Lehnert, Richard. Reynolds number effect on spheres at supersonic speeds—1033(A)
—— **and Samuel Hastings.** Spin effects on base-pressure—1032(A)
Lehovec, Kurt. Electronic energy states of impurities in nonmetallic crystals—228(A)
—— **and E. Belmont.** Preparation of junctions in single crystals by surface melting—492(A)
Leinhardt, T. E. (see Reynolds, J. M.)—1152
Leipuner, L., R. Siegel, and S. DeBenedetti. Polarization of three-photon annihilation radiation—198(L)
Leivo, W. J. Density change in proton-irradiated KCl—245(A)
—— (see Vaughan, W. H.)—245(A)
Leprince-Ringuet, L. Some unusual cases of heavy mesons (K and V_0) observed in photographic emulsions—466(T)
Letaw, Harry, Jr., and Armin H. Gropp. Infrared spectrum of amide group—235(A)
Levin, J. S. (see Hughes, D. J.)—1423
—— (see Kato, W. Y.)—450(A)
Levinger, J. S. (see Goodrich, M.)—455(A); 1225
Levy, R. A. (see Kip, A. F.)—1066
Lew, Hin. Hfs and nuclear moments of Pr^{141}—619
—— (see Wessel, Günter)—476(A)
Lewis, H. W. Search for Hall effect in superconductor—216(A)
——, **B. E. Simmons, and E. Merzbacher.** Production of characteristic x-rays by protons—943
Libby, W. F. T in nature—442(T)
Linder, E. G. and P. Rappaport. Radioactive charging through dielectric medium—202(L); erratum—1580(E)
Lindner, Manfred. New nuclides produced in Cl spallation—642
—— **and R. N. Osborne.** Cross section for $Al^{27}(\alpha,\alpha 2pn)Na^{24}$ from threshold to 380 Mev—342
—— **and R. N. Osborne.** Energy dependence of cross section for $C^{12}(\alpha,\alpha n)C^{11}$—1501
Linlor, W. I. and B. Ragent. Time-of-flight instrumentation for 100-Mev neutrons—440(A)
—— (see Ragent, B.)—440(A)
Linz, Arthur, Jr. Electrical properties of $SrTiO_3$—753(L)
Lippmann, B. A. Complementarity in angular momentum states—1213
Livingston, M. S. (see Courant, E. D.)—202(L)
Loeb, Arthur L. Free-energy model for hysteresis loop—434(A)
Loebner, E. E. Thermoelectric power of carbons—243(A)
Logan, R. A. Thermally-induced acceptors in single crystal Ge—757(L)
Loh, H. Y. and Peter Cheo. Change of optical constants of fresh thin Cu and Ag films on exposure to air—221(A)
Lomon, Earle and Herman Feshbach. n-p scattering—454(A)
London, Fritz. Theory of liquid He—209(T)
Lord, J. J. Emulsion chamber studies of high-energy cosmic-ray interactions—432(A)
—— (see Weaver, A. B.)—466(A)
Lord, Norman W. Effects of heat treatment on lattice perfection—472(A)
—— Kinetics of disorder-order transformation in Cu_3Au—221(A)
Louisell, W. H., R. W. Pidd, and H. R. Crane. Experimental measurement of gyromagnetic ratio for free electron—475(A)
—— (see Crane, H. R.)—475(A)
Lovell, Robert James. Analysis of infrared spectrum of CF_3COCl—235(A)
Low, Francis E. and David Pines. Mobility of slow electrons in polar crystals—193(L)
—— (see Bethe, H. A.)—417(L)
Luckey, D., T. Jenkins, and R. R. Wilson. Photomeson production from H and deuterium at 90° and 30°—468(A)
—— (see Palfrey, T. R.)—468(A)
Lukasiewicz, J. Shock compression in ducts and diffusers—1032(A)
Lummis, Frances L. and Richard L. Petritz. Noise in p-n junction rectifiers. II. Experiment—231(A)
Lundquist, Stig. Stability of orbits in strong-focusing synchrotron—981
Lustig, Harry and John M. Blatt. New method for calculation of nuclear phase-shifts from cross-section measurements—453(A)

Lynch, Frank J. and Clarence L. Wesenberg. Very high resistance measurement—493(A)
Lyon, W. S. (see Kahn, Bernd)—1212

Ma, S. T. Power-series expansion of unitary operator $U(t,t_0)$—392
Macdonald, J. Ross. New model for Debye dispersion equations—412(L)
Machlup, Stefan. Nyquist and Einstein relations derived from scattering model—240(A)
—— **and L. Onsager.** Fluctuations and irreversible process. II. Systems with kinetic energy—1512
—— (see Fletcher, R. C.)—237(A)
—— (see Onsager, L.)—1505
Mack, Rex C., J. J. Neuer, and M. L. Pool. $Eu^{147, 149, 149, \text{ and } 150}$—497(A); Radioactive Eu^{150} and Gd^{150}—903
Macke, Wilhelm. Two-particle potential from Bethe-Salpeter equation—195(L); Erratum—1580(E)
MacLeod, David W. (Mingins, Charles R.)—471(A)
Maczuk, J. (see Henkels, H. W.)—1562
Madey, Richard. Short resolution time and short "dead" time coincidence counting equipment—486(A)
—— (see Bandtel, Kenneth C.)—487(A)
—— (see Frank, Wilson J.)—487(A)
—— (see Godfrey, Charles)—487(A)
Mador, I. L., J. J. Markham, and R. T. Platt, Jr. Band width of F centers in KBr—219(A); 1277(L)
—— (see Markham, J. J.)—219(A)
—— (see Platt, R. T., Jr.)—219(A)
Mahlman, H. A. (see Reynolds, S. A.)—333
Maita, J. P. (see Tanenbaum, M.)—1009(L)
Malenka, B. J., U. E. Kruse, and N. F. Ramsey. Electric scattering of polarizable deuteron—1165
—— (see Ramsey, N. F.)—1162
Mandelkern, Leo. Kinetics of crystallization—225(T)
—— (see Roberts, Donald E.)—225(A)
Mandeville, C. E. and H. O. Albrecht. Storage of energy in Ag-activated KCl—219(A); 566; Storage of energy in KCl-Tl and NaCl-Tl—470(A)
—— (see Albrecht, H. O.)—471(A)
—— (see Saraf, B. L.)—1216
Mann, D. E., N. Acquista, and Earle K. Plyler. Vibrational spectra of $F_2C{:}CF_2$ and $Cl_2C{:}CCl_2$—464(A)
Mann, L. (see Clark, A. E.)—467(A)
Mapother, D. E. and J. F. Cochran. Super-conducting transition in Al—216(A)
Marcus, Paul M. Theory of pressure effects on superconducting transition temperatures—216(A)
—— **and E. Maxwell.** Two-fluid models of superconductivity with application to isotope effects—1035
Mark, Hans (see Kay, Robert)—472(A)
Markham, Jordan J., R. T. Platt, Jr., and I. L. Mador. Bleaching properties of F centers in KBr at 5°K—219(A)
—— (see Mador, Irving L.)—219(A); 1277(L)
—— (see Platt, R. T., Jr.)—219(A)
Markovitz, H. (see Padden, F. J.)—217(A)
Marmo, Frederick (see Watanabe, K.)—436(A); 1155
Marshall, Henry P. and Ernest Grunwald. Molar activity coefficients of electrolytes from conductivity data—214(A)
Marshall, J., L. Marshall, and V. A. Nedzel. Total cross sections of 408-Mev protons for H and light elements—767(L)
Marshall, John H. Liquid A ionization chamber measurement of shape of β-ray spectrum of K^{40}—905
Marshall, L. (see Marshall, J.)—767(L)
Martin, Donald C. Graduate training for high school physics teachers and cooperation between college and high school physics departments—227(A)
Martin, E. E. (see Dyke, W. P.)—1043
Martin, J. A. Radioisotope production in ORNL 86-in. cyclotron—224(A)
Martin, R. L., E. Fermi, and D. E. Nagle. Scattering of 169- and 192-Mev pions by H—467(A)
—— (see Anderson, H. L.)—155
Marton, L., J. Arol Simpson, and J. A. Suddeth. Electron interferometer—437(A)
—— (see Simpson, J. Arol)—437(A)
—— (see Suddeth, J. A.)—437(A)
Marx, J. W. Radiation damage and rate processes—1564(L)
Masket, A. V. (see Brown, Frank B., Jr.)—210(A)
Matland, C. G. Natural lifetime of Cd 5^3P_1 state—436(A)
Matthias, B. T. Superconducting compounds—413(L)
Maurer, R. J. (see Teegarden, K.)—219(A)
Maximon, L. (see Bethe, H. A.)—417(L)
Maxwell, E. (see Marcus, Paul M.)—1035
Maxwell, L. R. Trivalent substitutions in ferrites—461(T)
——, **S. J. Pickart, and R. W. Hall.** Thermomagnetic investigations of Ni ferrite-aluminates—206(A)
Mayburg, S. and L. Rotondi. Thermal acceptors in vacuum heat-treated Ge—1015(L)
Mazenko, J. J. (see Schwertz, F. A.)—491(A)
McAfee, K. B. (see McKay, K. G.)—1079
McCay, M. S. and J. H. Coulliette. Motion of ions in perpendicular hf electric fields—213(A)
—— (see Morrison, Ray M.)—227(A)
McClelland, Clyde L. and Clark Goodman. Excitation of heavy nuclei by electric field of low-energy protons—760(L)
McClure, G. W. Upper limit on fraction of positive particles emanating from two β emitters—483(A)
—— (see Porter, W. C.)—495(A)
McCorkle, W. C. (see Tipton, Isabel H.)—214(A)
McCusker, C. B. A., N. A. Porter, and B. G. Wilson. Production of mesons above 10 Bev—384
—— **and F. C. Roesler.** Extreme energy interactions in heavy nuclei—769(L)
—— **and F. C. Roesler.** Interpretation of $0+xp$ type stars in photographic emulsions—769(L)
—— (see Roesler, Frank C.)—690
McDonald, E. W. and D. C. Ralph. 10-Mc rf ion source—223(A)
McDonald, Frank B. Cloud-chamber study of particles in primary cosmic radiation—432(A)
McEllistrem, M. T. (see Jones, K. W.)—482(A); 879
McGarvey, B. R. (see Gutowsky, H. S.)—81
McGarvey, W. C. (see Graham, Irven C.)—214(A)
McGowan, F. K. (see Klema, E. D.)—616
McGuire, T. R. Magnetic resonance absorption in Ni ferrite-aluminates—206(A)
McHale, J. L. and John L. Johnson. Half-widths and level shifts of one-body resonances—452(A)
—— (see Johnson, John L.)—87
McIntyre, J. A. (see Hofstadter, R.)—422(L); 439(A)
McKay, K. G. and K. B. McAfee. Electron multiplication in Si and Ge—1079
—— (see Johnson, J. B.)—582
McManus, H. (see Austern, N.)—453(A)
McMichael, B. D. (see Mrozowski, S.)—234(A)
McMickle, R. H., R. W. Schiessler, and W. Webb. Compressions to 150 000 psi for series of high molecular weight liquid hydrocarbons—466(A)
McMullen, C. C. and M. W. Johns. Decay of Re^{188} and lifetimes of Os^{190m} and Os^{188m}—418(L); Erratum—1580(E)
McNown, John S. Recent investigations at Iowa Institute of Hydraulic Research—1029(T)
McReynolds, Andrew W. Inelastic scattering of thermal neutrons in Pb—1368

Meadows, J. W. Excitation functions for proton-induced reactions with Cu—885
Mechlin, G. F. (see Fillnow, R. H.)—236(A)
Meckler, Alvin. Electronic energy levels of O_2—242(A)
Meechan, C. J. (see Dixon, C. E.)—237(A)
Mehl, Clarence R. and Peter Havas. Classical scattering of neutral mesons—393
Meissner, K. W. (see Deverall, G. V.)—297
Melkonian, E., W. W. Havens, Jr., and L. J. Rainwater. Doppler effect on neutron resonance levels—450(A)
Melnick, Donald A. and Leo J. Neuringer. Adsorbed O in ZnO photoconductivity—229(A)
Melvin, M. Avramy. Energy-momentum tensor in general stream electrodynamics—241(A)
Mendlowitz, H. (see Case, K. M.)—475(A)
Mendoza, E. Minimum in electrical resistance of metals at low temperatures—239(T)
Meneely, George R. (see Kerr, Robert J.)—214(A)
Meneghetti, David (see Sidhu, S. S.)—435(A)
Menyuk, Norman. Magnetization reversal of square-loop polycrystalline materials by domain growth—434(A)
Merz, Walter J. Double hysteresis loop of $BaTiO_3$ at Curie point—513
Merzbacher, E. (see Lewis, H. W.)—943
—— (see Newson, H. W.)—241(A)
Meshkov, Sydney. Theory of complex spectra—871
Metzger, F. R. and W. B. Todd. Lower limit for lifetime of 665-kev excited state of Mo^{97}—1286(L)
Meyerott, Roland E. Approximate Hartree type wave function and matrix elements for K and L shells of atoms and ions—456(A).
—— (see Brachman, Malcolm K.)—437(A)
Middleton, A. E. (see Willardson, R. K.)—243(A)
Mihelich, J. W. Successive neutron capture in Ta—427(L); Erratum—1580(E)
—— **and A. de-Shalit.** Decay of Au^{197m}—78
——, **L. P. Gillon, K. G. Krishnan, and A. de-Shalit.** Neutron-deficient isotopes of Hg—498(A)
Miller, J. M. and G. Friedlander. Nuclear reactions produced in Brookhaven cosmotron—485(A)
Miller, P. H. Infrared absorption and photoconductivity in Te—213(T)
Miller, S. C., Jr., and R. H. Good, Jr. WKB-type approximation to Schrödinger equation—174
Miller, W. C. (see Anthony, D. J.)—439(A)
Milner, Paul C. (see Green, Louis C.)—35
Mingins, Charles R., Robert W. Perry, and David W. MacLeod. Effects of grooves in piezoelectric filter plates—471(A)
—— (see Frost, Albert D.)—471(A)
Minkowski, J. M. (see Bearden, J. A.)—482(A)
Minshall, Stanley. Separation of shock wave into elastic and plastic waves, and measurement of pressure of elastic wave—1030(A)
Misenta, R. (see Becker, E. W.)—414(L)
Miskel, J. A. (see Perlman, M. L.)—899
Mitchell, F. H. Experiment with transistors for elementary electronics laboratory course—227(A)
Mittelman, Phillip S. Radiations from Zr^{95}—484(A)
Mize, J. P. and D. J. Zaffarano. β-ray spectra of C^{14} and Ni^{63}—210(A)
Mizushima, Masataka. Frequencies of microwave absorption lines of O_2—222(A)
—— Theory of rotational spectra of allene type molecules—464(A)
Moak, C. D. $H^3 + He^3$ reactions—462(A)
—— (see Kunz, W. E.)—676
Mockler, Richard C. and Walter Gordy. Microwave spectrum of $(CH_3)_3SiCl$—222(A)
—— (see Bird, George R.)—222(A)
—— (see Venkateswarlu, Putcha)—222(A)
Moffat, R. J. D. (see Langer, L. M.)—338
—— (see Lazar, N.)—498(A)
Moldauer, P. and K. M. Case. Equivalence theorems—459(A)
Mollo-Christensen, E. Separated solutions of linearized equation for unsteady transonic flow—1030(A)
Montalbetti, R., L. Katz, and J. Goldemberg. Photoneutron cross sections—659
Moore, J. (see Sheer, G.)—449(A)
Morita, Masato. Interference terms of the electron-neutrino angular correlation, erratum—1580(E)
Morowitz, Harold J. Information content of living systems—492(A)
Morris, L. W. and Hung-Chi Chang. Continuous flow cell for investigation of polarization at metal-solution interface—215(A)
Morrish, A. H. Grain density in tracks of 117- and 222-Mev π^- mesons in emulsions—423(L)
—— 210-Mev negative pion interactions—468(A)
Morrison, Ray M. and M. S. McCay. Incentive grading for basic laboratory reports—227(A)
Morton, H. S., Jr., and J. W. Beams. Tensile strength and adhesion of thin films of Ag—449(A)
Moses, Harry E. Exchange scattering in three-body problem—185
—— **and Ta-You Wu.** Dissociation and recombination of O_2 in upper atmosphere assuming three-body recombinations—458(A); 1408
Moshinsky, Marcos. Poles of S matrix for resonance reactions—984
Mostov, Philip M. and Sidney Borowitz. Radiation effects and rotational-translational relaxation time constant—465(A)
Mousuf, A. K. (see Russell, R. D.)—1223
Moyer, Burton J. (see Frank, Wilson J.)—487(A)
Mrozowski, S., B. D. McMichael, and E. A. Kmetko. New detector for infrared—234(A)
Muehlhause, Carl O. Gas scintillation counters—495(A)
—— (see Bloom, S. D.)—494(A)
—— (see Harris, S. P.)—125
Muldawer, Leonard (see Jaumot, Frank E., Jr.)—232(A)
Mulder, Marjorie M. (see Green, Louis C.)—35
Myers, V. W., R. S. Carter, and H. Palevsky. Total neutron cross sections of heavy water and glass at long wavelengths—451(A)
—— (see Carter, R. S.)—450(A)

Nagel, E. (see Wu, C. S.)—319
Nagle, D. E. (see Anderson, H. L.)—155
—— (see Martin, R. L.)—467(A)
Naugle, J. E. (see Anderson, G. W.)—431(A)
Navon, D. and H. Y. Fan. Carrier traps in Ge at low temperatures—491(A)
Nedzel, A. V. (see Marshall, J.)—767(L)
—— Total cross sections for 400-Mev neutrons—440(A)
Neidigh, R. V. (see Cohen, B. L.)—486(A)
Nelson, F. (see Campbell, E. C.)—499(A)
Nelson, W. (see Krogstad, R.)—457(A)
Nester, W. H. (see Cork, J. M.)—76; 497(A)
Nethercot, A. H., Jr. (see Klein, J. A.)—1018(L)
Neuer, J. J. (see Mack, Rex C.)—497(A); 903
Neuringer, Leo J. (see Melnick, Donald A.)—229(A)
Newell, Gordon F. Vibration spectrum of simple cubic lattice—227(A)
Newman, E., B. L. Cohen, and T. H. Handley. (p,pn) and $(p,\alpha n)$ excitation functions—486(A)
—— (see Cohen, B. L.)—486(A)

Newman, Roger. Optical studies of injected carriers. I. Infrared absorption in Ge—1311; II. Recombination radiation in Ge—1313
Newson, Henry W. and E. Merzbacher. Magic numbers and statistical model of nucleus—241(A)
—— (see Gibbons, J. H.)—209(A)
Nichols, J. B. X-ray and infrared studies on extent of crystallization—225(T)
Nielsen, A. H. (see Keller, F. L.)—235(A)
—— (see Parker, F. W.)—235(A)
—— (see Shelton, R. D.)—235(A)
Nielsen, Carl E. (see Frost, Robert H.)—864
Nier, Alfred O. (see Collins, T. L.)—482(A)
—— (see Johnson, Edgar G.)—10
Nilson, R. (see Kerman, R. O.)—438(A)
Nisenoff, M. (see Gebbie, H. A.)—230(A)
Nix, Foster C. (see Croft, George T.)—212(A)
—— (see Sanville, W. W.)—220(A)
Novey, T. B. (see Albers-Schönberg, H.)—199(L); 1287(L)
Nowick, A. S. and A. E. Roswell. Decay of vacancies frozen into alloy by quenching—221(A)
Nozick, Seymour (see Winkler, Stanley)—492(A)

O'Dell, Francis W., Maurice M. Shapiro, and Bertram Stiller. Pellicle stacks in nuclear research—496(A)
Offenbacher, Elmer L. and Herbert B. Callen. Directional effects in the electric breakdown of ionic crystals, erratum—1580(E)
Ohtsuka, Taiichiro (see Waniek, R. W.)—445(A); 1574(L)
Okazaki, A., R. B. Walton, and J. D. Clement. Total cross sections of Nd, Er, and Hf for fast neutrons—440(A)
O'Kelley, G. D. (see Batzel, R. E.)—939
Oliver, A. R. (see Blau, M.)—949
Olsen, J. L. (see Bömmel, H.)—1017(L)
Onsager, L. and S. Machlup. Fluctuations and irreversible processes—1505
—— (see Machlup, S.)—1512
Orear, Jay. Scattering of 120-Mev π^- mesons by H—467(A)
—— (see Weaver, A. B.)—466(A)
Oriani, R. A. Thermodynamic activities in Fe-Ni alloys—465(A)
O'Rourke, R. C. Absorption of light by trapped electrons—265
Orr, L. W. (see Grimes, D. M.)—435(A)
Osborne, L. S. (see Goldschmidt-Clermont, Y.)—468(A)
Osborne, M. F. M. (see Steele, M. C.)—1281(L)
Osborne, R. N. (see Lindner, M.)—342; 1501
Osgood, T. H. Responsibilities and training of physics teachers—226(T)
Oshinsky, W. (see Breckenridge, R. G.)—243(A)
Overhauser, Albert W. Influence of impurities on diffusion in solids—246(A)
—— Polarization of nuclei in metals—476(A)
Oxley, C. L., W. F. Cartwright, J. Rouvina, E. Baskir, D. Klein, J. Ring, and W. Skillman. Double scattering of high-energy protons by H and C—419(L)

Padden, F. J., H. Markovitz, and T. W. DeWitt. Dynamic properties of concentrated polymer solutions—217(A)
Paehler, J. H. (see Jones, W. H.)—486(A)
Pai, Shih I. Hypersonic viscous flow over insulated flat plate at large angle of attack—1029(A)
Palevsky, H., N. G. Sjöstrand, and D. J. Hughes. Neutron detectors for Brookhaven fast chopper—451(A)
—— (see Carter, R. S.)—450(A)
—— (see Myers, V. W.)—451(A)
Palfrey, T. R., D. Luckey, and R. R. Wilson. Photomeson production from H and deuterium at 180°—468(A)
Palmatier, E. D. Ionization energy losses of μ mesons in gases—210(T)
—— (see Kupperian, J. E., Jr.)—1186
Palmer, R. Ronald and Lowell M. Bollinger. Neutron transmission measurements of Cd, Gd, and Hg using Argonne fast chopper—450(A)
—— (see Bollinger, L. M.)—452(A)
Parker, F. W., A. H. Nielsen, and W. H. Fletcher. Infrared grating spectrum of CH_3CN vapor—235(A)
Passman, S. (see Block, M. M.)—210(A)
Paul, E. B. and R. L. Clarke. Yield of α particles from $B^{11}(p,\alpha)Be^8$—463(A)
—— (see Gove, H. E.)—463(A)
Payne, W. and M. Goodrich. γ rays in decay of Ba^{131}—497(A)
—— (see Goodrich, M.)—455(A); 1225
Pearlman, N. (see Keesom, P. H.)—215(A); 1347; 1354
Pearlstein, E. A. Changes in conductivity of NaCl produced by bombardment with 360-Mev protons—244(A)
Pearson, G. L. (see Tanenbaum, M.)—244(A)
Peaslee, D. C. j-j coupling for $A \lesssim 50$—443(A)
—— Linear combination of invariants in β decay—1447
—— Speculation on V-spin—446(A)
—— (see Davidson, J. P.)—442(A); 1232
Peckham, D. C. (see Stoner, R. G.)—1032(A)
Pellam, J. R. Recent experiments on second sound in liquid He II—481(T)
Pepinsky, Ray and P. F. Eiland. Computations of three-dimensional structure factors on S-FAC—229(A)
—— (see Frazer, B. C.)—212(A)
—— (see Schwartz, Robert B.)—812
—— (see Shirane, Gen)—212(A)
Pepper, T. P. (see Almqvist, E.)—1022(L)
Pereira, A. W. (see Rao, A. S.)—764(L)
Perl, William. Relativistic contributions to magnetic moment of n-electron atoms—852
—— **and Vernon Hughes.** Relativistic contributions to magnetic moment of $^3S_1$ He—842
Perlman, I. (see Asaro, Frank)—763(L)
—— (see Friedlander, G.)—498(A)
Perlman, M. L. and J. A. Miskel. Average charge on daughter atoms produced in decay of A^{37} and Xe^{131m}—899
—— (see Schwartz, Robert B.)—883
Perry, J. P. and C. E. Angell. Scattering of 40-Mev π^+ mesons by H—1289(L)
—— (see Angell, C. E.)—468(A)
Perry, Robert W. (see Mingins, Charles R.)—471(A)
Petree, Ben (see Foote, R. S.)—456(A)
Petritz, Richard L. Noise in p-n junction rectifiers and transistors. I. Theory—231(A)
—— (see Lummis, Frances L.)—231(A)
Peyrou, C. (see Bridge, H. S.)—362
Peyton, P. B., Jr. (see Cox, J. T.)—222(A)
Pfann, W. G. (see Vogel, F. L.)—230(A)
Phelps, Arthur V. Metastable atoms in afterglow of low-pressure He discharge—436(A)
Phelps, John, W. F. Huebner, and Franklin Hutchinson. Stopping powers of thin compound foils—496(A)
Phillips, G. C., K. F. Famularo, and C. R. Gossett. Absolute magnetic analysis of reaction energies of $Li^8(d,\alpha)He^4$, $Li^7(p,\alpha)He^4$, and $C^{13}(d,\alpha)B^{11}$—462(A)
—— (see Famularo, K. F.)—1195
Phillips, J. A. Equilibrium proton charge ratios from charge exchange in various materials—455(A)

Piccioni, O. and R. L. Cool. Altitude variation and transition effects of air showers—433(A)
Pickart, J. (see Maxwell, L. R.)—206(A)
Pidd, R. W. (see Crane, H. R.)—475(A)
—— (see Louisell, W. H.)—475(A)
Pigg, J. C. (see Crawford, J. H., Jr.)—243(A)
Pines, David (see Low, Francis E.)—193(L)
Pinnick, H. T. Crystallite size and diamagnetic susceptibility of carbons—228(A)
Plass, Gilbert N. Contribution of 15-micron CO_2 band to earth's radiation balance—458(A)
Platt, J. B. π-mesic atom—499(T)
Platt, Reuel T., Jr., I. L. Mador, and J. J. Markham. Production of F', M, and R centers in NaCl at room temperature—219(A)
—— (see Mador, Irving L.)—219(A); 1277(L)
—— (see Markham, J. J.)—219(A)
Plotkin, H. (see Bitter, F.)—421(L)
Plyler, Earle K. (see Mann, D. E.)—464(A)
Polk, M. L. (see Keck, P. H.)—472(A)
Pollard, Ernest (see Powell, W. F.)—494(A)
—— (see Schiffer, J. P.)—474(A)
Pomeroy, David. Teaching of biophysics—226(A)
—— (see Graham, Irven C.)—214(A)
Pond, T. A. Annihilation of positrons in solids—455(A)
Pool, M. L. and D. N. Kundu. He^3 reactions in Cu and Si—462(A)
—— (see Kundu, D. N.)—417(L)
—— (see Mack, Rex C.)—497(A); 903
Pope, N. K. (see Henshaw, D. G.)—472(A)
Porter, C. E. (see Feshbach, H.)—453(A)
Porter, N. A. (see McCusker, C. B. A.)—384
Porter, P. T. and J. I. Hopkins. α-particle straggling in thin foils—209(A)
Porter, W. C. and G. W. McClure. Observation of positive ion flux in GM counter—495(A)
Portis, A. M. Electronic structure of F centers: Saturation of electron spin resonance—1071
—— **and A. F. Kip.** Saturation of paramagnetic resonance from color centers in alkali halides—207(A)
—— (see Kip, A. F.)—1066
Powell, W. F. and Ernest Pollard. Radiation sensitivity of enzymes in intact cells—494(A)
Pratt, G. W., Jr. Eigenfunctions of S^2 by spin-operator method—212(A)
Preston, R. S. (see Whetten, N. R.)—432(A)
Prestwood, R. J. (see Bunker, M. E.)—1021(L)
Primakoff, H. μ^- meson nuclear capture in H and D—480(A)
Prince, M. B. Experimental confirmation of relation between pulse drift mobility and charge carrier drift mobility in Ge—271
—— Temperature variation of drift mobilities of minority carriers in semiconductors—208(A)
Pringsheim, Peter. Reversible bleaching of absorption band of diamond—220(A); 551
Protzman, T. F., J. J. Gouza, and W. F. Bartoe. Stress crazing thresholds of methyl methacrylate polymers—211(A)
Pruitt, J. S., S. S. Hanna, and C. D. Swartz. Neutrons from $Be^9(d,n)B^{10}$—463(A)
Pugh, Emerson M. (see Foner, Simon)—20; 220(A)
Pugh, Milton E. (see Jacobs, Donald H.)—492(A)
Purcell, E. M. (see Reif, F.)—631

Quimby, S. L. and Paul M. Sutton. Computation of mean Debye temperature of cubic crystals from elastic constants—1122

Rabi, I. I. (see Fabricand, B. P.)—1403
—— (see Lee, Charles A.)—1395
Ragent, B. and W. I. Linlor. Total neutron cross section of Pb from 30 to 150 Mev—440(A)
—— (see Linlor, W. I.)—440(A)
Rainwater, L. J. (see Melkonian, E.)—450(A)
Ralph, D. C. (see McDonald, E. W.)—223(A)
Ramsey, Norman F. Electron coupled interactions between nuclear spins in molecules—303
——, **B. J. Malenka, and U. E. Kruse.** Polarizability of the deuteron—1165
—— (see Malenka, B. J.)—1162
Randall, John G. (see Graham, Irven C.)—214(A)
Rao, A. S., V. K. Balasubrahmanyam, G. S. Gokhale, and A. W. Pereira. High-altitude measurements of intensity of cosmic radiation at magnetic latitudes 3°N and 19°N—764(L)
Rappaport, P. (see Lindner, E. G.)—202(L); 1580(E)
Rasetti, Franco and E. C. Booth. γ-ray spectrum of As^{77}—1192; of ionium (Th^{230})—315
—— (see Iwersen, Eric)—1229
Rau, R. Ronald (see Ballam, J.)—446(A); 1019(L)
Raudebaugh, Robert J. and Richard B. Belser. Structure and aging of thin metal films—449(A)
—— (see Belser, Richard B.)—449(A); 499(A)
Read, W. T. Recent advances in dislocation theory—205(T)
Reardon, William A., Ralph W. Krone, and Robert Stump. Neutron capture γ rays—442(A); in Cd, Co, and Cl—334
Reboul, T. Todd. Luminescent effects in chemically pure ZnO—229(A)
Redfield, Alfred G. Electronic Hall effect in NaCl—753(L)
—— Hall mobility in insulation photoconductors—244(A)
Rediker, R. H. (see Buskirk, A. V.)—445(A)
—— (see Thompson, R. W.)—446(A)
Reding, F. P. (see Brown, Alexander)—226(A)
Redlich, Martin G. Preferred ratios of energies of excited states of nuclei—328
Redman, J. K., R. R. Coltman, and T. H. Blewitt. Activation energy for recovery of reactor-irradiated Cu crystals—448(A)
—— (see Blewitt, T. H.)—236(A); 448(A)
Reekie, James and Thomas S. Hutchison. Structure of liquid He—490(A)
Reff, Israel. Nuclear photostar production—150
Regener, Victor H. (see Froman, Darol)—707
Reif, F. and E. M. Purcell. Nuclear magnetic resonance in solid H—631
Reilly, Edith F. Electrostatic energy matrices of configuration f^4—876
Rense, William A. Intensity of Lyman-α line in solar spectrum—299
Repp, Gordon W. (see Jarmie, Nelson)—1023(L)
—— (see White, R. Stephen)—468(A)
Reynolds, George T. (see Ballam, J.)—446(A); 1019(L)
—— (see Brown, Fielding)—444(A)
Reynolds, H. K. (see Dunbar, D. N. F.)—496(A)
Reynolds, H. L. and A. Zucker. Range-energy relation of N ions in emulsion—496(A)
Reynolds, J. M., H. W. Hemstreet, and T. E. Leinhardt. Electrical resistance of graphite at low temperatures—1152
—— (see Hemstreet, H. W.)—242(A)
Reynolds, S. A., G. W. Leddicotte, and H. A. Mahlman. γ radiation from As^{77}—333
Rhoderick, Emlyn (see Hughes, Vernon)—828
Ribe, F. L. $Li^6(n,\alpha)H^3$ cross section as function of neutron energy—462(A)
Rice, O. K. Thermodynamics of stationary He films—209(T)

Richards, H. T. (see Jones, K. W.)—482(A); 879
Richman, C. (see Cartwright, W. F.)—677
Richter, B. (see Bitter, F.)—421(L)
Riddell, R. J., Jr. Number of Feynman diagrams—461(A); 1243
—— (see Fried, B. D.)—460(A)
Rider, John A. Polarization in liquids of intermediate conductivity—214(A)
Ridgway, S. L. (see Tomlinson, E. P.)—484(A)
Rieke, Foster F. (see Silber, Leo M.)—434(A)
Ring, J. (see Oxley, C. L.)—419(L)
Risser, J. R. (see Fowler, J. L.)—441(A)
Ritland, H. N. Density changes in glass during heat treatment—228(A)
Ritson, D. M. K-particle mass measurements—1572(L)
—— (see Kaplon, M. F.)—1573(L)
Roberts, B. W. Neutron diffraction study of BiMn alloy—435(A)
—— (see Wilson, V. C.)—494(A)
Roberts, Donald E. and Leo Mandelkern. Melting transition of natural rubber—225(A)
Roberts, Donald M. Polarization correlation of Nd^{144} γ cascade—497(A)
Roberts, L. D. and R. A. Erickson. Temperature scale in liquid He region—488(A)
—— (see Erickson, R. A.)—216(A)
Robeson, A., N. Snidow, and J. W. Beams. Improved equilibrium ultracentrifuge—493(A)
Robinson, J. E., C. E. Whittle, and P. S. Jastram. Branching ratio in Re^{188}—498(A)
Robinson, W. H. Response of anthracene crystals to monoenergetic soft x-rays—457(A)
Rodeback, G. W. and W. P. Eatherly. Electron mean free path of damaged Cu in terms of electrical resistivity and thermoelectric power—237(A)
Roesler, Frank C. and C. B. A. McCusker. Anisotropic distribution of secondaries in extreme energy cosmic-ray stars—690
—— (see McCusker, C. B. A.)—769(L); 769(L)
Rogers, D. H. and Melvin A. Herlin. Thermomechanical effect in liquid He II to 0.9°K—489(A)
Rohrlich, F. and D. M. Chase. Elastic scattering of protons by nuclei—454(A)
Rose, D. (see Harris, S. P.)—125
Rose, M. E. Analysis of angular correlation and angular distribution data—610
—— Angular correlation in allowed β transitions—197(L)
Rose, Marian. Cylindrical Couette flow—469(A)
Rosen, L. (see Allred, J. C.)—90
Rosenblatt, David B. Effects of primeval endowment of U^{236}—1474
Rosenstock, Herbert B. Lattice vibrations in graphite—233(A)
Ross, Donald. Characteristics of two-dimensional turbulent boundary layers—1031(A)
Rossi, B. (see Bassi, P.)—432(A)
—— (see Bridge, H. S.)—362; 1024(L)
Rostoker, Norman and Walter Kohn. New treatment of energy bands—234(A)
Roswell, A. E. (see Nowick, A. S.)—221(A)
Roth, W. L. (see Wilson, V. C.)—494(A)
Rotondi, L. (see Mayburg, S.)—1015(L)
Rouvina, J. (see Oxley, C. L.)—419(L)
Ruark, Arthur E. Classical neutron model—227(A)
Rubin, Lawrence (see Davis, Luther, Jr.)—490(A)
Rubin, R. J. (see Alpher, R. A.)—1030(A)
Rubinson, William (see Katcoff, Seymour)—1458
Ruddick, J. J. (see Buder, E. E.)—561
Ruderman, M. A. (see Henley, E. M.)—480(A)
Rüetschi, R. (see Albers-Schönberg, H.)—199(L)
Russell, R. D., H. A. Shillibeer, R. M. Farquhar, and A. K. Mousuf. Branching ratio of K^{40}—1223
Ryan, J. L. (see Jenkins, G. L.)—210(A)

Sachs, A. (see Bodansky, D.)—467(A)
Saénz, A. W. Changes in electrical, thermal, and thermoelectrical properties of monovalent metals by lattice distortions—1142
Safford, R. (see Bridge, H. S.)—362
Saha, Ajit Kumar (see Chatterjee, Santimay)—200(L)
Sailor, V. L. Parameters for slow neutron resonance in Rh—53
——, **H. H. Landon, and H. L. Foote, Jr.** Neutron resonances in rare earths—450(A)
Salkovitz, E. I. and A. I. Schindler. Brillouin zone structures of alloys. I. Implications of present theories—234(A)
—— (see Schindler, A. I.)—234(A); 1320
Salpeter, E. E. Repulsive core and charge independence—994
Salzman, G. and A. H. Taub. Rigid motion in special relativity—477(A)
Sampson, M. B. (see Carmichael, B. M.)—473(A)
—— (see Steigert, F. E.)—439(A)
Sanderson, J. A. Recent advances in atmospheric optics—459(T)
Sandoval, Manuel. Magnetic properties of sun and their relation to cosmic radiation—466(T)
Sanville, W. W., Foster C. Nix, and Frank E. Jaumot, Jr. Dilatometric study of order-disorder transformation in Cu-Au alloys—220(A)
Sarabhai, V. and R. P. Kane. Effects at Godhavn and lower latitudes of changes in energy and composition of solar cosmic rays—688
Saraf, B. L., J. Varma, and C. E. Mandeville. Radiations from As^{77} and Ge^{71}—1216
—— (see Varma, J.)—484(A)
Sard, R. D. (see Althaus, E. J.)—373
Sartain, Carl C. Electrolysis of water: Experiment in atomic physics—227(A)
Satten, R. A. Crystalline electric field in NdBr—471(A)
Sawada, Shozo. Thermal and electrical properties and crystal structure of tungsten oxide at high temperatures—1010(L)
Schaaf, S. A. Frictional phenomena in rarefied air—1031(T)
Schardt, A. W. (see Welker, Joan P.)—484(A)
Schein, Marcel, Joseph Fainberg, D. M. Haskin, and R. G. Glasser. High-energy pairs of particles from nuclear interactions—479(A); Production of high-energy electron pairs by negative pions in nuclear collisions—973
—— (see Yngve, Victor H.)—432(A)
Scherrer, V. E., W. L. Smith, B. A. Allison, and W. R. Faust. γ radiation from inelastic scattering of 2.7-Mev neutrons—768(L)
——, **R. B. Theus, and W. R. Faust.** γ rays from interaction of 14-Mev neutrons with various materials—1476
Schiessler, R. W. (see McMickle, R. H.)—466(A)
Schiffer, J. P. and Ernest Pollard. Limiting Q value for $K^{39}(\alpha,p)Ca^{42}$—474(A)
Schiffman, T. (see Heyman, R. J.)—1032(A)
Schindler, A. I. and E. I. Salkovitz. Brillouin zone investigation of Mg alloys. I. Hall effect and conductivity—1320
—— **and E. I. Salkovitz.** Brillouin zone structures of alloys. II. Hall constant data of dilute Mg alloys—234(A)
—— (see Salkovitz, E. I.)—234(A)
Schmidt, F. H. and G. L. Keister. Branching ratio and γ-ray order in decay of Sc^{46}—483(A)
Scholnick, Seymour (see Jacobs, Donald H.)—492(A)
Schrader, H. W. (see Hanson, H. P.)—457(A)

Schroeder, H. P. (see Harris, S. P.)—125
Schulz, A. G. (see Jakobson, M. J.)—695
Schwartz, Robert B., M. L. Perlman, and W. Bernstein. Radiations from Rb^{86} and Rb^{86m}—883
—— (see Wheeler, G. W.)—485(A)
Schwarzschild, A. (see Wu, C. S.)—483(A)
Schwertz, F. A. and J. J. Mazenko. Nonlinear semiconductor resistors—491(A)
Schwinger, Julian. Theory of quantized fields—713; 728
Sclar, N., E. Burstein, W. J. Turner, and J. W. Davisson. Low-temperature "breakdown" effect in Ge—215(A)
Scott, Allen B. (see Smith, William A.)—219(A)
Seeman, Nathan, D. T. King, and Maurice M. Shapiro. Charged τ mesons—446(A)
Segrè, Emilio. Mesons and fission—499(T)
Seitz, F. Current status of F-center problem in alkali halides—218(T)
Senitzky, I. R. Interaction between classical electron and quantized electromagnetic field—1309
Seren, Leo, Milton Birnbaum, Erich Harth, and Ralph Tobin. Effect of magnetic flux amplitude on flux integrator energy control of betatron—474(A)
—— (see Birnbaum, Milton)—474(A)
Sessler, A. M. and H. M. Foley. Contributions to hyperfine spectrum of He^3 resulting from nuclear structure—444(A)
Setlow, Richard and Barbara Doyle. Effect of temperature and uv radiation on dry catalase—494(A)
Shafroth, S. M. and S. S. Hanna. Coincidence studies of B^{10} γ rays—483(A)
Shapiro, Maurice M. Nuclear emulsions in high-energy physics—481(T)
—— (see O'Dell, Francis W.)—496(A)
—— (see Seeman, Nathan)—446(A)
—— (see Stiller, Bertram)—496(A)
Sharp, W. T. (see Austern, N.)—453(A)
Shaw, T. M. and J. J. Windle. Dielectric dispersion of polar polymers at microwave frequencies—218(A)
Shaw, William C., D. E. Hudson, and G. C. Danielson. Mobilities of carriers in crystalline B—208(A)
Sheer, C., J. Moore, and C. Heindl. Measurement of resonant neutron scattering cross sections—449(A)
Shelton, Essie M. (see Josien, Marie-Louise)—235(A)
Shelton, R. D., A. H. Nielsen, and W. H. Fletcher. Infrared absorption spectrum of SO_3—235(A)
Sherman, A. (see Heyman, R. J.)—1032(A)
Sherr, R. and J. B. Gerhart. Experimental evidence for Fermi interaction in β decay of O^{14} and C^{10}—909
—— (see Gerhart, J. B.)—455(A)
Sherrill, F. A. (see Blewitt, T. H.)—236(A)
Shillibeer, H. A. (see Russell, R. D.)—1223
Shimamoto, Y. (see French, J. B.)—898
Shirane, Gen and Ray Pepinsky. Phase transitions in antiferroelectric $PbHfO_3$—212(A); 812
Shirn, G. A. (see Huntington, H. B.)—246(A)
Shockley, William. Dislocations and edge states in diamond crystal structure—228(A)
—— Electrons and holes in electric and magnetic fields—213(T)
—— Some predicted effects of temperature gradients on diffusion in crystals—1563(L)
—— (see Benedict, T. S.)—207(A)
Shore, F. J., W. L. Bendel, H. N. Brown, and R. A. Becker. Radiations from Zr^{89}—1203
Shreckengost, R. C., D. C. Swanson, and J. W. Flowers. Differential pulse-height discriminator—224(A)
Shufler, S. L. (see Zapas, L. J.)—217(A)
Shulman, R. (see Becker, M.)—491(A)
Shutt, R. P. (see Fowler, E. C.)—135
—— (see Fowler, W. B.)—479(A); 758(L); 1287(L)
Sidhu, S. S. and David Meneghetti. Neutron diffraction study of antiferromagnetic structure of pyrrhotite, FeS_x—435(A)
Siegel, Armand (see Wiener, Norbert)—1551
Siegel, R. (see Leipuner, L.)—198(L)
Silber, Leo M. and Foster F. Rieke. Faraday effect in metals at microwave frequencies—434(A)
Silverman, Albert. Photoproduction of neutral mesons in H and D—499(T)
—— (see Wolfe, B.)—446(A)
Silvey, G. (see Javan, A.)—222(A)
Simmons, B. E. (see Lewis, H. W.)—943
Simon, Albert. Production of polarized particles in nuclear reactions—226(T)
—— **and T. A. Welton.** Production and detection of polarized particles in nuclear reactions—453(A)
Simon, J. (see Zernow, L.)—233(A)
Simpson, J. Arol, J. A. Suddeth, and L. Marton. Observations in electron interferometer and their interpretation—437(A)
—— (see Marton, L.)—437(A)
—— (see Suddeth, J. A.)—437(A)
Singer, S. (see Briggs, G. R.)—438(A)
Sipple, R. F. (see Bent, R. D.)—472(A)
Sites, John R. and Bernard L. Strehler. Molecular weight of organic compounds by mass spectrometry—242(A)
—— (see Baldock, Russell)—242(A)
Sitte, Kurt and Don L. Stierwalt. Development of extensive showers in atmosphere—433(A)
—— (see Froehlich, Fritz E.)—433(A)
Sjöstrand, N. G. (see Palevsky, H.)—451(A)
Skillman, W. (see Oxley, C. L.)—419(L)
Sladek, Ronald J. New thermal resistivity maximum in superconducting alloys—1280(L)
Slater, J. C. Generalized self-consistent field method—528
——, **H. Statz, and G. F. Koster.** Two-electron example of ferromagnetism—205(A); 1323
Slifkin, L. (see Sonder, E.)—245(A)
—— (see Tomizuka, T.)—245(A)
Sloope, B. W. (see Garrett, R. E.)—441(A)
Smakula, Alexander. Bleaching of CaF_2 crystals colored by x-rays—1570(L)
Smart, J. Samuel (see Howard, Louis N.)—17
Smith, Charles S. and J. R. Haynes. Piezoresistance effect in Ge—491(A)
Smith, Cyril L. Inactivation of desoxyribonucleic acid by bombardment with deuterons and electrons—493(A)
Smith, F. M., W. Birnbaum, and Walter H. Barkas. Measurements of meson masses and related quantities—765(L)
Smith, H. M., Jr. (see Walbridge, N. L.)—1031(A)
Smith, J. E. (see Blau, M.)—949
Smith, Lincoln G. and C. C. Damm. Present status of mass synchrometer—481(A)
—— (see Damm, C. C.)—482(A)
Smith, R. O. (see Wildhack, W. A.)—213(A)
Smith, Thor L. Calculation of extrusion behavior of viscoelastic materials from relaxation distribution function—218(A)
Smith, W. L. (see Scherrer, V. E.)—768(L)
Smith, W. V. and R. G. Barnes. Electric field gradient of atomic p electrons—457(A)
Smith, William A. and Allen B. Scott. Electron energy levels in F centers—219(A)
Smith, William E. (see Hertzberg, Abraham)—1029(A)
Smoluchowski, R. Change of metallic conductivity through change in thermal scattering—245(A)

—— Phenomena of plastic flow—205(T)
—— (see Bowman, J. C.)—244(A)
—— (see Couling, L.)—245(A)
—— (see Hayes, S.)—244(A)
—— (see Haynes, C. W.)—245(A)
—— (see Vaughan, W. H.)—245(A)
Snidow, N. (see Robeson, A.)—493(A)
Snyder, H. S. (see Courant, E. D.)—202(L)
Sogo, P. B. (see Jeffries, C. D.)—1286(L)
Solimene, N. and B. P. Dailey. Rotational spectrum and molecular structure of CH_3SH—464(A)
Soller, T., W. M. Fairbank, and A. D. Crowell. Rapid separation of He^3 from He^4 by "heat flush" method—1058
Solomon, George E.—1030(A)
Sommers, H. S., Jr., W. E. Keller, and J. G. Dash. Heat of mixing of He^3 in He^4—489(A)
—— (see Goldstein, L.)—490(A)
Sonder, E., L. Slifkin, and D. Lazarus. Diffusion of Sb in Ag—245(A)
Sorenson, B. M. (see Ames, D. P.)—68
Spedding, F. H. (see Elliott, J. F.)—28
—— (see Johnson, R. G.)—466(A)
—— (see Kevane, C. J.)—1372
Spencer, L. V. and C. H. Blanchard. Spin-relativistic effects in multiple scattering of electrons—240(A)
—— (see Fano, U.)—240(A)
Sperduto, A., W. W. Buechner, M. M. Elkind, and W. J. Fader. Energy levels in N^{15}—473(A)
—— (see Buechner, W. W.)—1502
—— (see Elkind, M. M.)—463(A)
Spitzer, W. (see Becker, M.)—491(A)
Spohr, D. A. (see Webber, R. T.)—414(L)
Sponer, H. (see Heckman, R. C.)—242(A)
Sprague, G. and D. H. Tomboulian. Quadrupole moments of stable Sb nuclei—476(A)
Squire, W. (see Hertzberg, A.)—469(A)
Stafne, Marilyn J. (see Kato, W. Y.)—450(A)
Starner, J. W. (see Bunker, M. E.)—1021(L)
—— (see Knight, J. D.)—889
Statz, H. (see Slater, J. C.)—205(A); 1323
St. Clair, Byron W. Delayed neutrons in cosmic-ray stars—445(A)
Steele, M. C. and R. A. Hein. Superconductivity of Ti—490(A)
—— **and M. F. M. Osborne.** Penetration depth of superconductors—1281(L)
—— (see Berlincourt, Ted G.)—215(A)
Steffen, Rolf M. Reduction of $E1$ matrix element in mixed $E1+M2$ transition of Sr^{88}—443(A)
Stehl, O. (see Becker, E. W.)—414(L)
Steigert, F. E. and M. B. Sampson. Energy dependence of differential elastic scattering cross section of α-particles in He—439(A)
Steinberger, J. (see Bodansky, D.)—467(A)
Stephenson, S. T. (see Krogstad, R.)—457(A)
Sternheimer, R. M. Energy loss of fast-charged particle by Čerenkov radiation—256
Stevenson, M. Lynn (see Crawford, Frank S.)—468(A)
Stewart, John Q. Subject of social physics—493(A)
Stierwalt, Don L. (see Sitte, Kurt)—433(A)
Stiller, Bertram and Maurice M. Shapiro. Relativistic rise in ionization loss in nuclear emulsions—496(A)
—— (see O'Dell, Francis W.)—496(A)
Stix, T. H. Heavy nuclei in primary cosmic radiation—431(A)
Stoner, R. G., E. B. Davies, and D. C. Peckham. Shock refraction—1032(A)
Strandberg, M. W. P. (see Tate, P.)—464(A)
Straub, W. D. (see Davis, Luther, Jr.)—490(A)
Strehler, Bernard L. (see Sites, John R.)—242(A)
Stroke, H. H. (see King, J. G.)—476(A)
Stump, Robert (see Reardon, William A.)—334; 442(A)
Sturcken, E. F. and A. H. Weber. Internal conversion coefficients on Nb^{95} and Zn^{65} (actually Mo^{95} and Cu^{65})—484(A)
Suddeth, J. A., L. Marton, and J. Arol Simpson. Construction and operation of electron interferometer—437(A)
—— (see Marton, L.)—437(A)
—— (see Simpson, J. Arol)—437(A)
Sutcliffe, Charles H. and Frank E. Jaumot, Jr. Short-range order in Cu-Au alloy—221(A)
Sutton, Paul M. Variation of elastic constants of crystalline Al with temperature between 63°K and 773°K—816
—— (see Quimby, S. L.)—1122
Swan, J. B. and R. D. Hill. Internal conversion in L subshells—424(L)
Swank, Robert K. and Warren L. Buck. Plastic scintillators—495(A); Scintillation process in plastic solid solutions—927
Swann, W. F. G. Charged density distribution *versus* semi-permanent polarization as basis for electret behavior—447(A)
Swanson, D. C. Van de Graaff electrostatic generator—223(A)
—— (see Shreckengost, R. C.)—224(A)
Swanson, John (see Landauer, Rolf)—207(A); 555
Swartz, C. D. (see Pruitt, J. S.)—463(A)
Swihart, J. C. and F. J. Belinfante. Special-relativistic linear theory of gravitation—500(A)
Szendrei, M. E. (see Birks, J. B.)—197(L)

Takemoto, S., T. Dazai, and R. Chiba. Angular distributions of protons from $Na^{23}(d,p)Na^{24}$—1024(L)
Talmi, Igal. Matrix elements of β decay in jj-coupling—122
—— **and E. P. Wigner.** Evidence concerning spin-orbit forces from β decay—443(A)
Tanenbaum, M. and H. B. Briggs. Optical properties of InSb—1561(L)
—— **and J. P. Maita.** Hall effect and conductivity of InSb single crystals—1009(L)
—— **and G. L. Pearson.** Magneto-resistance effect in InSb—244(A)
Tannenwald, P. E. (see Artman, J. O.)—1014(L)
Tate, P. and M. W. P. Strandberg. Stark effect in high temperature microwave spectroscopy—464(A)
Taub, A. H. (see Salzman, G.)—477(A)
Tauber, G. E. and Ta-You Wu. Spin and magnetic moment of Li^9 nucleus—443(A)
Taylor, G. R. and S. R. Darin. Dependence of photoelastic properties of GR-S on degree of cross linking—211(A)
Teegarden, K. and R. J. Maurer. Photo-conductivity and V centers—219(A)
Telegdi, Valentine L. (see Gell-Mann, Murray)—169
—— (see Hsiao, C. A.)—473(A)
Temmer, G. M. (see Heydenburg, N. P.)—439(A)
ter Haar, D. Vapor pressure and entropy of liquid He^4—1018(L)
Terwillinger, Kent (see Jones, Lawrence W.)—699
Tesh, W. (see DeCarvalho, H. G.)—224(A)
Tessman, Jack R. Antiferroelectrics in applied field—447(A)
Teviotdale, A. (see Bitter, F.)—421(L)
Thaler, R. M., J. Bengston, and G. Breit. Effect of $^3P_2-{}^3F_2$ coupling on p-p scattering—454(A)
—— (see Bengston, J.)—454(A)
Theus, R. B. (see Scherrer, V. E.)—1476
Thomas, E. E. (see Vogel, F. L.)—230(A)

Thomas, G. E., Jr., and L. Bollinger. Construction and properties of liquid scintillation neutron counters—452(A)
—— (see Bollinger, L. M.)—452(A)
—— (see Harris, S. P.)—125
Thomas, L. H. Stability of plane Poiseuille flow—780
Thomas, R. G. Reduced widths in stripping processes—453(A)
—— (see Fowler, W. A.)—473(A)
Thompson, R. W., A. V. Buskirk, L. R. Etter, C. J. Karzmark, and R. H. Rediker. Magnetic cloud-chamber observations of V particles. II. V^0 particles—446(A)
—— (see Buskirk, A. V.)—445(A)
—— (see Cohn, Hans O.)—445(A)
Thomsen, John S. Logical relations among principles of statistical mechanics and thermodynamics—477(A); 1263
—— (see Bearden, J. A.)—482(A)
Thomson, Alice C. (see Bergmann, Peter G.)—180
Thorndike, A. M. (see Fowler, E. C.)—135
—— (see Fowler, W. B.)—479(A); 758(L); 1287(L)
Timnick, A. (see Jones, W. H.)—486(A)
Tinlot, J. H. Charge-exchange pion-nucleon scattering—466(T)
Tipton, Isabel H., W. D. Foland, Franklin C. Bobb, and W. C. McCorkle. Spectrographic analysis of human tissue—214(A)
Tittman, J. and F. F. Johnson. Moderation of Ra-Be neutrons in limestone—452(A)
Tobin, Ralph (see Birnbaum, Milton)—474(A)
—— (see Harth, Erich)—474(A)
—— (see Seren, Leo)—474(A)
Todd, W. B., Jr. (see Metzger, F. R.)—1286(L)
—— (see Varma, J.)—484(A)
Tomboulian, D. H. Absorption of P in neighborhood of $L_{2,3}$ edge—457(A)
—— (see Brown, B. M.)—1580(E)
—— (see Hartman, P. L.)—1577(L)
—— (see Sprague, G.)—476(A)
Tomizuka, T., L. Slifkin, and D. Lazarus. Diffusion of Cd in single crystals of Ag—245(A)
Tomlinson, E. P., S. L. Ridgway, and K. Gopalakrishnan. Conversion coefficients and spectrum shapes from Sb^{124}—484(A)
Toppel, B. J. and S. D. Bloom. $A^{36}(n,\alpha)S^{33}$ reaction—473(A)
Townes, C. H. Some recent developments in microwave spectroscopy—209(T)
—— (see Javan, A.)—222(A)
Tracy, James F. Scattering and absorption of π^+ mesons by Al—960
Trail, Carroll C. and C. H. Johnson. (p,n) thresholds of nuclei with $49 \leq A \leq 75$—474(A)
Trambarulo, R., S. N. Ghosh, C. A. Burrus, Jr., and W. Gordy. Microwave spectrum and molecular properties of O_3—222(A)
Treiman, S. B. Cosmic-ray albedo—432(A); 957
—— (see Ballam, J.)—446(A); 1019(L)
Trice, James B. Measurement of neutron energy distribution in ORNL graphite reactor—224(A)
Trolan, J. K. (see Dolan, W. W.)—1054
—— (see Dyke, W. P.)—1043
Truesdell, C. Precise hydrodynamical theory of absorption and dispersion of ultrasonic waves—1031(T)
Tucker, B. L. and E. C. Gregg. $Li^7(\gamma,p)He^6$ cross section—1579(L)
Tucker, Gardiner (see Hughes, Vernon)—828
Turkevich, A. (see Fung, Si-Chang)—480(A)
Turnbull, David. Nucleation in condensed systems—232(T)
Turner, W. J. (see Sclar, N.)—215(A)
Tweet, A. G. Small-angle scattering of x-rays from He I and He II—488(A)
Ueda, Ryuzo and Jinzo Kobayashi. Antiparallel dipole arrangement in WO_3—1562(L)
Uram, Earl M. Characteristics of axisymmetric turbulent boundary layers in adverse pressure gradient—1032(A)
Urquhart, Helen M. A. Single crystal magnetostriction constants of Fe-Co alloys—434(A)
—— **and J. E. Goldman.** Antiferromagnetostriction—435(A)

van der Maesen, F. (see Bray, Ralph)—231(A)
Van Horn, Wendell (see Keck, Paul H.)—243(A); 512
van Kampen, N. G. Causality condition and S matrix for nonrelativistic particles—459(A); 1267
Van Patter, D. M. (see Brown, R. J. S.)—438(A)
van Roosbroeck, W. Transport of added current carriers in homogeneous semiconductor—282
Van Voorhis, C. C. (see Bradley, L. C.)—469(A)
Van Winkle, Quentin (see Amster, Adolph B.)—211(A)
Varma, J., B. L. Saraf, and W. B. Todd, Jr. Angular correlation of γ rays of Sr^{85}—484(A)
—— (see Saraf, B. L.)—1216
Varnerin, L. J., Jr. Neutralization of ions and ionization of atoms near metal surfaces—859
Vaughan, W. H., W. J. Leivo, and R. Smoluchowski. Mechanical properties of proton-irradiated alkali halides—245(A)
Veenendaal, A. L. (see Wapstra, A. H.)—426(L)
Venkateswarlu, Putcha, Richard C. Mockler, and Walter Gordy. Microwave spectrum and structure of $HGeCl_3$—222(A)
Vidale, M. L. (see Ballam, J.)—446(A); 1019(L)
Villars, F. Collective modes of motion in nuclei—443(A)
Vineyard, George H. Second-order scattering correction in neutron and x-ray diffraction—239(A)
Vinti, John P. Theory of penetration of γ rays through thin barriers—345
Vogel, F. L. Dislocations in low-angle crystal boundaries—461(T)
——, **W. G. Pfann, H. E. Corey, and E. E. Thomas.** Dislocations in low-angle boundaries in Ge single crystals—230(A)
Volkin, Howard C. Effect of capture on slowing-down length of neutrons in hydrogenous mixtures—425(L)
Volkov, A. B. Magnetic moment deviations from Schmidt limits via admixed states—444(A)
von Dardel, G. and A. W. Waltner. Precision determination of n-p capture cross section—1284(L)
Von Foerster, H. (see Babcock, M. L.)—755(L)
von Hippel, A., E. P. Gross, J. G. Jelatis, and M. Geller. Photocurrent, space-charge build-up, and field emission in alkali halide crystals—568
Vosko, Seymour H. (see Ashkin, Julius)—1248

Wacker, Paul F. Matrix formulation of molecular orbital, Heitler-London, and configurational interaction computations—465(A)
Wahl, John S. Energy distributions of fission fragments—486(A)
Wajda, E. S. (see Huntington, H. B.)—246(A)
Walbridge, N. L., H. M. Smith, Jr., and L. A. Woodward. Production and measurement of surface ripples—1031(A)
Waldman, B. (see Anthony, D. J.)—439(A)
Waldron, S. and Melvin A. Herlin. Measurement of thermal diffusivity of Mg at low temperatures by variable state techniques—447(A)
Wales, M. Sedimentation rates in dilute and moderately-concentrated polymer solutions—211(A)
Walker, R. W. (see Whetten, N. R.)—432(A)

Walker, W. D. (see Kaplon, M. F.)—1573(L)
Wall, Nathan Sanders. $Bi^{209}(d,p)B^{210}$ Q value—485(A)
Walsh, Hohn M. (see Christian, Russell H.)—1030(A)
Walt, M. and H. H. Barschall. Angular distributions of elastically-scattered 1-Mev neutrons—441(A)
Walter, Lloyd W. Pressure and temperature distribution on circular cylinder in supersonic cross flow—470(A)
Waltner, A. W. (see von Dardel, G.)—1284(L)
Walton, R. B. (see Okazaki, A.)—440(A)
Wang, P. K. S. (see Gursky, Judith Cassidy)—239(A)
Wangsness, Roald K. g values of Ni ferrite-aluminates—206(A)
—— Sublattice effects in magnetic resonance—1085
Waniek, R. W. and T. Ohtsuka. Energy distribution of neutron stars—445(A)
—— **and Taiichiro Ohtsuka.** Energy spectrum of particles from stars—1574(L)
Wannier, Gregory H. Radiationless trapping of charge carriers in solids—207(A)
Wapstra, A. H. and A. L. Veenendaal. Decay of Mg^{28}—426
Warekois, E. (see Warren, B. E.)—233(A)
Warren, B. (see Knight, J. D.)—889
Warren, B. E., B. L. Averbach, and E. Warekois. X-ray measurements of cold-worked α-brass—233(A)
Warters, W. D., W. A. Fowler, and C. C. Lauritsen. Elastic scattering of protons by Li—917
Watanabe, K., Frederick Marmo, and Edward C. Y. Inn. Photoionization of NO—436(A); 1155
Watanabe, Satosi. Connection between fusion theory of bosons and non-local field theory—771(L)
Watson, Kenneth M. and K. A. Brueckner. Nuclear forces in pseudoscalar meson theory—460(A)
—— (see Francis, Norman C.)—454(A)
Watson, W. W. (see Kranz, A. Z.)—1469; 1472
—— (see Wheeler, G. W.)—485(A)
Weaver, A. B., J. J. Lord, and Jay Orear. Scattering of 43-Mev π^+ mesons by H—466(A)
Webb, W. (see McMickle, R. H.)—466(A)
Webber, R. T. Thermal conductivity of supra-conducting metals—481(T)
—— **and D. A. Spohr.** Thermal resistivity of superconducting Hg in intermediate state—414(L)
—— (see Alers, P. B.)—1060
Webeler, R. (see Welber, B.)—448(A)
Weber, A. H. (see Buder, E. E.)—561
—— (see Deshotels, W. J.)—448(A)
—— (see Sturcken, E. F.)—484(A)
Weidner, R. T. and C. A. Whitmer. Shape of exchange narrowed paramagnetic resonance lines—1279(L)
Weimer, D., W. Bleakney, and D. R. White. Inexpensive Mach Zehnder interferometer—1032(A)
Weinberg, A. M. Progress in reactor physics and reactor technology—226(T)
Weinman, J. A. (see Franklin, A. D.)—205(A)
Weinreich, Gabriel, Gerard M. Grosof, and Vernon W. Hughes. Hfs of metastable triplet state of He^3—195(L)
—— (see Hughes, Vernon)—196(L); 828
Weinreich, O. A. and W. E. Danforth. Electrical conduction and thermoelectric power in thorium oxide crystals—231(A)
Weinstock, E. V. and J. Halpern. Photodisintegration of deuteron at 20 Mev—461(A)
—— (see Halpern, J.)—934
Weisbaum, Samuel (see Beers, Yardley)—1014(L)
Weiss, M. M. and W. Bernstein. Degradation of Co^{60} γ rays in infinite water medium—483(A)
Weisskopf, V. F. (see Drell, S. D.)—460(A)
—— (see Feshbach, H.)—453(A)
Welber, B. and R. Webeler. Anomaly in heat content of metal in fatigued state—448(A)
Welker, Joan P., A. W. Schardt, J. J. Howland, Jr., and G. Friedlander. Metastable states of Ge^{78}—484(A)
Welton, T. A. (see Simon, A.)—453(A)
Weneser, J. Inner bremsstrahlung and magnetic moment of neutrino—1025(L)
——, **R. Bersohn, and N. M. Kroll.** Fourth-order radiative corrections to atomic energy levels—1257
Wentzel, Gregor. Many-nucleon forces—1573(L)
Wenzel, W. A. (see Dunbar, D. N. F.)—496(A)
Wert, C. A. Ordering in alloy system Mg-Cd—221(A)
Wesenberg, Clarence L. (see Lynch, Frank J.)—493(A)
Wessel, Günter and Hin Lew. Hfs of Ag with aid of universal ionizer for atomic beams—476(A)
Wessel, Walter and S. J. Czyzak. Interpretation and generalization of Dirac's theory of electron—986
Westcott, C. H. and J. S. Kirkaldy. Corrections for dead-time of counters in coincidence systems—495(A)
Westervelt, D. R. Z centers in alkali halides—218(A)
Wexler, S. (see Harris, S. P.)—125
Weyl, Peter K. Energy loss of H, He, N, and Ne ions in gases—289
Whaling, W. (see Dunbar, D. N. F.)—496(A)
Wheeler, G. W., R. B. Schwartz, and W. W. Watson. (d,p) reactions with separated Kr isotopes—485(A)
Whetten, N. R., R. S. Preston, R. V. Adams, and R. W. Walker. Cloud-chamber investigation of nuclear interactions—432(A)
White, D. R. (see Weimer, D.)—1032(A)
White, Irene S. (see Anslow, Gladys A.)—241(A)
White, R. Stephen, Gordon W. Repp, and Nelson Jarmie Positive photomesons from H at 0°—468(A)
—— (see Jakobson, M. J.)—695
—— (see Jarmie, Nelson)—1023(L)
White, Robert L. Quadrupole coupling of deuteron in DCCCl and DCN—1014(L)
Whitehead, M. N. (see Cartwright, W. F.)—677
Whitmer, C. A. (see Weidner, R. T.)—1279(L)
Whittemore, W. L. (see Fowler, E. C.)—135
—— (see Fowler, W. B.)—479(A); 758(L); 1287(L)
Whittle, C. E., J. P. Hurley, and P. S. Jastram. β-γ correlations in decay of Re^{186}—498(A)
—— (see Robinson, J. E.)—498(A)
Whyte, G. N. (see Kastner, J.)—332
Widom, B. and S. H. Bauer. Energy exchange in molecular collisions—240(A)
Wiedling T. Metastable state of V^{52}—767(L)
Wiener, Norbert and Armand Siegel. New form for statistical postulate of quantum mechanics—1551
Wigner, E. P. (see Talmi, I.)—443(A)
Wiig, Edwin O. (see Fink, Richard W.)—194(L)
Wilcox, H. A. (see Cartwright, W. F.)—677
Wildhack, W. A. and K. O. Smith. Effect of centrifugal force field on response of vibrating mass-spring system—213(A)
Wilets, Lawrence, David L. Hill, and Kenneth W. Ford. Isotope shift anomalies and nuclear structure—1488
Wilkins, H. C. and M. Annis. Interaction cross section of μ mesons with nuclei—480(A)
Wilkinson, D. H. and G. A. Jones. $Li^8(\alpha,\gamma)B^{10}$—1575(L)
Willard, D. (see Dayton, B.)—348
Willardson, R. K., A. C. Beer, and A. E. Middleton. Electrical properties of AlSb—243(A)
Willenbrock, F. K. and N. Bloembergen. Paramagnetic resonance in N- and P-type Si—1281(L)
Williams, Dudley (see Breneman, Edward J.)—465(A)
Williams, H. J., R. M. Bozorth, and Matilda Goertz. Mechanism of transition in magnetite at low temperatures—1107

Willis, Charles and Harry L. Frisch. Vapor-liquid transitions in closed system—465(A)
Wilson, B. G. (see McCusker, C. B. A.)—384
Wilson, Elizabeth (see Friedlander, G.)—498(A)
Wilson, R. R. (see Luckey, D.)—468(A)
—— (see Palfrey, T. R.)—468(A)
Wilson, V. C., B. W. Roberts, W. L. Roth, J. S. Kasper, and A. H. Geisler. Double crystal neutron spectrometer—494(A)
Wimett, T. F. d-p magnetic moment ratio—499(A)
—— Nuclear resonance line structure in HD and molecular shielding in HD, H_2, and D_2—476(A)
Winckler, John R. and Kinsey Anderson. High-altitude cosmic-ray investigation by means of Čerenkov counter. II. Experimental results—431(A)
—— (see Anderson, Kinsey)—431(A)
Windle, J. J. (see Shaw, T. M.)—218(A)
Winkler, Eva M. Design and calibration of total-temperature probes for use at high supersonic speeds and elevated temperatures—469(A)
Winkler, Stanley and Seymour Nozick. Noise in storage tubes—492(A)
Winnemore, Barbara (see Gursky, Herbert)—209(A)
Winsnes, M. H. (see Grimes, D. M.)—435(A)
Winston, A. W. (see Goldschmidt-Clermont, Y.)—468(A)
Winther, A. (see Alder, K.)—1578(L)
Witmer, Enos E. Excitation energies of nuclei as rational multiples of electron mass—500(A)
—— Nuclear masses as rational multiples of electron mass—482(A)
Witzig, W. F. (see Glick, Harvey L.)—236(A)
Wolfe, B., J. DeWire, and A. Silverman. Particle selection using crystal telescope—446(A)
Wolff, P. A. Plasma waves in metals—233(A)
Wolfsberg, Max. Configurational interaction in molecular orbital theory and relative energies of polar and nonpolar functions—464(A)
—— (see Elliott, N.)—435(A)
Wollan, E. O. (see Koehler, W. C.)—597
Wood, Lawrence A. Crystallization in butadiene-styrene copolymers—225(A)
Woodward, L. A. (see Walbridge, N. L.)—1031(A)
Woodward, William. Photodisintegration of deuteron—456(T)
Worley, R. D., M. W. Zemansky, and H. A. Boorse. Heat capacities of superconducting and normal Ta—1567(L)
Wright, G. T. Scintillation response of organic phosphors—1282(L)
Wrinch, Dorothy. Fourier transforms of shells and intensities from crystalline proteins—471(A)
Wu, C. S., F. Boehm, and E. Nagel. Radiations from RaD and RaE—319
—— **and A. Schwarzschild.** β spectrum of C^{14}—483(A)
—— (see der Mateosian, E.)—497(A)
Wu, Ta-You (see Bauer, Ernst)—458(A)
—— (see Moses, Harry E.)—458(A); 1408
—— (see Tauber, G. E.)—443(A)

Yagoda, Herman. Observations on stars and heavy primaries recorded in emulsions during flight of Viking rocket—445(A)
Yeater, M. L. and E. R. Gaerttner. Neutron time-of-flight spectrometer with betatron source—451(A)
Yngve, Victor H. and Marcel Schein. Time variation of cosmic-ray heavy nuclei—432(A)
Yntema, G. B. Magnetoresistance of Mg, Cu, Sb, and Al at liquid He temperatures—1388
Yokota, Ryosuke. Thermoluminescence of quartz and fused quartz colored by x-ray irradiation—1013(L)
Young, J. E. R. (see Bitter, F.)—421(L)
Yukawa, Hideki. Structure and mass spectrum of elementary particles. I. General considerations—415(L); II. Oscillator model—416(L)

Zacharias, Jerrold R. (see Daly, Richard T., Jr.)—476(A)
Zaffarano, D. J. (see Mize, J. P.)—210(A)
Zapas, L. J., S. L. Shufler, and T. W. DeWitt. Dynamic properties of unvulcanized GR-S—217(A)
Zarwyn, Berthold. Generalized theory of Mach reflection of shock waves—470(A)
Zemansky, M. W. (see Worley, R. D.)—1567(L)
Zernow, L. and J. Simon. Plastic behavior of polycrystalline metals at very high strain rates—233(A)
Zilsel, P. R. He II: Bose-Einstein condensation and two-fluid model—216(A)
—— (see Darling, B. T.)—1252
Zimm, B. H. Statistical mechanics of polymer chains in solution—232(T)
Zissis, G. J. (see Deverall, G. V.)—297
Zucker, A. (see Reynolds, H. L.)—496(A)
Zumino, Bruno. True vaccum and dressed particles in quantum field theory—478(A)
Zupančič, Črtomir (see Beckman, Olof)—606

Author Index to Volume 92

References with (A) are to abstracts of papers presented at meetings of the American Physical Society, and those with (T) designate title only. References with (L) are to Letters to the Editor. References with (E) are to Errata.

Abe, Hidetarō. Anomalous paramagnetic resonance in Cu propionate—1572(L)
—— (see Ōno, Kazuo)—551
Abragam, A. and R. V. Pound. Influence of electric and magnetic fields on angular correlations—943
—— **and J. H. Van Vleck.** Theory of microwave Zeeman effect in atomic oxygen—1448
Abrahams, Elihu and C. Kittel. Electronic spin resonance line width in metals—544(A)
Adair, Robert K. Spin-orbit coupling energy in O^{17}—1491
Adams, Edward N., II. Consequences of possible degeneracy of energy bands in Ge—1063(L)
Adel, Arthur. Seasonal trend of atmospheric ozone as revealed by solar-telluric band at 9.6 microns—1080(A)
Agogino, Mercedes M. Time variations in cosmic-ray intensity underground—1086(A)
Alburger, David E. Isomeric transition of Pb^{207} as energy standard in beta spectroscopy—1257
—— **and M. H. L. Pryce.** Isomerism in Pb^{206}—514(L)
Alford, W. L. (see Leighton, R. B.)—540(A)
Alford, W. Parker (see Hamilton, Donald R.)—1522
Allen, William A. Elastic description of high-amplitude spherical pulse in steel—1082(A)
Alley, C. L. (see Linford, L. B.)—1093(A)
Alpher, Ralph A., James W. Follin, Jr., and Robert C. Herman. Physical conditions in initial stages of expanding universe—1347
Altshuler, Saul. Binary rearrangement collision—1157
Amin, M. R. Pre-onset burst pulses in positive point to plane corona in air—536(A)
Anderson, A. B. C. Dependence of primary pfeifenton (pipe tone) frequency on pipe-orifice geometry—543(A)
—— (see Schilberg, Lloyd E.)—543(A)
Anderson, C. D. Recent results on V particles—1086(T)
——, **E. W. Cowan, R. B. Leighton, and V. A. J. van Lint.** Cascade decay of V particles—1089(A)
—— (see Cowan, E. W.)—1089(A)
Anderson, E. C., C. L. Cowan, Jr., and F. Reines. Properties of large liquid scintillation detectors—1088(A)
—— (see Schuch, R. L.)—1088(A)
Angell, C. E. and J. P. Perry. Attenuation cross sections of 37-Mev pions in H—835(L)
—— (see Barnes, S. W.)—1327(L)
Anson, John H., Kenneth A. Wright, and John G. Trump. Average energy of electrons emitted from metals under high-energy electron bombardment—843(A)
Antonoff, George. Law of equilibrium between coexisting phases—542(A)
Ard, W. B. (see Fairbank, W. M.)—208(L)
Arfken, G. B. (see Guernsey, R. L.)—1270
Arnold, James R. (see Guttman, Lester)—547
Arnowitt, R. Hfs of hydrogen—1002
—— **and S. Deser.** Solutions of meson-nucleon equation in adiabatic limit—1061(L)
Asaro, Frank, Frank Stephens, Jr., and I. Perlman. Complex α spectra of radiothorium (Th^{228}) and thorium-X (Ra^{224})—1495
——, **S. G. Thompson, and I. Perlman.** α spectra of Cm^{242}, Cm^{243}, and Cm^{241}—694
Ashburn, E. V. Measurement of light scattered from searchlight beam—534(A)
Atkins, K. R. Hydrodynamics of liquid He II—849(T)
—— Liquid He films—1571(L)
—— **and K. H. Hart.** Attenuation of second sound above 1°K—204(L)
Austern, N. Evaluation of interaction effect in n-p capture—670
——, **S. T. Butler, and H. McManus.** Angular distributions from (n,p) nuclear reactions—350.
Avery, Eugene, L. Grossweiner, and M. Matheson. Electron traps in ice—1080(A)
—— (see Smaller, Bernard)—232

Bacher, R. F., J. C. Keck, V. Z. Peterson, J. G. Teasdale, A. V. Tollestrup, R. L. Walker, and R. M. Worlock. Photoproduction of positive mesons from H: results—1090(A)
Bader, M., W. A. Wenzel, and W. Whaling. Proton stopping cross section of Li—1085(A)
Bakamjian, B. and L. H. Thomas. Relativistic particle dynamics—1300
Baldock, Russell (see Sites, John R.)—1096(A)
Balkwell, W. R. (see Litz, L. M.)—288
Ball, W. P., Burton J. Moyer, and Robert E. Richardson. Nuclear scattering of "300" Mev neutrons—539(A)
Bame, S. J., Jr. Excitation functions for $(n,2n)$ reactions in Ge, Sc, As, Tl, and Ni—1096(A)
Bandtel, Kenneth C. (see Frank, Wilson)—537(A)
—— (see Madey, Richard)—537(A)
Baños, Alfredo, Jr. Magnetic shielding produced by rotating conducting tube—1081(A)
Baranger, M., H. A. Bethe, and R. P. Feynman. Relativistic correction to Lamb shift—482
Barbour, J. P., W. W. Dolan, J. K. Trolan, E. E. Martin, and W. P. Dyke. Space charge effects in field emission—45
Barkas, Walter H. (see Deutsch, R. W.)—539(A)
—— (see Wilson, H. W.)—537(A)
Barnes, C. A. (see Neilson, G. C.)—1084(A)
Barnes, Raymond F. (see Fred, Mark)—1322(L)
Barnes, S. W., C. E. Angell, J. P. Perry, D. Miller, J. Ring, and D. Nelson. Signs of phase shifts for pion-proton scattering—1327(L)
Baroody, E. M. Role of surface barrier in secondary emission from metals—843(A)
Baskin, R. and J. R. Winckler. Relative ionization by cosmic ray μ mesons in liquid scintillator—464
Baskir, E. (see Cartwright, W. F.)—852(A)
Bassi, P., G. Clark, and B. Rossi. Distribution of arrival times of air shower particles—441
Bauer, Ernest. Vibrational spectrum and specific heat of Na—58
—— **and Ta-You Wu.** Origin of E layer of ionosphere—1101
Baumann, K. (see Halpern, O.)—1070(L)
Beach, L. A., R. B. Theus, and W. R. Faust. Penetration of gamma radiation through Fe—355
Beams, J. W. Single crystal metal rotors—502(L)
Becker, J. A. Field emission from O on W—854(T)
Bedard, F. D., J. J. Gallagher, and C. M. Johnson. Microwave measurement of D_0 for CO—1440
Belinfante, Frederik J. Intrinsic magnetic moment of elementary particles of spin $\frac{3}{2}$—997
—— Magnetic moments of neutron and proton—994
—— Pions from production of baryons by protons—145
Bell, W. A., Jr., L. O. Love, C. E. Normand, and W. K. Prater. Electromagnetic separation of Pd, Pt, and Ru isotopes—1096(A)
Bellamy, M. D. Biological studies with high-energy cathode rays—841(T)

Belser, Richard B. Effects of high sputtering rates on resistivities of sputtered Au films—1083(A)
—— In, versatile solder to metals and nonmetals—1098(A)
—— Structure and resistivities of Au films deposited by evaporation and sputtering—1098(A)
Benedict, W. S., Norman Gailar, and Earle K. Plyler. ν_1 band of D_2O in infrared—533(A)
Benedikt, E. T. Magnetoelectrostatics—1081(A)
Benjamin, Ben M. (see Livingston, Ralph)—1271
Bennett, Arthur L. Detonation in gases—543(A)
Bennett, Edgar F. (see Woods, Frank R.)—853(A)
Bergmann, Peter G. and Ezra Newman. Grand canonical ensembles, Laplace transform, and Darwin-Fowler contour integrals—856(A)
Bergström, Ingmar and R. D. Hill. Radioactivities of Tl isotopes—849(A)
—— **R. D. Hill, and G. De Pasquali.** Neutron-deficient isotopes of Tl—918
Berlin, T. H., L. Witten, and H. A. Gersch. Imperfect gas—189
Berlincourt, Ted G. deHaas-van Alphen effect in As—1068(L)
Bernstein, W. (see Perlman, M. L.)—1236
—— (see Weiss, M. M.)—1264
Bertolini, G., M. Bettoni, and A. Bisi. Total ionization of α particles of Po in mixtures of gases—1586(L)
Bethe, H. A. (see Baranger, M.)—482
Bettoni, M. (see Bertolini, G.)—1587(L)
Bever, R. S. (see Sproull, R. L.)—77
Bickford, L. R., jr. Magnetic resonance in ferrimagnetic and antiferromagnetic systems—845(A)
—— (see Stull, J. L.)—845(A)
Birnbaum, G. and A. A. Maryott. Change in inversion spectrum of ND_3 from resonant to non-resonant absorption—270
Bisi, A. (see Bertolini, G.)—1587(L)
Bitter, Francis and Herman Feshbach. Nuclear radii—837(L)
Bjerregaard, Jørgen H. (see Huus, Torben)—1580(L)
Black, L. D. (see Pringle, R. W.)—1583(L)
Blatt, John M. and M. H. Kalos. Yukawa forces with added attractions—1563
Blau, M., M. Caulton, and J. E. Smith. Meson production by 500-Mev negative pions—516(L)
Bockelman, C. K., C. P. Browne, W. W. Buechner, and A. Sperduto. Inelastic scattering of protons and deuterons from B^{10} and N^{14}—665
Bohm, David and David Pines. Collective description of electron interactions: III. Coulomb interactions in degenerate electron gas—609
Bollinger, L. M., S. P. Harris, C. T. Hibdon, and C. O. Muehlhause. Neutron absorption and scattering by Hf—1527
Bonnor, W. B. Non-symmetric unified field theories—1067(L)
Boorse, Henry A. (see Brown, A.)—52
—— (see Smith, Bernard)—505(L)
Bourne, Henry C., Jr., Robert W. Cloud, and John G. Trump. Electron emission from metals under high-energy positive ion bombardment—847(A)
Bowen, D. B. and G. W. Rodeback. Influence of cold work and radiation damage on vibrational spectra of Cu—531(A)
Bowen, I. Gerald. Atmospheric ozone fluctuations at Albuquerque—1080(A)
Brachman, M. K. (see Hellund, E. J.)—822
Bradley, Richard C. Vacuum sputtering of metallic Na by inert gas ions—535(A)
Bratenahl, A. and B. J. Moyer. Pick-up process in proton-deuteron scattering—538(A)
Breckenridge, Robert G. (see Cook, Richard K.)—1419
Brentano, J. C. M. and I. Ladany. Recording of x-ray diffraction patterns by scintillation counter—850(A)
Brice, M. K. (see Cork, J. M.)—119; 367
Brinkman, J. Quenched vacancies in AuCu and $AuCu_3$—531(A)
Brix, P., J. T. Eisinger, H. Lew, and G. Wessel. Zeeman effect of Cr ground state—647
Brode, Robert B. North-south observations of ratio of positive to negative cosmic-ray mesons—1086(A)
—— Transition phenomena—1086(T)
Broder, J. (see Keck, P. H.)—847(A)
Brolley, J. E., Jr. (see Northrop, J. A.)—1091(A)
Brook, Marx. New studies of N_2 afterglows—1079(A)
Brousseau, A., C. L. Cowan, Jr., and F. Reines. Device for testing large numbers of photomultipliers—1088(A)
Brown, A., M. W. Zemansky, and H. A. Boorse. Superconducting and normal heat capacities of Nb—52
Brown, Frederick C. Hall effect in AgCl at low temperature—502(L)
Brown, Frederick C. Temperature dependence of electron mobility in AgCl—858(A)
Brown, H. (see Patterson, C.)—1234
Brown, Karl L. and Richard Wilson. Electrodisintegration of nuclei—540(A)
Brown, S. Leroy and John M. Norwood. Harmonic analyses of pulses and spectral analyses of transients—534(A)
Brown, W. L., R. C. Fletcher, and K. A. Wright. Annealing of bombardment damage in Ge: Experimental—591
—— (see Fletcher, R. C.)—585
Browne, C. P. (see Bockelman, C. K.)—665
Brueckner, K. A. and K. M. Watson. Nuclear forces in pseudoscalar meson theory—1023
Bryant, P. J., H. U. Rhoads, and A. H. Weber. Electrical conductance and structure studies of thin Bi films evaporated on glass—1083(A)
Bube, Richard H., Simon Larach, and Ross E. Shrader. Mechanism of impurity poisioning in luminescence of ZnS phosphors with Mn activator—1135
Buechner, W. W. (see Bockelman, C. K.)—665
Bunker, M. E., R. J. Prestwood, and J. W. Starner. Scintillation study of As^{77} and Br^{77}, erratum—1587(E)
Burcham, W. E., W. M. Gibson, A. Hossain, and J. Rotblat. Scattering of 9.5-Mev protons by C and O—1266
Burke, B. F. (see Hardy, W. A.)—1533
Burrus, Charles A., Jr., and Walter Gordy. 1–2 mm wave spectroscopy. II. H_2S—274; III. NO and DI—1437
Burson, S. B. (see Jordan, W. C.)—315; 1218
Burstein, E. and B. W. Henvis. Color-center formation in alkali halides containing $S^=$—845(A)
—— (see Sclar, N.)—858(A)
Busemann, Adolf. Steady and unsteady phenomena at transonic speeds—1087(T)
Buskirk, A. V. (see Thompson, R. W.)—209(L)
Butler, S. T. (see Austern, N.)—350
Byram, E. T., T. A. Chubb, and H. Friedman. Contribution of solar x-rays to E-layer ionization—1066(L)
Byrne, F. T. (see Dieke, G. H.)—81

Calbick, C. J., H. Christensen, and E. E. Thomas. Cleavage surfaces in Ge crystals—1082(A)
—— (see Christensen, I. H.)—1082(A)
Callaway, Joseph. Equations of motion in Einstein's new unified field theory—1567
Cameron, A. G. W. (see Hoffman, M. M.)—1184
Campbell, E. C. (see McGowan, F. K.)—523(L)
Cardwell, Alvin B. Photoelectric studies of Fe—554
Carlson, B. C. Periodic ellipse of strong-focusing equations—839(L)
Carmichael, B. M. (see Rasmussen, V. K.)—852(A)
Carothers, James Edward. Ratio of π^+ to π^- mesons produced by γ rays—538(A)
Carr, W. J., Jr. Use of non-orthogonal wave functions in treatment of solids, with applications to ferromagnetism—28
Carter, R. S., H. Palevsky, V. W. Myers, and D. J. Hughes. Thermal neutron absorption cross sections of B and Au—716

Cartwright, W. F., C. L. Oxley, J. Rouvina, E. Baskir, D. Klein, J. Ring, and W. A. Skillman. Apparatus for double scattering ing of 240-Mev protons—852(A)
Carver, T. R. and C. P. Slichter. Polarization of nuclear spins in metals—212(L)
Casson, H., L. S. Goodman, and V. E. Krohn. Energy level of Ti^{48} from decay of Sc^{48} and V^{48}—1517
Castle, J. G., Jr. Paramagnetic resonance absorption in graphite—1063(L)
Catalano, Edward (see Stout, J. W.)—1576(L)
Caulton, M. (see Blau, M.)—516(L)
Charbonnier, Francis M. (see Miller, Charles E.)—406
Chen, F. F. (see Shapiro, A. M.)—1073(L)
Ch'en, Shang-Yi (see Takeo, Makoto)—850(A)
Cheston, W. and H. Primakoff. "Non-mesonic" bound V-particle decay—1537
Chiang, S. F. and S. A. Schaaf. Drag on rotating cylinder at low pressures—535(A)
Chraplyvy, Zeno. Reduction of relativistic two-particle wave equations to approximate forms—1310
Christensen, H., C. J. Calbick, and E. E. Thomas. Cleavage surfaces of Ge crystals—1082(A)
—— (see Calbick, C. J.)—1082(A)
Christensen, R. L. Slow neutron resonances in Ta—1509
Christy, R. F. Coupling of angular momenta in nuclear reactions—529(A)
—— (see Liberman, D. A.)—1085(A)
Chubb, T. A. (see Byram, E. T.)—1066(L)
Clark, G. (see Bassi, P.)—441
Clement, J. R. Atomic heat and critical magnetic field of superconducting Cd—1578(L)
—— **and E. H. Quinnell.** Atomic heat of In below 20°K—258
Cloud, Robert W. (see Bourne, Henry C., Jr.)—847(A)
Cobble, J. W. (see Daunt, J. G.)—507(L)
Cohen, Bernard L. Statistical theory of nuclear reactions—1245
—— **and T. H. Handley.** Experimental search for stable dineutron—101
Cohen, Victor W. (see Hardy, W. A.)—1533
—— (see Kikuchi, C.)—109
Cole, Julian D. Slender bodies of revolution at transonic speeds—1087(T)
Conger, Robert L. Nuclear magnetic relaxation in viscous liquids—543(A)
Consolazio, George (see Sites, John R.)—1096(A)
Cook, Richard K. and Robert G. Breckenridge. Anelasticity of quartz—1419
Cooper, E. P. Water entry theory—527(T)
Cooper, L. N. and E. M. Henley. μ-mesonic atoms and electromagnetic radius of nucleus—801
Coor, T. (see Hornyak, W. F.)—675
Cork, Bruce and Emery Zajec. Quadrupole focusing lenses for charged particles—853(A)
Cork, J. M., J. M. LeBlanc, M. K. Brice, and W. H. Nester. Radioactive decay of Ca^{47}—367
——, **W. H. Nester, J. M. LeBlanc, and M. K. Brice.** Radioactive decay of W^{181}—119
—— (see Jordan, W. C.)—315; 1218
Cornelius, R. C., C. P. Sargent, M. C. Rinehart, L. M. Lederman, and K. Rogers. Rest mass energy of negative pion—1583(L)
Cowan, C. L., Jr. Experiment to detect free neutrino—1088(T)
—— (see Anderson, E. C.)—1088(A)
—— (see Brousseau, A.)—1088(A)
—— (see Harrison, F. B.)—1088(A)
—— (see Hayes, F. N.)—1088(A)
—— (see Reines, F.)—830(L)
—— (see Schuch, R. L.)—1088(A)
Cowan, E. W., C. D. Anderson, R. B. Leighton, and V. A. J. van Lint. Cascade decay of V particles—1089(A)
—— (see Anderson, C. D.)—1089(A)
Cowan, R. D. Properties of Hugoniot function—1079(A)
Cox, E. F. Atmospheric propagation of sounds from explosions—1093(T)
Cox, J. T. (see Livingston, Ralph)—1271
Cox, L. A. (see Schwager, J. E.)—102
Crandall, Walter E. and Burton J. Moyer. Characteristics of neutral meson production in proton bombardment of C nuclei—749
Crasemann, Bernd. Trochoidal analyzer for charged particles—544(A)
Crawford, J. H., Jr. (see Stevens, D. K.)—1065(L)
Crozier, W. D. (see Gourley, Mary Gaulks)—526(A)
Culp, Richard J. (see Hamermesh, Bernard)—211(L)
Cunningham, S. P. (see Dieke, G. H.)—81
Curtis, Mary Lou. Half-life determination of Po^{210} by α counting—1489

Danos, M., S. Geschwind, H. Lashinsky, and A. van Trier. Čerenkov effect at microwave frequencies—828(L)
Darling, B. T. Field theory of equations with many masses—1547
Dash, J. G. (see Sommers, H. S., Jr.)—1345
Dash, William C. Optical absorption and photoconduction in visible and near infrared in single crystals of BaO—68
Daunt, J. G. and J. W. Cobble. Superconductivity of Tc—507(L)
—— (see de Vries, G.)—1573(L)
Dauphinee, T. M. (see Preston-Thomas, H.)—844(A)
Davidson, J. P. and D. C. Peaslee. Cross terms in allowed-shape β spectra—1584(L)
Davis, William R. (see Miller, Charles E.)—406
Davisson, J. W. (see Sclar, N.)—858(A)
Day, P. (see Primak, W.)—1064(L)
Day, Robert B. and Richard L. Henkel. Neutron total cross sections at 20 Mev—358
—— (see Woodbury, H. H.)—1199
Dehmelt, H. G. Nuclear quadrupole resonance of stable Ga isotopes—1240
—— (see Fairbank, W. M.)—208(L)
De Juren, J. and H. Rosenwasser. Pulse-height measurements of recoils from $B^{10}(n,\alpha)Li^7$ in A-CO_2 mixtures—544(A)
Dekker, A. J. (see Williams, G. W.)—1398
Denney, J. M. Radiation-damage energy threshold in f.c.c. alloy—531(A)
DePangher, John. High-pressure cloud-chamber investigation of protons scattered by 300-Mev neutrons—1084(A)
De Pasquali, G. (see Bergström, I.)—918
—— (see Frauenfelder, H.)—513(L); 1241
der Mateosian, E. Scintillation spectrometer determination of L-capture to K-capture ratio in Cd^{109} and I^{125}—938
Deser, Stanley. Electromagnetic effects in two-nucleon systems—1542
—— (see Arnowitt, R.)—1061(L)
de-Shalit, A. Shell model—843(T)
—— **and M. Goldhaber.** Mixed configurations in nuclei—1211
Deutsch, Robert W. Yields of low-energy protons and alphas resulting from high-energy bombardment of Ag—515(L)
—— **and W. H. Barkas.** Secondary particles induced by 375-Mev α particles—539(A)
de Vries, G. and J. G. Daunt. Specific heat of He^3 between 1.3°K and 2.3°K—1572(L)
DeWire, J. W., A. Silverman, and B. Wolfe. Elastic photoproduction of π^0's from deuterium—520(L)
——, **A. Silverman, and B. Wolfe.** High-energy (γ,d) reactions—519(L)
Diamond, Herbert, Paul R. Fields, Joseph Mech, Mark G. Inghram, and David C. Hess. Half-life of Am^{243}—1490
Dieke, G. H., S. P. Cunningham, and F. T. Byrne. Zeeman effect in molecular spectra of H_2—81

Dingle, R. B. Low-temperature diamagnetism of electrons in cylinder—1320(L)
Ditzenberger, J. A. (see Fuller, C. S.)—846(A)
Diven, B. C. (see Martin, H. C.)—1096(A)
Dixon, C. E. and C. J. Meechan. Effect of quench temperature and cold work on ordering rates of Cu_3Au and CuAu—530(A)
Dolan, W. W. (see Barbour, J. P.)—45
Domenicali, Charles A. Irreversible thermodynamics of thermoelectric effects in inhomogeneous, anisotropic media—877
Douglas, David L., Anita C. Mewherter, and Robert P. Schuman. Long-lived activity in neutron-irradiated Nb—369; 1095(A)
Drell, S. D. (see Lawson, R. D.)—539(A)
Dresselhaus, G., A. F. Kip, and C. Kittel. Observation of cyclotron resonance in Ge crystals—827(L)
Duckworth, H. E. Mass-spectrographic studies of nuclear stability—848(T)
—— (see Hogg, B. G.)—848(A)
Dudziak, Walter (see Sagane, Ryokichi)—212(L)
DuMond, Jesse W. M., H. C. Hoyt, P. E. Marmier, and J. J. Murray. Decay of Ta^{180}—202(L)
—— (see Felt, Gaelen L.)—1160
Dunbar, D. N. F., R. E. Pixley, W. A. Wenzel, and W. Whaling. 7.68-Mev state in C^{12}—649
——, **H. K. Reynolds, W. A. Wenzel, and W. Whaling.** Stopping cross section of several gases for protons and deuterons—528(A)
—— (see Hoyle, F.)—1095(A)
—— (see Reynolds, H. K.)—528(A); 742
Dunlap, W. C., Jr., and R. L. Watters. Direct measurement of dielectric constants of Si and Ge—1396
Dunlavey, Dean C. and Glenn T. Seaborg. α activity of Sm^{146} as detected with nuclear emulsions—206(L)
Dyba, R. V. (see Lane, C. T.)—829(L)
Dyke, W. P. High-density field-emission phenomena—854(T)
—— **and J. K. Trolan.** Field emission: Large current densities, space charge, and vacuum arc—541(A)
—— (see Barbour, J. P.)—45
Dyson, Freeman J. Dynamics of disordered linear chain—1331

Easterday, Harry T. β decay of Cu^{67}—537(A)
Efremov, N. New method for approximate calculation of effective ionic radii—1081(A)
Eggen, D. T. and H. Kenworthy. NAA statitron for solid-state research—531(A)
Eggleston, R. R. Annealing of radiation damage effects in Cu—531(A)
Eisberg, Robert M. and George J. Igo. Spectrum of particles from Pb bombarded by 32-Mev protons—537(A)
Eisinger, J. T. (see Brix, P.)—647
Elkind, Mortimer M. Excited states of B^{11} and B^{12} from $B^{10}(d,p)B^{11}$ and $B^{11}(d,p)B^{12}$—127
Ellis, W. C. and E. S. Greiner. Production of acceptor centers in Ge and Si by plastic deformation—1061(L)
El-Mofty, Osman. Multiple cores in air showers—461; 1086(A)
Elsasser, W. M. and K. McDonald. Topology of magnetic fields—1081(A)
El-Sum, Hussein M. A. and Paul Kirkpatrick. Refinement and resolution in reconstructed wavefront microscopy—541(A)
Elterman, L. Stratospheric temperature profiles obtained from searchlight measurements—1080(A)
Emigh, C. R. (see Megill, L. R.)—1081(A)
English, W. N. Thermal microstructure in ocean—1087(A)
Ennis, M. E. and A. Hemmendinger. Small angle cross sections for scattering of protons by tritons—1092(A)
Ergen, W. K. Current status of theory of reactor dynamics—854(T)
Eschenfelder, A. H. and R. T. Weidner. Saturation effects in paramagnetic resonance—869
Eubank, Harold P. High-yield rf ion source—853(A)

Fagan, J. F., Jr. (see Watters, H. J.)—1248
Fagg, L. W. and S. S. Hanna. Polarization of γ rays in $F^{19}(p,\alpha\gamma)O^{16}$ reaction—372
Fairbank, W. M., W. B. Ard, H. G. Dehmelt, Walter Gordy, and S. R. Williams. Temperature dependence of the nuclear susceptibility of He^3 between 1.2°K and 4.2°K—208(L)
Fan, H. Y. Effect of traps on carrier injection in semiconductors—1424
Faneuff, C. E. (see Malich, C. W.)—1095(A)
Fano, U. Degradation and range straggling of high-energy radiations—328
Faust, W. R. (see Beach, L. A.)—355
Fechter, H. R. (see Hofstadter, R.)—978
Feldman, David. Implications of Lorentz invariance for scattering of spin $\frac{1}{2}$ particles—856(A)
—— Invariant forms of nucleon-nucleon interaction—824
Felt, Gaelen L., John N. Harris, and Jesse W. M. DuMond. Precision measurement at 24 500 volts of conversion constant λV—1160
Ferentz, M., M. Gell-Mann, and D. Pines. Giant nuclear dipole resonance—836(L)
Fermi, E. Developments in high-energy physics—1091(T)
—— Multiple production of pions in nucleon-nucleon collisions at cosmotron energies—452
—— Panel discussion on artificial mesons—1094(T)
——, **M. Glicksman, R. Martin, and D. Nagle.** Scattering of negative pions by H—161
Feshbach, Herman (see Bitter, Francis)—837(L)
Feynman, Richard P. Theoretical problems presented by V particles—536(T)
—— (see Baranger, M.)—482
Fields, Paul R. (see Diamond, Herbert)—1490
Finkelstein, R. and P. Kaus. β interaction—1316
Fisher, Philip C. Bremsstrahlung and electron scattering cross sections in Au for 247-Mev electrons and positrons—420; 853(A)
Fiske, Milan. Electrical conductivity of metals at low temperatures—841(T)
Fitch, Val L. and James Rainwater. Studies of x-rays from μ-mesonic atoms—789
Fleming, John R. and J. J. Lord. Ionization loss in nuclear emulsions—511(L); 1089(A)
Fleming, W. H. and H. G. Thode. Neutron and spontaneous fission in U ores—378
Fletcher, R. C. and W. L. Brown. Annealing of bombardment damage in diamond-type lattice: theoretical—585
—— (see Brown, W. L.)—591
Foldy, Leslie L. Matrix elements for nuclear photo-effect—178
Foley, H. M. (see Sessler, A. M.)—1321(L); 1321(L)
—— (see Sternheimer, R. M.)—1460
Follin, James W., Jr. (see Alpher, Ralph A.)—1347
Foote, H. L., Jr., H. H. Landon, and V. L. Sailor. Slow neutron resonances in Ho, Tm, and Lu—656
Ford, Franklin C. and Wilson M. Powell. π^- mesons produced in cloud chamber by high-energy neutrons—537(A)
Ford, Kenneth W. Contribution of collective motion to magnetic moments of heavy nuclei—1094(A)
Forro, M. Method for determination of end-point energy of β emitters—931
Foster, J. S. McGill, fifty years after Rutherford and Soddy—852(T)
Fowler, C. A., Jr., and E. M. Fryer. Observation of magnetic domains by longitudinal Kerr effect—532(A)
Fowler, W. B., R. M. Lea, W. D. Shephard, R. P. Shutt, A. M. Thorndike, and W. L. Whittemore. π^+-p scattering near 260 Mev—832(L)

Fowler, William A. Cross sections of proton reactions—1092(T)
—— (see Kraus, Alfred A., Jr.)—529(A)
—— (see Peterson, R. W.)—1085(A)
—— (see Webb, T. S.)—1084(A)
Francis, N. C. and K. M. Watson. Elastic scattering of particles by atomic nuclei—291
Frank, R. M. and J. L. Gammel. Inelastic scattering of protons and neutrons by deuterons—1092(A)
Frank, Wilson J., Kenneth C. Bandtel, Richard Madey, and Burton J. Moyer. Further evidence for $p+d \rightarrow t+\pi^+$—537(A)
—— (see Madey, Richard)—537(A)
Frankl, D. R. Internal friction of rocksalt single crystals—573
Frauenfelder, H., J. S. Lawson, Jr., W. Jentschke, and G. De Pasquali. Crystal structure and nuclear directional correlation. I. Pb^{204}—513(L)
——, **J. S. Lawson, Jr., W. Jentschke, and G. DePasquali.** Directional correlation of Pb^{204} γ-γ cascade—1241
Fred, Mark, Frank S. Tomkins, and Raymond F. Barnes. Nuclear spin of Bi^{210}—1324(L)
Frederikse, H. P. R. Thermoelectric power of Ge below room temperature—248
Freemantle, R. G., W. M. Gibson, D. J. Prowse, and J. Rotblat. Interaction of 19-Mev deuterons with O—1268
Freier, P. S. and J. E. Naugle. Emulsion study of large showér. I. Hard component—1086(A)
—— (see Naugle, J. E.)—1086(A)
Freistadt, Hans. Electromagnetic mass and particle model in Darling's theory of elementary particles—1015
French, A. P. (see Kraus, Alfred A., Jr.)—529(A)
Fretter, W. B. and E. W. Friesen. Charged and neutral V particles—1089(A)
——, **B. P. Gregory, R. Johnston, A. Lagarrigue, H. Meyer, F. Muller, and C. Peyrou.** Mass measurements of primaries of S events by momentum-range method—1583(L)
Friedland, S. S., H. S. Katzenstein, J. Katzenstein, D. P. Lindorff, G. S. Timoshenko, and L. E. Williams. Pulsed searchlight system for upper atmosphere density studies—1080(A)
Friedlander, G. (see Welker, Joan P.)—401
Friedman, F. L. and W. Tobocman. Approximate wave-mechanical description of deuteron stripping—93
Friedman, H. (see Byram, E. T.)—1066(L)
Friesen, E. W. (see Fretter, W. B.)—1089(A)
Fröhlich, H. and R. L. Platzman. Energy loss of moving electrons to dipolar relaxation—1152
Fry, W. F. Unusual π-μ decays in photographic emulsions, erratum—1587(E)
Frye, Glenn M. and Louis Rosen. Disintegration of C^{12}, B^{11}, and B^{10} by fast neutrons—1083(A)
Fryer, E. M. (see Fowler, C. A., Jr.)—532(A)
Fuchs, L. H. (see Primak, W.)—1064(L)
Fuller, C. S. and J. A. Ditzenberger. Diffusion of Li into Ge and Si—846(A)
—— (see Severiens, J. C.)—1322(L)
Fulton, Thomas and Robert Karplus. Bound state corrections in two-body system—1094(A)
Fung, Si Chang (see Turkevich, A.)—521(L)
Funt, B. L. (see Pringle, R. W.)—1783(L)

Gaerttner, E. R. Neutron velocity spectrometer with betatron source—841(T)
Gailar, Norman (see Benedict, W. S.)—533(A)
Gallagher, C. J. Etch pits in plastically-deformed Ge—846(A)
Gallagher, J. J., F. D. Bedard, and C. M. Johnson. Microwave measurement of D_0 for CO—1440
Gammel, J. L. Elastic scattering of protons and neutrons by deuterons at high energy—1092(A)
—— (see Frank, R. M.)—1092(A)
Gammel, Juanita H. Deuteron disintegration by 9.7-Mev protons—1092(A)
Garren, A. Phase-shift analysis of high-energy p-p scattering experiments—213(L); erratum—1587(E)
Garrett, Richard E., Frank L. Hereford, and Billy W. Sloope. Inelastic neutron scattering in Al, Fe, Mg, and Cu—1507
Garrison, Gerald R. (see Miller, Charles E.)—406
Gaydon, A. G. Spectroscopic studies of flames supported by free atoms—527(T)
Geballe, Ronald and Marvin L. Reeves. Condition on uniform field breakdown in electron-attaching gases—867
Geballe, T. H. Seebeck effect in Ge—857(A)
Gell-Mann, M. Isotopic spin and new unstable particles—833(L)
—— (see Ferentz, M.)—836(L)
Gersch, H. A. (see Berlin, T. H.)—189
Geschwind, S. (see Danos, M.)—828(L)
Giauque, W. F. Determination of thermodynamic temperatures near 0°K without introducing heat below 1°K—1339
Gibson, W. M. (see Burcham, W. E.)—1266
—— (see Freemantle, R. G.)—1268
Gilmore, J. S. (see Terrell, James)—1091(A)
Gittleman, J. Intermediate state of a hollow superconducting tin cylinder—561
—— (see Serin, B.)—566
Glicksman, M. (see Fermi, E.)—161
Godfrey, T. N. K. Negative μ-meson capture in C—512(L)
Goldemberg, J. and L. Katz. Excitation levels of Li^7 and F^{19} by betratron irradiation—852(A)
—— (see Katz, L.)—852(A)
Goldhaber, M. Hypothesis concerning relations among "new unstable particles"—1279
—— Nuclear isomers—1092(T)
—— (see de-Shalit, A.)—1211
Goldman, J. E. Electronic specific heat in relation to band structure of transition metals and alloys—528(T)
Goldstein, Louis. Theory of liquid He^3—He^4 mixtures—850(A)
Gomer, Robert. Field emission and chemisorption—854(T)
Good, Myron L. Phase-reversal focusing in linear accelerators—538(A)
Good, R. H., Jr. (see Miller, S. C., Jr.)—1367
Goodman, Clark (see Guernsey, Janet B.)—323
—— (see Hansen, K. F.)—652
—— (see Mark, Hans)—1097(A)
Goodman, L. S. (see Casson, H.)—1518
Gordon, A. S. (see Hunt, M. H.)—542(A)
Gordon, M. M. and J. G. Jones. Generalized variational equations for scattering of electrons by H atoms—1428
Gordy, Walter (see Burrus, Charles A., Jr.)—274; 1437
—— (see Fairbank, W. M.)—208(L)
—— (see Livingston, Ralph)—1271
Gourley, Mary Gaulks and W. D. Crozier. Persistent residues from ice particles—526(A)
Gove, H. E. and E. B. Paul. γ rays from $P^{31}(p,\gamma)S^{32}$—852(A)
Grant, H. L. and R. W. Stewart. Correlation studies of sound fluctuations in ocean—1087(A)
Grebe, J. J. Possible designs for an economical power reactor—854(T)
Gregory, B. P. (see Fretter, W. B.)—1089(L)
Gregory, Christopher. Equivalent mass and other effects of non-local electromagnetic field in interaction with constant E,H field—1554
Greiner, E. S. (see Ellis, W. C.)—1061(L)
Griffiths, G. M. and J. B. Warren. γ rays from $D(p,\gamma)He^3$—1084(A)
—— (see Warren, J. B.)—1084(A)
Griswold, T. W. (see Kip, A. F.)—544(A)
Gross, Leonard (see Hamilton, Donald R.)—1522
Grossweiner, L. (see Avery, E.)—1080(A)
Guderley, Gottfried. Examples of flow patterns at and near Mach one—1087(T)

Guernsey, Janet B. and Clark Goodman. Total neutron cross section of liquid A—323
Guernsey, R. L. and G. B. Arfken. Vector addition coefficient identity—1270
Guinier, Andre. Electronic x-ray probe for microanalysis of structure and composition of metallic solids—528(T)
Gunst, S. B. and L. A. Page. Compton scattering of 2.62-Mev γ rays by polarized electrons—970
Guttman, Lester and James R. Arnold. Non-participation of He^6 in superfluidity of He^4—547

Haber, Agnes (see Sugarman, Nathan)—730
Hagstrum, H. D. Theory and experiment concerning resonance transitions and Auger transitions occurring as ion approaches metal surface—847(T)
Halpern, J. (see Nathans, R.)—207(L); 940
Halpern, O. and K. Baumann. Velocity distribution of pair components in π^0 decay—1070(L)
Ham, Frank S. Effect of surface on magnetic properties of electron gas—1113
Hamermesh, Bernard and Richard J. Culp. Large NaI scintillation counter study of neutron capture γ rays from H—211(L)
Hamilton, Donald R., W. Parker Alford, and Leonard Gross. Upper limits on neutrino mass from T β spectrum—1521
——, **Aaron Lemonick, and Francis M. Pipkin.** β-γ polarization correlations—1191
—— (see Weneser, J.)—321
Hammer, C. L. (see Pidd, R. W.)—436
Handley, Thomas H. and Elmer L. Olson. Er^{163} and Tm^{165}—1260
—— (see Cohen, B. L.)—101
Hanna, S. S. (see Fagg, L. W.)—372
—— (see Pruitt, J. S.)—1456
Hansen, K. F., R. M. Kiehn, and Clark Goodman. Total neutron cross section of P—652
Hardwick, W. H. Fission yields of Ru^{103} and Ru^{106}—1072(L)
Hardy, W. A., G. Silvey, C. H. Townes, B. F. Burke, M. W. P. Strandberg, George W. Parker, and Victor W. Cohen. Nuclear moments of Se^{79}—1532
Harris, John N. (see Felt, Gaelen L.)—1160
Harris, S. P. (see Bollinger, L. M.)—1528
Harrison, F. B., C. L. Cowan, Jr., and F. Reines. Background in neutrino experiment—1088(A)
—— (see Schuch, R. L.)—1088(A)
Hart, K. H. (see Atkins, K. R.)—204(L)
Havens, W. W., Jr. (see Melkonian, E.)—702
Haycock, O. C. (see Lien, J. R.)—508(L)
—— (see Linford, L. B.)—1093(A)
Hayes, F. N., D. L. Williams, and Betty Rogers. Liquid scintillation counting of natural C^{14}—512(L)
——, **Lloyd Williams, C. L. Cowan, Jr., and F. Reines.** Liquid scintillators for large volume detectors—1088(A)
—— (see Schuch, R. L.)—1088(A)
Haynes, S. K. (see Perkins, J. F.)—687; 1096(A)
Heidenthal, G. Experimental evidence for inheritance of radiation effects—841(T)
Hein, R. A. (see Steele, M. C.)—243
Heller, C. A. (see Hunt, M. H.)—542(A)
Hellund, E. J. and M. K. Brachman. Space-time representation in wave mechanics—822
—— **and J. M. Jauch.** Sequence of γ emission in triple correlations—203(L)
Hemmendinger, A. (see Ennis, M. E.)—1092(A)
Hemmig, P. B. and R. M. Steffen. Time-dependent quadrupole interaction in angular correlation of nuclear radiation. I. Cd^{111}—832(L)
Henderson, Joseph E. (see Miller, Charles E.)—406
Hendrick, R. W., Jr. Agreement of theoretical and experimental intensities of soft continuous x-rays—541(A)
Henke, Burton. Size-determination of submicroscopic particles by long wavelength x-ray diffraction—1079(T)
Henkel, Richard L. (see Day, Robert B.)—358
Henley, E. M. and M. A. Ruderman. Nuclear forces from P-wave mesons—1036
—— (see Cooper, L. N.)—801
Henry, Warren E. H-T antiferromagnetic boundary and apparent molecular field for $MnBr_2 \cdot 4H_2O$—844(A)
Henshaw, D. G., D. G. Hurst, and N. K. Pope. Structure of liquid N_2, O_2, and A by neutron diffraction—1229
Henvis, B. W. (see Burstein, E.)—845(A)
Hepner, W. A. and D. R. Workman. Interpretation of Bhabha's theory of particles of maximum spin 3/2—1071(L)
Hereford, Frank L. (see Garrett, Richard E.)—1508
Herman, Robert C. (see Alpher, Ralph A.)—1347
Herring, Conyers. Theory of thermoelectric power of semiconductors—857(A)
Hess, David C. (see Diamond, Herbert)—1490
Heydenburg, N. P. and G. M. Temmer. F^{18} energy levels from α-particle reactions in N—89
Hibdon, C. T. (see Bollinger, L. M.)—1528
Hickman, K. C. D. Mechanism of evaporation of liquids—854(T)
Hildebrand, Roger H. and Darragh E. Nagle. Operation of Glaser bubble chamber with liquid H_2—517(L)
Hill, R. D. (see Bergström, Ingmar)—849(A); 918
Hoffman, M. M. and A. G. W. Cameron. Angular and energy distributions of photoprotons from Al and Ta—1184
Hofstadter, Robert, H. R. Fechter, and J. A. McIntyre. High-energy electron scattering and nuclear structure determinations—978
—— **and Asher Kantz.** Electron-induced showers—536(T)
Hogg, B. G. and H. E. Duckworth. Atomic masses for Ga, Ge, As, Se, and Br—848(A)
Hollander, Jack M. Br isotopes produced by C-ion bombardment of Cu—518(L)
Holmes, John R. (see Parker, Lee W.)—532(A)
Holzer, R. E. Measurements of world-wide electrical effects—1093(T)
Honig, A., M. L. Stitch, and M. Mandel. Microwave spectra of CsF, CsCl, and CsBr—901
Horn, F. H. Crystal growth and spirals, etch-figures and holes—841(T)
Hornyak, W. F. and T. Coor. Capture γ rays from proton bombardment of Be^9—675
Horowitz, J. and A. M. L. Messiah. Mechanism of stripping reactions—1326(L)
Horton, C. W. Hydroacoustic filter networks—527(T)
Hossain, A. (see Burcham, W. E.)—1266
House, R. A. (see Lerohl, John K.)—934
Hove, J. and J. Krumhansl. Evaluation of lattice sums for cubic crystals—569
Howe, H. A. and K. R. MacKenzie. Electron positron scattering—530(A)
Howland, J. J., Jr. (see Welker, Joan P.)—401
Howland, P. R., W. E. Kreger, and R. A. Taylor. γ-ray absorption measurements—1095(A)
Hoyle, Fred. Expanding universe—536(T)
——, **D. N. F. Dunbar, W. A. Wenzel, and W. Whaling.** State in C^{12} predicted from astrophysical evidence—1095(A)
Hoyt, H. C. (see DuMond, J. W. M.)—202(L)
Hubbard, Edward L., Lawrence Ruby, and Warren F. Stubbins. Search for B^{13}—1494
Huber, Elsa. Secondary cathode action in N_2 with coaxial cylindrical geometry—536(A)
Hudson, Craig C. Acoustic approximation to weak shock diffraction—1079(A)
Hughes, D. J., W. Y. Kato, and J. S. Levin. Energy levels in Hf isotopes—1094(A)
——, **W. Y. Kato, and J. S. Levin.** Energy levels in Th—851(A)

—— **and H. Palevsky.** Formation of long-lived Bi^{210} isomer—1206
—— (see Carter, R. S.)—716
—— (see Levin, J. S.)—851(A)
—— (see Palevsky, H.)—202(L)
Hughes, D. S. and J. L. Kelly. Second order elastic deformation of solids—1145
Hulm, J. K. Low-temperature dielectric properties of Cd and Pb niobates—504(L)
Hunt, M. H., C. A. Heller, and A. S. Gordon. Surface temperature of burning double-base propellant—542(A)
Hurst, D. G. (see Henshaw, D. G.)—1229
Huster, E. β spectrum of RaD—1076(L)
Hutchison, T. S. (see Reekie, James)—827(L)
Huus, Torben and Jørgen H. Bjerregaard. Internal conversion electrons from Coulomb-excited Ta and W—1579(L)
—— (see Lauritsen, T.)—1502
Hyde, Earl K. Half-life of Zr^{88}—927

Igo, George J. (see Eisberg, Robert M.)—537(A)
Inghram, Mark G. (see Diamond, Herbert)—1490
—— (see Patterson, C.)—1234
Inglis, D. R. (see Malm, R.)—1328(L)

Jain, P. L., H. A. Moses, J. C. Lee, and R. D. Spence. Proton magnetic resonance in liquid crystals—844(A)
James, D. B. (see Neilson, G. C.)—1084(A)
Jankus, V. Z. Radiative correction to collision loss of heavy particles—540(A)
Jastram, P. S. (see Whittle, C. E.)—205(L)
Jauch, J. M. (see Hellund, E. J.)—203(L)
Jeffries, C. D. Spin and magnetic moment of Ti^{47} and Ti^{49}—1262; 1096(A)
Jentschke, W. (see Frauenfelder, H.)—513(L); 1241
Johnson, C. M. (see Gallagher, J. J.)—1440
Johnson, J. B. Secondary electron emission from diamond—843(A)
Johnson, V. A. and K. Lark-Horovitz. Theory of thermoelectric power in semiconductors with applications to Ge—226
Johnston, R. (see Fretter, W. B.)—1089(L)
Jona, F. and R. Pepinsky. Dielectric properties of some double tartrates—1577(L)
—— **and R. Pepinsky.** Transition in $LiNH_4C_4H_4O_6 \cdot H_2O$—845(A)
Jones, J. G. (see Gordon, M. M.)—1428
Jordan, W. C., J. M. Cork, and S. B. Burson. Decay of $_{66}Dy^{165m}$(1.2 min) and $_{66}Dy^{165}$(2.3 hr)—1218
——, **J. M. Cork, and S. B. Burson.** Radiations of $_{64}Gd^{159}$ (18-hr) and $_{64}Gd^{161}$(3.7-min)—315
Juretschke, Hellmut J. Exchange potential in surface region of free-electron metal—1140

Kahn, A. H. (see Tessman, Jack R.)—890
Kahn, Bernd and W. S. Lyon. Decay of Rh^{106}—902
Kallmann, H. K. Quantitative analysis of lower ionosphere—1079(A)
Kalos, M. H. (see Blatt, John M.)—1564
Kamei, Tohru (see Murakawa, Kiyoshi)—325
Kane, R. P. (see Sarabhai, V.)—415
Kantz, Asher (see Hofstadter, Robert)—536(T)
Kaplon, M. F., J. H. Noon, and D. M. Ritson. Interactions of heavy primaries of cosmic radiation—855(A)
—— (see Klose, J. Z.)—855(A)
—— (see Noon, J. H.)—1586(L)
Karplus, Robert (see Fulton, Thomas)—1094(A)
Karzmark, C. J. (see Thompson, R. W.)—209(L)
Kash, S. W. and D. C. Woods. Measurement of transport mean free path of thermal neutrons in heavy water—544(A)
Kato, W. Y. (see Hughes, D. J.)—851(A); 1094(A)
—— (see Levin, J. S.)—851(A)
Katz, L. and J. Goldemberg. Fine structure in $C^{13}(\gamma,n)C^{11}$ neutron yield—852(A)
—— (see Goldemberg, J.)—852(A)
Katz, Robert and Milford R. Lee. Radioactivity of Sm^{153}—848(A)
Katzenstein, H. S. (see Friedland, S. S.)—1080(A)
Katzenstein, J. (see Friedland, S. S.)—1080(A)
Kaufman, Allan N. Strong coupling theory of meson scattering—468
Kaus, P. (see Finkelstein, R.)—1316
Keck, J. C. (see Bacher, R. F.)—1090(A)
—— (see Tollestrup, A. V.)—1090(A)
Keck, P. H., S. B. Levin, J. Broder, and R. Lieberman. Crystal growth of Si by tip fusion process—847(A)
——, **W. Van Horn, J. Soled, and A. MacDonald.** Floating zone recrystallization—847(A)
Keller, W. E. (see Sommers, H. S., Jr.)—1345
Kelly, J. L. (see Hughes, D. S.)—1145
Kenney, James F. and Victor H. Regener. Cross section for production of penetrating cosmic-ray showers in O—1090(A)
Kent, D. W. (see Rothman, M. A.)—1097(A)
Kenworthy, H. (see Eggen, D. T.)—531(A)
Kerman, A. K. Nuclear surface oscillations—1176
Kerner, Edward H. Dissociation of H_2^+ by electron impact—1441
—— Interchange of rotational and vibrational energy in collisions of diatomic molecules—899
Kessler, Karl G. and R. E. Trees. Nuclear moments of Tc^{99}—303
Keyes, Robert W. Electrical properties of black phosphorus—580
Keywell, Frank. Sputtering in high vacuum and its relation to radiation damage as described by Seitz—535(A)
Kiehn, R. M. (see Hansen, K. F.)—652
Kikuchi, C., M. H. Sirvetz, and V. W. Cohen. Paramagnetic resonance hfs of V^{50} and V^{51}—109
King, D. T., Nathan Seeman, and Maurice M. Shapiro. Charged particles of mass intermediate between proton and deuteron—838(L)
Kip, A. F., T. W. Griswold, and A. M. Portis. Resonance absorption by conduction electrons in metals—544(A)
—— (see Dresselhaus, G.)—827(L)
Kirkpatrick, Paul (see El-Sum, Hussein M. A.)—541(A)
Kirkwood, Robert L. Physical basis of gravitation—1557
Kisliuk, P. Electrical breakdown of extremely short gaps—847(A)
Kittel, C. Microwave physics and study of solids—528(T)
—— (see Abrahams, Elihu)—544(A)
—— (see Dresselhaus, G.)—827(L)
Klein, Abraham. Convergence of adiabatic nuclear potential—1017
Klein, D. (see Cartwright, W. F.)—852(A)
Klein, Ralph. Field-emission microscope investigation of surface reactions—854(A)
Klema, E. D. and F. K. McGowan. γ-γ angular correlation in Pd^{106}—1469
Klinger, Y. Conductivity of Ge at 2.4×10^{10} cps—509(L)
Klose, J. Z., M. F. Kaplon, D. M. Ritson, and W. L. Walker. Emulsion cloud-chamber study of high-energy radiation at mountain altitude—855(A)
Knight, W. D. Nuclear resonance line broadening and quadrupole splitting in metallic Be—539(A)
Koehler, W. C. Neutron diffraction by paramagnetic substances—1088(T)
—— **and E. O. Wollan.** Paramagnetic scattering of neutrons by rare earth oxides—1380
Koehler, W. F. Multiple-beam fringes of equal chromatic order—542(A)
Kofoed-Hansen, O. Possible $0 \rightarrow 0(n\alpha)\beta$ transitions in $4n+2$ nuclei—1075(L)

Kohn, W. New method of calculating energy bands in crystal lattices—847(T)
Kojima, S., K. Tsukada, S. Ogawa, and A. Shimauchi. New absorption lines of crystals in submicrowave region—1571(L)
Konopinski, E. J. and H. M. Mahmoud. Universal Fermi interaction—1045
Kraus, Alfred A., Jr. γ rays from $Li^7(p,\gamma)Be^8$—1085(A)
——, **A. P. French, William A. Fowler, and C. C. Lauritsen.** Angular distribution of γ rays and α particles from $N^{15}(p,\alpha\gamma)C^{12}$—529(A)
Kraushaar, J. J. γ-γ directional correlation experiments with Mo^{93m}—318
—— **and R. V. Pound.** Directional correlation and electric quadrupole interaction in γ-γ cascade of 48.7-min Cd^{111m}—522(L)
Kreger, W. E. (see Howland, P. R.)—1095(A)
Kretschmar, George G. Velocity of sound apparatus for liquids at 512 kc—542(A)
Krogstad, R., W. Nelson, and S. T. Stephenson. X-ray absorption fine structure with polarized x-rays—1394
Krohn, V. E. (see Casson, H.)—1518
Krone, R. W. and L. W. Seagondollar. γ rays from proton bombardment of B^{10}—935
Krumhansl, J. (see Hove, J.)—569
Krzywoblocki, M. Z. Stability of Benard-Karman vortex street in compressible flow—527(T)
Kundu, D. N. (see Lerohl, John K.)—934
Kunkel, W. B. Short afterglow in N_2—534(A)
Kurşunoğlu, Behram. Derivation and renormalization of Tamm-Dancoff equations—1069(L)
—— Expectations from unified field theory—506(L)
Kusch, P. Sign of quadrupole interaction of Li^6 in LiCl—268
Kyhl, R. L. Stanford linear electron accelerator—536(T)

Ladany, I. (see Brentano, J. C. M.)—850(A)
Lagarrigue, A. (see Fretter, W. B.)—1089(L)
Lal, D., Yash Pal, and B. Peters. Properties of heavy unstable particles—438
Lander, J. J. Auger peaks in energy spectra of secondary electrons from various materials—843(T)
Landon, H. H. (see Foote, H. L., Jr.)—656
Lane, A. M. Intermediate coupling and nuclear reactions—839(L)
Lane, C. T. and R. V. Dyba. Capillarity in He II—829(L)
Langer, L. M. β spectra—1092(T)
Langmuir, R. V. California Institute of Technology synchrotron—536(T)
Larach, Simon (see Bube, Richard H.)—1135
Lark-Horovitz, K. (see Johnson, V. A.)—226
LaRocca, Edward W. Behavior of metals at elevated temperatures—1082(A)
Lashinsky, H. (see Danos, M.)—828(L)
Lauritsen, C. C. (see Kraus, Alfred A., Jr.)—529(A)
—— (see Peterson, R. W.)—1085(A)
Lauritsen, T., T. Huus, and S. G. Nilsson. Scattering of deuterons in He—1501
Lawson, J. S., Jr. (see Frauenfelder, H.)—513(L); 1241
Lawson, R. D. Photoproduction of π-meson pairs—1272
—— **and S. D. Drell.** Photoproduction of meson pairs—539(A)
Lawton, E. J. Apparatus for studies with cathode rays—841(T)
Lea, R. M. (see Fowler, W. B.)—832(L)
Leachman, R. B. Energy released in fission—1079(T)
—— (see Schmitt, H. W.)—1091(A)
Leavitt, C. P. (see Shapiro, A. M.)—1073(L)
—— (see Smith, L. W.)—851(A)
—— (see Widgoff, M.)—851(A)
LeBlanc, J. M. (see Cork, J. M.)—119; 367
Lederman, L. M. (see Cornelius, R. C.)—1584(L)
Lee, J. C. (see Jain, P. L.)—844(A)
Lee, Milford E. (see Katz, Robert)—848(A)
Lee, Po and G. L. Weissler. Characteristics of certain photographic plates in vacuum ultraviolet—545(A)
—— **and G. L. Weissler.** Further results on Ne and A absorption in extreme uv—533(A)
Lee, Tsung-Dao and David Pines. Interaction of non-relativistic particle with scalar field with application to slow electrons in polar crystals—883
Lehovec, Kurt. Energy of trapped electrons in ionic solids—253
Leighton, Robert B. Recent experimental evidence concerning V^0 particles—536(T)
—— **and W. L. Alford.** Mean lifetime of V^0 particles—540(A)
—— (see Anderson, C. D.)—1089(A)
—— (see Cowan, E. W.)—1089(A)
Lemonick, Aaron (see Hamilton, Donald R.)—1191
Leonard, Stanley L. Pion production at 180° by protons on C—538(A)
—— **and Donald H. Stork.** Total cross section for positive pions in hydrogen—855(A)
Leprince-Ringuet, L. and B. Rossi. Summary of K-meson data—722
Lerohl, John K., M. L. Pool, D. N. Kundu, and R. A. House. Tc of mass number 98—934
Levin, J. S., D. J. Hughes, and W. Y. Kato. Determination of level parameters for low-energy neutron resonances—851(A)
—— (see Hughes, D. J.)—851(A); 1094(A)
Levin, S. B. (see Keck, P. H.)—847(A)
Levy, H. A. (see Peterson, S. W.)—1082(A)
Levy, John L. Sensitive Hall measurements on NaCl and on photoconductive PbTe—215
Lew, Hin (see Brix, P.)—647
—— (see Wessel, Günter)—641
Lewis, H. W. Search for Hall effect in a superconductor. I. Experiment—1149
Lewis, W. B. Experience with the *NRX* reactor—854(T)
Li, C. W. γ rays from $N^{14}(p,\gamma)O^{15}$—1084(A)
—— (see Webb, T. S.)—1084(A)
Liberman, D. A. and R. F. Christy. Reactions and scattering of protons on Li^7—1085(A)
Libowitz, G. (see Sproull, R. L.)—77
Lieberman, R. (see Keck, P. H.)—847(A)
Lien, J. R., J. Marcou, J. C. Ulwick, D. R. McMorrow, L. B. Linford, and O. C. Haycock. Bifurcation of E region—508(L)
—— (see Linford, L. B.)—1093(A)
Liepmann, H. W. Effect of turbulence on linear systems—527(T)
Liller, William and F. L. Whipple. High-altitude winds by meteor-train photography—1093(T)
Lindenbaum, S. J. and Luke C. L. Yuan. Interaction cross section of H and heavier elements for 450-Mev negative pions and 340-Mev positive pions—1578(L)
Lindorff, D. P. (see Friedland, S. S.)—1080(A)
Linford, L. B., O. C. Haycock, J. I. Swigart, C. L. Alley, C. D. Westlund, and J. R. Lien. Ion density in E layer by use of sounding rocket—1093(A)
—— (see Lien, J. R.)—508(L)
Linlor, W. I. and B. Ragent. Neutron total cross section for Bi and U between 45 and 160 Mev—835(L)
Litz, L. M., S. A. Ring, and W. R. Balkwell. 1.25-min Rb^{82m} daughter of 27-day Sr^{82}—288
Livingston, Ralph, Ben M. Benjamin, J. T. Cox, and Walter Gordy. Nuclear spin and quadrupole moment of I^{131}—1271
Lloyd, J. P. and G. E. Pake. Spin-lattice relaxation and residual width of highly exchange-narrowed paramagnetic resonances—1576(L)
Lockwood, John A. (see Woods, Frank R.)—853(A)

Loebner, E. E. Time-dependent spectra of electroluminescent ZnS—846(A)
Lomont, J. S. Reformulation of solid-state electronic Boltzmann equation—1082(A)
—— Treatment of defect relaxation time of conduction electrons in crystals by tight binding approximation—532(A)
Lord, J. J. (see Fleming, John R.)—511(L); 1089(A)
Lord, Norman W. Nucleation of ordered phases in Cu_3Au—844(A)
Love, L. O. (see Bell, W. A., Jr.)—1096(A)
Love, W. F. Superconductivity in Sn-Bi and Sn-Sb alloys—238
Lynton, E. A. (see Serin, B.)—566
Lyon, W. S. (see Kahn, Bernd)—902

MacDonald, A. (see Keck, P. H.)—847(A)
MacDonald, D. K. C. and W. B. Pearson. Thermoelectricity in metals at low temperatures—844(A)
—— (see Preston-Thomas H.)—844(A)
Macdonald, J. Ross. Theory of ac space-charge polarization effects in photoconductors, semiconductors, and electrolytes—4
Macke, Wilhelm. Single-time Bethe-Salpeter equation—1072(L)
MacKenzie, K. R. (see Howe, H. A.)—530(A)
Mackin, Robert J., Jr. γ rays and internal pairs from Be^9+H^1—1084(A)
—— γ rays from $C^{12}+D^2$—529(A)
Madey, Richard, Kenneth C. Bandtel, and Wilson J. Frank. Rf fine structure of photon beam from Berkeley synchroton—537(A)
—— (see Frank, Wilson J.)—537(A)
Mador, Irving L. (see Markham, Jordan J.)—597
Mahmoud, H. M. (see Konopinski, E. J.)—1045
Malenka, B. J. Theory of high-energy deuteron pick-up—516(L)
Malich, C. W. and C. E. Faneuff. γ radiation from neutron excitation of Zr and Hf—1095(A)
Malm, R. and D. R. Inglis. Energy levels of Be^8—1326(L)
Mandel, M. (see Honig, A.)—901
Mandeville, C. E. (see Rothman, M. A.)—1097(A)
—— (see Saraf, B. L.)—848(A)
Mann, Glen A. and R. D. Spence. Rotation of microwave polarization in liquid crystals in transverse magnetic field—844(A)
Mann, L. G., W. E. Meyerhof, and H. I. West, Jr. Decay of Ga^{66}—1481
—— (see Meyerhof, W. E.)—540(A); 758
Manring, Edward (see Ting, Yu)—1582(L)
March, N. H. Exchange potential in electron gas at nonzero temperature—510(L)
—— Virial theorem for Dirac's equation—481
Marcou, J. (see Lien, J. R.)—508(L)
Mark, Hans and Clark Goodman. Angular distribution of neutrons from $O^{18}(p,n)F^{18}$—1097(A)
Markham, Jordan J., Reuel T. Platt, Jr., and Irving L. Mador. Bleaching properties of F centers in KBr at 5°K—597
—— (see Platt, Reuel T., Jr.)—40
Marmier, P. E. (see DuMond, J. W. M.)—202(L)
Marquez, Luis. Disintegration of Ca^{47}, Sc^{47}, Va^{48}, and Rh^{100}—1511
Marshall, J., L. Marshall, and V. A. Nedzel. Differential p-p elastic scattering cross section at 144, 271, and 429 Mev—834(L)
Marshall, J. F. Theory of secondary emission—843(T)
Marshall, L. (see Marshall, J.)—834(L)
Martin, E. E. (see Barbour, J. P.)—45
Martin, H. C., B. C. Diven, and R. F. Taschek. Cross sections for production of In^{115m} and Au^{197m} by inelastic scattering of neutrons—1096(A)
Martin, R. (see Fermi, E.)—161
Martinelli, E. A. (see Mather, J. W.)—780
Maryott, A. A. (see Birnbaum, G.)—270
Mather, J. W. and E. A. Martinelli. Production of neutral mesons by 340-Mev protons on H—780
Matheson, M. (see Avery, E.)—1080(A)
Matland, C. G. Quenching of Hg resonance radiation (2537A) by N_2—637
Matossi, Frank. Interpretation of some electroluminescent effects—846(A)
Matthias, B. T. Transition temperatures of superconductors—874
Maxwell, Louis R. and Stanley J. Pickart. Magnetization in Ni ferrite-aluminates and Ni ferrite-gallates—1120
McAfee, K. B. and K. G. McKay. Measurement of charge multiplication in Ge and Si p-n junctions—858(A)
McCarthy, J. T. Applications of Wigner semi-empirical mass formula to isobars—848(A)
McCarty, Robert J. Critical conditions for ice formation on silver iodide nuclei—1080(A)
McClelland, Clyde. Excitation of heavy nuclei by electric field of low-energy protons—1092(T)
McDaniel, Boyce D. (see Weil, John W.)—391
McDonald, K. (see Elsasser, W. M.)—1081(A)
McGowan, F. K. Internal conversion electron-γ directional angular correlation of Bi^{207}—524(L)
—— **and E. C. Campbell.** Internal conversion and directional angular correlation of Bi^{207}-γ's—523(L)
—— (see Klema, E. D.)—1469
McGruer, J. N. (see Rhodes, K. B.)—1328(L)
McIntyre, J. A. (see Hofstadter, R.)—978
McKay, K. G. (see McAfee, K. B.)—858(A)
McKeown, Michael (see Scharff-Goldhaber, Gertrude)—356; 1094(A)
McManus, H. (see Austern, N.)—350
McMillan, W. G. Nuclear stability curve—210(L)
McMorrow, D. R. (see Lien, J. R.)—508(L)
Mech, Joseph (see Diamond, Herbert)—1490
Meechan, C. J. (see Dixon, C. E.)—530(A)
Megill, L. R. and C. R. Emigh. Long-lived phosphorescent components of Tl-activated NaI—1081(A)
Meissner, K. W. and W. F. Miller. Influence of irradiation on characteristic of glow discharge in pure rare gases—896
Melkonian, E., W. W. Havens, Jr., and L. J. Rainwater. Slow neutron velocity spectrometer studies. V. Re, Ta, Ru, Cr, Ga—702
Messiah, A. M. L. (see Horowitz, J.)—1326(L)
Metzger, F. R. and W. B. Todd. Angular correlation of γ rays from Mn^{56}—904
Mewherter, Anita C. (see Douglas, David L.)—369; 1095(A)
Meyer, H. (see Fretter, W. B.)—1584(L)
Meyerhof, W. E., L. G. Mann, and H. I. West, Jr. Decay of Ga^{67}—540(A); 758
—— (see Mann, L. G.)—1481
Middleton, A. E. and W. W. Scanlon. Measurement of thermoelectric power of Ge at temperatures above 78°K—219
Mileikowsky, Curt and Ward Whaling. Q values of $Ne^{21}(d,\alpha)F^{19}$ and $Ne^{21}(d,p)Ne^{22}$—528(A)
Miller, Charles E., Joseph E. Henderson, David S. Potter, William R. Davis, Wayne M. Sandstrom, Gerald R. Garrison, and Francis M. Charbonnier. Search for highly-absorbable negative cosmic-ray particles at sea level—406
Miller, D. (see Barnes, S. W.)—1327(L)
Miller, D. W. (see Rasmussen, V. K.)—852(A)
Miller, R. H. and R. Sherr. K capture in Na^{22}—848(A)
Miller, S. C., Jr., and R. H. Good, Jr. Periodic deviations in Schottky effect—1367
Miller, W. F. (see Meissner, K. W.)—896
Milne, Edmund A. Elastic scattering of protons by C^{12} and C^{13}—528(A)
—— Energy levels in N^{14} from scattering of protons by C^{13}—1085(A)

Minkkinen, C. O. (see Terrell, James)—1091(A)
Moak, C. D. H^3+He^3 reactions—383
Morewitz, H. A. and M. H. Shamos. Variation of ratio of positive to negative cosmic-ray μ mesons with momentum and altitude—134
Morrison, H. L. (see Plain, G. J.)—529(A)
Morrow, J. C. λ temperatures of dilute He^3-He^4 solutions—1
Moses, H. A. (see Jain, P. L.) —844(A)
Moses, Harry E. Formulation of Kohn-Hulthén variational principle in terms of scattering operator formalism—817
Motz, H. and L. I. Schiff. Čerenkov radiation in dispersive medium—540(A)
Moyer, Burton J. (see Ball, W. P.)—539(A)
—— (see Bratenahl, A.)—538(A)
—— (see Crandall, Walter E.)—749
—— (see Frank, Wilson J.)—537(A)
Moyer, James W. (see Ruth, Ralph P.)—846(A)
Mrozowski, S. Zone structure of graphite—1320(L)
Muehlhause, C. O. (see Bollinger, L. M.)—1528
Mueller, E. W. New methods of field-emission microscopy—854(T)
Muller, F. (see Fretter, W. B.)—1584(L)
Mullin, Charles J. Solution of wave equation near extremum of potential—1323(L)
Murakawa, Kiyoshi and Tohru Kamei. Hfs of spectra of Dy, Co, V, Mn, and La—325
Murray, J. J. (see DuMond, J. W. M.)—202(L)
Myers, V. W. (see Carter, R. S.)—716

Nagle, Darragh E. (see Fermi, E.)—161
—— (see Hildebrand, Roger H.)—517(L)
Nathans, R. and J. Halpern. Excitation function for photodisintegration of Be—940
—— **and J. Halpern.** Systematics of photoneutron reactions—207(L)
Naugle, J. E. and P. S. Freier. Emulsion study of large shower. II. Soft component—1086(A)
—— (see Freier, P. S.)—1086(A)
Neal, R. B. Electron bunching in disk-loaded circular wave guide—541(A)
Neamtan, S. M. Čerenkov effect and dielectric constant—1362
Nedzel, V. A. (see Marshall, J.)—834(L)
Neilson, G. C., D. B. James, and C. A. Barnes. Angular distributions of long-range α particles from $N^{15}(p,\alpha)C^{12}$—1084(A)
Nelson, D. (see Barnes, S. W.)—1327(L)
Nelson, W. (see Krogstad, R.)—1394
Nester, W. H. (see Cork, J. M.)—119; 367
Neuman, Maurice. Green's function method for strongly interacting particles—1021
Newman, Ezra (see Bergmann, Peter G.)—856(A)
Newnham, R. E. (see Shirane, G.)—845(A)
Nicol, James and T. P. Tseng. Thermal conductivity of Cu between 0.25°K and 4.2°K—1062(L)
Nilsson, S. G. (see Lauritsen, T.)—1502
Noon, J. H., M. F. Kaplon, and D. M. Ritson. Production of fast Li, Be, B fragments from interactions of primary cosmic-ray nuclei—1585(L)
—— (see Kaplon, M. F.)—855(A)
Normand, C. E. (see Bell, W. A., Jr.)—1096(A)
Norrish, R. G. W. Ignition reactions by flash photolysis—527(T)
Northrop, J. A. and J. E. Brolley, Jr. Energy distribution of slowed fission fragments—1091(A)
Norwood, John M. (see Brown, S. Leroy)—534(A)
Nussbaum, R. H., R. van Lieshout, and A. H. Wapstra. Low-lying many-particle levels in odd-mass nuclides with 21, 23, 25, or 27 protons or neutrons—207(L)

Odencrantz, F. K. (see Rogers, Marguerite)—530(A)
Ogawa, S. (see Kojima, S.)—1572(L)
Olbert, S. Atmospheric effects on cosmic-ray intensity near sea level—454
Oleson, N. L. Probe measurements in A discharge containing running striations—848(A)
Oliver, Albert J. Variation of moisture content in nuclear track emulsion—538(A)
Olson, Elmer L. (see Handley, Thomas H.)—1260
Olson, Keith W. Variations in decay of phosphorescence with frequency of applied electric field—1323(L)
Oltman, H. George. Focusing of short electromagnetic waves by means of Fresnel half-period zone plate—1093(A)
O'Neill, G. K. Fast-neutron spectrometer using $T(d,n)\alpha$ reaction—853(A)
Ōno, Kazuo, Hidetarō Abe, and Junji Shimada. Exchange coupling in $CuK_2Cl_4\cdot 2H_2O$ by paramagnetic resonance absorption—551
Orear, Jay. Elastic scattering of 118-Mev negative pions by H—156
Osborne, M. F. M. and M. C. Steele. Magnetic properties of electronic Einstein model solid—1403
Overhauser, Albert W. Annealing effects in irradiated Cu—530(A)
—— Polarization of nuclei in metals—411
Oxley, C. L. Double scattering of protons—852(T)
—— (see Cartwright, W. F.)—852(A)

Page, L. A. (see Gunst, S. B.)—970
Pake, G. E. (see Lloyd, J. P.)—1577(L)
Pal, Yash (see Lal, D.)—438
Palevsky, H. and D. J. Hughes. Magnetic inelastic scattering of slow neutrons—202(L)
—— (see Carter, R. S.)—716
—— (see Hughes, D. J.)—1206
Papas, Charles H. Diffraction by ionized trail—542(A)
Parker, George W. (see Hardy, W. A.)—1533
Parker, James H. Secondary electron emission coefficient for low-energy positive ion bombardment of discharge-conditioned surfaces—536(A)
Parker, Lee W. and John R. Holmes. New fine structure in oxygen O I—532(A)
Parzen, George (see Wainwright, Thomas)—1129
Pattee, Howard H., Jr. Scanning x-ray microscope—541(A)
Patterson, C., H. Brown, G. Tilton, and M. Inghram. Concentration of U and Pb and isotopic composition of Pb in meteoritic material—1234
Paul, E. B. (see Gove, H. E.)—852(A)
Pearlstein, Edgar A. Change of electrical conductivity of NaCl upon bombardment with high energy protons—881
Pearson, G. L. (see Suhl, H.)—858(A)
Pearson, W. B. (see MacDonald, D. K. C.)—844(A)
Peaslee, D. C. and V. L. Telegdi. Charge independence in (γ,n) and (γ,l) reactions—126
—— (see Davidson, J. P.)—1585(L)
Pepinsky, Ray (see Jona, F.)—845(A); 1578(L)
—— (see Shirane, Gen)—504(L); 845(A)
Perkins, J. F. and S. K. Haynes. Electron and positron spectrum of Zn^{65} above 5 kev—1096(A)
—— **and S. K. Haynes.** *K*-Auger electrons, positrons, and conversion electrons of Zn^{65} above 5 kev—687
Perlman, I. (see Asaro, Frank)—694; 1496
Perlman, M. L., W. Bernstein, and R. B. Schwartz. Decay scheme of Ag^{108}—1236
Perry, J. P. (see Angell, C. E.)—835(L)
—— (see Barnes, S. W.)—1327(L)
Peters, B. (see Lal, D.)—438
Peterson, John W. Influence of electric field in contact charging—535(A)
Peterson, R. W., W. A. Fowler, and C. C. Lauritsen. Angular distributions of $F^{19}(p,\alpha)O^{16}$—1085(A)
Peterson, S. W. and H. A. Levy. Single-crystal neutron diffraction study of heavy ice—1082(A)

Peterson, V. Z. (see Bacher, R. F.)—1090(A)
—— (see Walker, R. L.)—1090(A)
Pettit, Helen B. (see Roach, F. E.)—534(A)
Peyrou, C. (see Fretter, W. B.)—1584(L)
Pickart, Stanley, J. (see Maxwell, Louis R.)—1120
Pidd, R. W., C. L. Hammer, and E. C. Raka. High-energy electron scattering by nuclei—436
Pines, David. Collective description of electron interactions: IV. Electron interaction in metals—626
—— (see Bohm, David)—609
—— (see Ferentz, M.)—836(L)
—— (see Lee, Tsung-Dao)—883
Piper, William W. Electrical and optical properties of synthetic single crystals of ZnS—23
—— Electroluminescence—841(T)
—— **and W. L. Roth.** Perfect crystals of ZnS—503(L)
Pipkin, Francis M. (see Hamilton, Donald R.)—1191
Pitkanen, Paul H. Effect of cloud-chamber geometry on β-ray studies—530(A)
—— (see Plain, G. J.)—529(A)
Pixley, R. E. (see Dunbar, D. N. F.)—649
Plain, G. J., H. L. Morrison, P. H. Pitkanen, and F. T. Rogers, Jr. β spectrum of S^{35} from $C_2H_5S^{35}H$ below 33 kev—529(A)
—— (see Rogers, Marguerite)—530(A)
Platt, Reuel T., Jr., and Jordan J. Markham. Production of F', M, and R centers in NaCl at room temperature—40
—— (see Markham, Jordan J.)—597
Platzman, R. L. (see Fröhlich, H.)—1152
Plesset, M. S. Cavitation and boiling—527(T)
Plyler, Earle K. (see Benedict, W. S.)—533(A)
Pool, M. L. (see Lerohl, John K.)—934
Pope, N. K. (see Henshaw, D. G.)—1229
Porter, G. Quantitative spectroscopic investigations of rapid gaseous reactions—527(T)
Portis, A. M. (see Kip, A. F.)—544(A)
Potter, David S. (see Miller, Charles E.)—406
Pound, R. V. (see Abragam, A.)—943
—— (see Kraushaar, J. J.)—522(L)
Powell, Wilson M. (see Ford, Franklin C.)—537(A)
Prater, W. K. (see Bell, W. A., Jr.)—1096(A)
Pratt, George W., Jr. Eigenfunctions of S^2 by spin operator method—278
Preston-Thomas, H., T. M. Dauphinee, and D. K. C. MacDonald. Measurement of specific heats of alkali metals—844(A)
Prestwood, R. J. (see Bunker, M. E.)—1588(E)
Price, E. W. Geometrical relations for solid propellant charges for rocket motors—542(A)
Primak, W., L. H. Fuchs, and P. Day. Radiation damage in insulators—1064(L)
Primakoff, H. (see Cheston, W.)—1538
Prince, M. B. Drift mobilities in semiconductors. I. Ge—681
Pringle, R. W., L. D. Black, B. L. Funt, and S. Sobering. New quenching effect in liquid scintillators—1582(L)
Prowse, D. J. (see Freemantle, R. G.)—1268
Pruitt, J. S., C. D. Swartz, and S. S. Hanna. Energies and angular distributions of neutrons from $Be^9(d,n)B^{10}$—1456
Pryce, M. H. L. (see Alburger, D. E.)—514(L)
Purcell, E. M. (see Smith, S. J.)—1069(L)

Quinnell, E. H. (see Clement, J. R.)—258

Ragent, B. (see Linlor, W. I.)—835(L)
Rainwater, L. J. (see Fitch, Val L.)—789
—— (see Melkonian, E.)—702
Raka, E. C. (see Pidd, R. W.)—436
Ramm, W. J., and M. N. Stein. Spectral distributions of filtered x-ray beams—1081(A)
Rasmussen, V. K., D. W. Miller, B. M. Carmichael, and M. B. Sampson. Preliminary results with Indiana heavy particle spectrometer—852(A)
Ravenhall, D. G. (see Yennie, D. R.)—1325(L)
Reagan, Daryl. Reaction $C^{12}(\gamma,3p)Li^9$—651
Rediker, R. H. (see Thompson, R. W.)—209(L)
Reed, George W. and Anthony Turkevich. U^{235} thermal neutron fission yields—1473
Reekie, James and T. S. Hutchison. Structure of liquid He—827(L)
Reeves, Marvin L. (see Geballe, Ronald)—867
Regener, Victor H. Automatic recording of zodiacal light—1093(A)
—— (see Kenney, James F.)—1090(A)
Reid, Walter P. Distribution of sizes of spheres in solid from study of slices of solid—1082(A)
Reines, Frederick. Experiment to detect free neutrino—1088(T)
—— **and C. L. Cowan, Jr.** Detection of free neutrino—830(L)
—— (see Anderson, E. C.)—1088(A)
—— (see Brousseau, A.)—1088(A)
—— (see Harrison, F. B.)—1088(A)
—— (see Hayes, F. N.)—1088(A)
—— (see Schuch, R. L.)—1088(A)
Rekers, R. G. and D. S. Villars. Flame zone spectroscopy of solid propellants—534(A)
Remley, M. E. and D. C. Woods. Low-power water-boiler type reactor for research use—544(A)
Rense, Wm. A. Intensity of Lyman-α line in solar spectrum—850(A)
Reynolds, H. K., D. N. F. Dunbar, W. A. Wenzel, and W. Whaling. Energy loss of low-energy protons and deuterons in gases—528(A)
——, **D. N. F. Dunbar, W. A. Wenzel, and W. Whaling.** Stopping cross section of gases for protons, 30–600 kev—742
—— (see Dunbar, D. N. F.)—528(A)
Rhoads, H. U. (see Bryant, P. J.)—1083(A)
Rhodes, K. B. and J. N. McGruer. Energy levels of Be^{10}—1328(L)
Rich, J. Čerenkov radiation—841(T)
Richardson, John M. Theory of liquid He—849(A)
Richardson, Robert E. (see Ball, W. P.)—539(A)
Rinehart, M. C. (see Cornelius, R. C.)—1584(L)
Ring, J. (see Barnes, S. W.)—1327(L)
—— (see Cartwright, W. F.)—852(A)
Ring, S. A. (see Litz, L. M.)—288
Ritson, D. M. (see Kaplon, M. F.)—855(A)
—— (see Klose, J. Z.)—855(A)
—— (see Noon, J. H.)—1586(L)
Roach, F. E., Helen B. Pettit, D. R. Williams, and P. St. Amand. Height of upper atmosphere emissions by Van Rhŷn method—534(A)
Rodeback, G. W. (see Bowen, D. B.)—531(A)
Roderick, Hilliard and Calvin Wong. Total disintegration energy of P^{29}—204(L)
Rogers, Betty (see Hayes, F. N.)—512(L)
Rogers, F. T., Jr. Variational approach to theory for critical stability of fluid—535(A)
—— (see Plain, G. J.)—529(A)
Rogers, K. (see Cornelius, R. C.)—1584(L)
Rogers, Marguerite, F. K. Odencrantz, and G. J. Plain. Thin target studies of $B^{10}(\alpha,n)N^{13}$, N^{13*}—530(A)
Rogosa, George L. and Guenter Schwarz. Mo K and U L x-ray transitions from separated isotopes—1434
—— (see Schwarz, Guenter)—88
Rose, A. and R. W. Smith. Space-charge-limited currents in insulators—857(A)
—— (see Shulman, Carl)—857(A)
—— (see Smith, R. W.)—857(A)
Rosen, Louis (see Frye, Glenn M.)—1083(A)
Rosenfeld, A. H. and S. B. Treiman. Search for V particles produced by 430-Mev protons—727
Rosenwasser, H. (see De Juren, J.)—544(A)

Ross, Marc. Tamm-Dancoff theory of pion photoproduction —855(A)
Rossi, B. (see Bassi, P.)—441
—— (see Leprince-Ringuet, L.)—722
Rotblat, J. (see Burcham, W. E.)—1266
—— (see Freemantle, R. G.)—1268
Roth, Benjamin. Two-body scattering at low energy—1250
Roth, W. L. (see Piper, William W.)—503(L)
Rothman, M. A., D. W. Kent, and C. E. Mandeville. Scattering of fast neutrons by Fe, Pb, and Cr—1097(A)
Rouvina, J. (see Cartwright, W. F.)—852(A)
Ruby, Lawrence (see Hubbard, Edward L.)—1494
Ruderman, M. A. (see Henley, E. M.)—1036
Runge, Richard J. Procedure for evaluation of automatic zodiacal light recordings—1093(A)
Ruth, Ralph P. and James W. Moyer. Efficiency of conversion from light to electric power by Ge grown junction—846(A)

Saffren, M. M. and J. C. Slater. Augmented plane-wave method for periodic potential problem—1126
Sagane, Ryokichi. π^+/π^- ratios measured with use of spiral orbit spectrometer—539(A)
—— **and Walter Dudziak.** Dependence of 33-Mev π^+ production cross section on atomic number—212(L)
Sailor, V. L. (see Footç, H. L., Jr.)—656
Sampson, M. B. (see Rasmussen, V. K.)—852(A)
—— (see Steigert, F. E.)—660
Sanders, F. H. Interference of underwater sound caused by surface reflection and upward refraction—1087(A)
Sandstrom, Wayne M. (see Miller, Charles E.)—406
Sarabhai, V. and R. P. Kane. Effects of geomagnetic field on solar cosmic rays—415
Saraf, B. L., J. Varma, and C. E. Mandeville. Radiations from As^{77} and Ge^{71}—848(A)
Sargent, C. P. (see Cornelius, R. C.)—1584(L)
Scanlon, Wayne W. Interpretation of Hall effect and resistivity data in PbS and similar binary compound semiconductors—1573(L)
—— (see Middleton, A. E.)—219
Schaaf, S. A. (see Chiang, S. F.)—535(A)
Schafroth, M. R. Spin-wave theory of antiferromagnetism for simple cubic lattices—553
Schardt, A. W. (see Welker, Joan P.)—401
Scharff-Goldhaber, Gertrude and Michael McKeown. Disintegration scheme of Br^{80} (18 min)—356
—— **and Michael McKeown.** New first excited state of even-even nucleus Kr^{80}—1094(A)
Schiff, L. I. Interpretation of electron scattering experiments —988
—— Lattice-space quantization of nonlinear field theory—766
—— (see Motz, H.)—540(A)
Schilberg, Lloyd E. and A. B. C. Anderson. Dependence of jet-tone eigenfrequencies on aerodynamic and geometrical parameters involved—543(A)
Schild, A. New modification of classical electromagnetic theory—1009
Schlegel, Richard. Inertia as consequence of wave properties —856(A)
Schmid, L. A. Calculation of cohesive energy of diamond—1373
Schmitt, H. W. and R. B. Leachman. Velocity distributions of slowed fission fragments—1091(A)
Schrader, Carlton D. Angular correlation of cascade γ rays from decay of Au^{198}—928
Schuch, R. L., E. C. Anderson, C. L. Cowan, Jr., F. B. Harrison, F. N. Hayes, and F. Reines. Liquid scintillation detectors to accommodate human subjects—1088(A)
Schuman, Robert P. (see Douglas, David L.)—369; 1095(A)
Schwager, J. E. and L. A. Cox. Magnetic analysis of $V^{51}(d,p)V^{52}$—102
Schwartz, R. B. (see Perlman, M. L.)—1236
—— (see Wheeler, G. W.)—121
Schwarz, Guenter and George L. Rogosa. Electronic excitation of L_{III} state of 5*d* elements—88
—— (see Rogosa, George L.)—1434
Schwinger, Julian. Theory of quantized fields —1283
Sclar, N., E. Burstein, and J. W. Davisson. Theory of low-temperature "breakdown" effect in Ge—858(A)
Scott, W. E. (see Terrell, James)—1091(A)
Seaborg, Glenn T. Evidence for subshell at $Z=96$—1074(L)
—— (see Dunlavey, Dean C.)—206(L)
Seagondollar, L. W. (see Krone, R. W.)—935
Seagrave, John D. Elastic scattering of fast neutrons by He^4 —1222
—— Scattering of fast neutrons by He^4—1093(A)
Seale, Robert L. Neutron spectrum from $O^{18}(d,n)F^{19}$—389
Seeman, Nathan (see King, D. T.)—838(L)
Seitz, F. Darkening of crystals of Ag halides by light—851(T)
Selove, W. Nuclear configurations inferred from high-energy pickup-deuteron distributions—1328(L)
—— Resonant effects and spin-dependence in potential scattering of slow neutrons—941
——, **K. Strauch, and F. Titus.** Neutron-proton scattering near 180° at 93 Mev—724
Sen, Hari K. Non-Maxwellian distribution in shock front and anomaly of chromospheric temperature—861
Serin, B., J. Gittleman, and E. A. Lynton. Transition into intermediate state of hollow superconducting cylinders—566
Sessler, A. M. and H. M. Foley. Relativistic correction to ground state energy of He—1321(L)
—— **and H. M. Foley.** Spin-spin interaction of electrons and ionization energy of He—1321(L)
Severiens, J. C. and C. S. Fuller. Mobility of impurity ions in Ge and Si—1322(L)
Shamos, M. H. (see Morewitz, H. A.)—134
Shapiro, A. M., C. P. Leavitt, and F. F. Chen. Total π^--*p* cross section at 840 and 470 Mev—1073(L)
—— (see Smith, L. W.)—851(A)
—— (see Widgoff, M.)—851(A)
Shapiro, Maurice M. (see King, D. T.)—838(L)
—— (see Stiller, Bertram)—735
Shephard, W. D. (see Fowler, W. B.)—832(L)
Sherr, R. (see Miller, R. H.)—848(A)
Shimada, Junji (see Ōno, Kazuo)—551
Shimauchi, A. (see Kojima, S.)—1572(L)
Shirane, Gen, R. E. Newnham, and R. Pepinsky. Phase transitions in $NaNbO_3$–$KNbO_3$ system—845(A)
—— **and Ray Pepinsky.** Dielectric properties and phase transitions of $Cd_2Nb_2O_7$ and $Pb_2Nb_2O_7$—504(L)
Shockley, William (see Tessman, Jack R.)—890
Shook, G. B. Propellant burning rate calculations—542(A)
Shrader, Ross E. (see Bube, Richard H.)—1135
Shulman, Carl, R. W. Smith, and A. Rose. Noise observations on CdS crystal photoconductors—857(A)
Shutt, R. P. (see Fowler, W. B.)—832(L)
Siegel, Armand (see Wiener, Norbert)—856(A)
Silverman, A. (see DeWire, J. W.)—519(L); 520(L)
Silverman, S. Infrared emission studies of some equilibrium and nonequilibrium flame reactions—527(T)
Silvey, G. (see Hardy, W. A.)—1533
Simon, Albert. Theory of polarized particles and γ rays in nuclear reactions—1050
Sirvetz, M. H. (see Kikuchi, C.)—109
Sites, John R., George Consolazio, and Russell Baldock. Isotopic abundances of Pd—1096(A)
Sitte, Kurt. Origin and propagation of air showers—1086(T)
Skillman, W. A. (see Cartwright, W. F.)—852(A)
Slater, J. C. Augmented plane wave method for periodic potential problem—603
—— (see Saffren, M. M.)—1126
Slichter, C. P. (see Carver, T. R.)—212(L)
Sloope, Billy W. (see Garrett, Richard E.)—1508

Smaller, Bernard and Eugene Avery. Luminescence studies of KI-TlI—232
—— (see Yasaitis, E. L.)—1068(L)
Smit, J. and J. Volger. Spontaneous Hall effect in ferromagnetics—1576(L)
Smith, Bernard and Henry A. Boorse. He II film transport rates over machined metal surfaces—505(L)
Smith, J. E. (see Blau, M.)—516(L)
Smith, L. P. Present status of the electronic properties of AgCl—851(T)
Smith, L. W., C. P. Leavitt, A. M. Shapiro, C. E. Swartz, and M. Widgoff. Interactions of 2.2-Bev protons in nuclear emulsions—851(A)
—— (see Widgoff, M.)—851(A)
Smith, R. W. and A. Rose. Current-voltage characteristics of CdS crystals using ohmic contacts—857(A)
—— (see Rose, A.)—857(A)
—— (see Shulman, Carl)—857(A)
Smith, S. J. and E. M. Purcell. Visible light from localized surface charges moving across grating—1069(L)
Snodgrass, H. R. Ionization of relativistic cosmic-ray μ mesons—1089(A)
Snowdon, S. C. (see Whitehead, W. D.)—114; 1097(A)
Sobering, S. (see Pringle, R. W.)—1583(L)
Solbrig, A. W., Jr. Effects of certain three-body nuclear interactions in H^3 and He^3—855(A)
Soled, J. (see Keck, P. H.)—847(A)
Solmitz, F. T. p-p scattering for nucleon isobar model—164
Sommers, H. S., Jr., W. E. Keller, and J. G. Dash. Heat of mixing of He^3 in He^4—1345
Spence, R. D. (see Jain, P. L.)—844(A)
—— (see Mann, Glen A.)—844(A)
Spence, R. W. Fission with moderate energy neutrons—1079(T)
Sperduto, A. (see Bockelman, C. K.)—665
Sprague, G. and D. H. Tomboulian. Quadrupole moments of Sb^{121} and Sb^{123}—105
Sproull, R. L., R. S. Bever, and G. Libowitz. Oxygen vacancies in BaO—77
Stähelin, P. 0^+ states of light odd-odd nuclei—1076(L)
St. Amand, Pierre and D. R. Williams. Possible relationship between ionosphere and nightglow—534(A)
—— (see Roach, F. E.)—534(A)
—— (see Williams, D. R.)—533(A)
Stapp, H. P. Second-order electron self-energy—540(A)
Starner, J. W. (see Bunker, M. E.)—1587(E)
Steele, M. C. and R. A. Hein. Superconductivity of Ti—243
—— (see Osborne, M. F. M.)—1403
Steffen, Rolf M. Indications of the interaction of electric field gradients and nuclear electric quadrupole moments in angular correlation—849(A)
—— (see Hemmig, P. B.)—832(L)
Steigert, F. E. and M. B. Sampson. α-α scattering from 12.88 to 21.62 Mev—660
Stein, M. N. (see Ramm, W. J.)—1081(A)
Stephens, Frank, Jr. (see Asaro, Frank)—1492
Stephens, W. E. (see Toms, M. E.)—362
Stephenson, S. T. (see Krogstad, R.)—1394
Sternberg, David. Electron ejection from metals by positive ions and metastable atoms of a few electron volts—847(T)
Sternheimer, R. M. and H. M. Foley. Nuclear quadrupole coupling in Li_2 molecule—1460
Stevens, D. K. and J. H. Crawford, Jr. Magnetic susceptibility of Ge—1065(L)
Stewart, Leona. Determination of neutron spectrum and absolute yield of Pu–Be source—1095(A)
Stewart, R. W. "Lloyd mirror" interference in presence of slight uniform refraction—1087(A)
—— (see Grant, H. L.)—1087(A)
Stiller, Bertram and Maurice M. Shapiro. Ionization loss at relativistic velocities in nuclear emulsion—735
Stitch, M. L. (see Honig, A.)—901
Stookey, S. D. Effects of high-energy radiation on glass—841(T)
Stork, Donald H. Total cross sections for positive pions—538(A)
—— (see Leonard, Stanley L.)—855(A)
Stout, J. W. and Edward Catalano. Thermal anomalies associated with antiferromagnetic ordering of FeF_2, CoF_2, and NiF_2—1575(L)
Strandberg, M. W. P. (see Hardy, W. A.)—1533
Strauch, K. (see Selove, W.)—724
Straumanis, M. E. Absolute value of Avogadro's number and soundness of crystals—1155
Strickler, Thomas D. Large-angle scattering of Co^{60} γ rays—923
Stuart, Alexander Verrijn and G. B. B. M. Sutherland. Effects of H bonding on infrared spectra of alcohols—534(A)
Stubbins, Warren F. (see Hubbard, Edward L.)—1494
Stull, J. L. and L. R. Bickford, Jr. Magnetostriction of magnetite—845(A)
Sugarman, Nathan and Agnes Haber. Interaction of negative pions with Hg—730
Suhl, H. and G. L. Pearson. Faraday rotation in Ge—858(A)
Sun, H. and G. L. Weissler. Absorption coefficients of NO and NH_3 in vacuum uv—545(A)
—— (see Weissler, G. L.)—533(A)
Sutherland, G. B. B. M. (see Stuart, Alexander Verrijn)—534(A)
Swartz, C. D. (see Pruitt, J. S.)—1456
Swartz, C. E. (see Smith, L. W.)—851(A)
—— (see Widgoff, M.)—851(A)
Swigart, J. I. (see Linford, L. B.)—1093(A)
Swings, P. Comets, carbon stars, and combustion phenomena—527(T)

Takeo, Makoto and Shang-Yi Ch'en. Theory of fine structure pressure broadening of spectral lines—850(A)
Tannenwald, L. M. Linearized theory of spherical wave decay—542(A)
Taschek, R. F. Light particles reactions—1092(T)
—— (see Martin, H. C.)—1096(A)
Taylor, A. E. Total cross sections for 169-Mev neutrons—1071(L)
Taylor, R. A. (see Howland, P. R.)—1095(A)
Taylor, T. B. Nuclear scattering of high-energy neutrons—831(L)
Teasdale, J. G. (see Bacher, R. F.)—1090(A)
—— (see Walker, R. L.)—1090(A)
Telegdi, Valentine L. (see Peaslee, D. C.)—126
—— (see Thirion, Jacques)—1253
Temmer, G. M. and J. M. Wyckoff. α-γ angular correlation in ionium (Th^{230})—913; 849(A)
—— (see Heydenburg, N. P.)—89
Tenney, F. H. and J. Tinlot. Positive π-meson interactions in Be—974
Terrell, James, W. E. Scott, J. S. Gilmore, and C. O. Minkinen. Yield of Mo^{99} from fission of U^{235} and U^{238}—1091(A)
Tessman, Jack R., A. H. Kahn, and William Shockley. Electronic polarizabilities of ions in crystals—890
Theobald, J. K. Evaluation of back diffusion for various standard gases as it affects secondary electron emission coefficients—535(A)
Theus, R. B. (see Beach, L. A.)—355
Thie, Joseph A. Semiclassical methods in meson processes—1282
Thirion, Jacques and Valentine L. Telegdi. Lifetime measurements for first excited states of O^{17} and B^{10} from recoil studies—1253
Thode, H. G. (see Fleming, W. H.)—378
Thomas, E. E. (see Calbick, C. J.)—1082(A)

—— (see Christensen, I. H.)—1082(A)
Thomas, L. H. (see Bakamijian, B.)—1300
Thomas, R. G. R-matrix formulation of statistical theory of nuclear reactions—1094(A)
Thomas, Roy. Cross section for production of penetrating cosmic-ray showers—1090(A)
Thompson, R. W., A. V. Buskirk, C. J. Karzmark, and R. H. Rediker. Example of a V^+ decay—209(L)
Thompson, S. G. (see Asaro, Frank)—694
Thompson, T. J. Effects of chemical structure on stopping powers for high-energy protons—1083(A)
Thorndike, A. M. (see Fowler, W. B.)—832(L)
Tilton, G. (see Patterson, C.)—1234
Timoshenko, G. S. (see Friedland, S. S.)—1080(A)
Ting, Yu, Edward Manring, and Dudley Williams. Zeeman splitting of nuclear quadrupole resonance lines—1581(L)
Tinlot, J. (see Tenney, F. H.)—974
Titus, F. (see Selove, W.)—724
Tobocman, W. (see Friedman, F. L.)—93
Todd, W. B. (see Metzger, F. R.)—904
Tollestrup, A. V., J. C. Keck, and R. M. Worlock. Angular distribution of positive photomesons from H: counter telescope method—1090(A)
—— (see Bacher, R. F.)—1090(A)
—— (see Woodbury, H. H.)—1199
Tomboulian, D. H. (see Sprague, G.)—105
Tomkins, Frank S. (see Fred, Mark)—1322(L)
Toms, M. E. and W. E. Stephens. Photoprotons from In, Ce, and Bi—362
Tonks, Lewi. Thermal test reactor at Knolls Atomic Power Laboratory—854(T)
Torrey, H. C. Nuclear spin relaxation by translation diffusion—962
Townes, C. H. (see Hardy, W. A.)—1533
—— (see White, R. L.)—1256
Townsend, John R. Solid state absorption spectra of Mg and MgO—556
Tracy, J. F. Scattering and absorption of π^+ mesons by Al—537(A)
Trammell, G. T. Magnetic scattering of neutrons from rare earth ions—1387
Trees, R. E. Hfs formulas for LS-coupling—308
—— (see Kessler, Karl G.)—303
Treiman, S. B. (see Rosenfeld, A. H.)—727
Trilling, G. H. (see van Lint, V. A. J.)—1089(A)
Trolan, J. K. (see Barbour, J. P.)—45
—— (see Dyke, W. P.)—541(A)
Truby, Frank K. Some electrical hysteresis properties of ice—543(A)
Trump, John G. (see Anson, John H.)—843(A)
—— (see Bourne, Henry C. Jr.)—847(A)
Tseng, T. P. (see Nicol, James)—1062(L)
Tsukada, K. (see Kojima, S.)—1572(L)
Turkevich, Anthony and Si Chang Fung. Radioactive Cu nuclides produced by slow negative pions and muons from Zn—521(L)
—— (see Reed, George W.)—1473

Ulwick, J. C. (see Lien, J. R.)—508(L)
Urbach, Franz. Fundamental approaches to problems of photographic sensitivity—851(T)
—— Long wavelength edge of photographic sensitivity and of electronic absorption of solids—1324(L)
Usiskin, S. R. (see Williams, G. W.)—1398

Valatin, J. G. Coupled-field Green's functions—522(L)
Vallarta, M. S. Evidence for general magnetic field of sun from cosmic rays—1086(T)
van der Ziel, A. Modified theory of production of secondary electrons in solids—35
—— Theory of secondary electron production for screened Coulomb interaction—843(T)
Van Horn, W. (see Keck, P. H.)—847(A)
van Lieshout, R. (see Nussbaum, R. H.)—207(L)
van Lint, V. A. J. and G. H. Trilling. Cloud-chamber observation of decay of τ meson—1089(A)
—— (see Anderson, C. D.)—1089(A)
—— (see Cowan, E. W.)—1089(A)
van Trier, A. (see Danos, M.)—828(L)
Van Vleck, J. H. (see Abragam, A.)—1448
Varma, J. (see Saraf, B. L.)—848(A)
Vilain, J. H. and R. W. Williams. Decay-electron spectrum of μ meson—1586(L)
Villars, D. S. (see Rekers, R. G.)—534(A)
Volger, J. (see Smit, J.)—1577(L)

Wada, W. W. Scattering of mesons by complex nuclei—152
Wainfan, N. and W. C. Walker. Preliminary results of direct measurements of photoionization in O_2—533(A)
—— (see Walker, W. C.)—533(A)
Wainwright, Thomas and George Parzen. Electronic energy bands in crystals—1129
Walker, R. L., J. G. Teasdale, and V. Z. Peterson. Photoproduction of positive mesons from H: magnetic spectrometer method—1090(A)
—— (see Bacher, R. F.)—1090(A)
Walker, W. C. and N. Wainfan. Photoelectric yield of Pt in vacuum uv—533(A)
—— (see Wainfan, N.)—533(A)
Walker, W. D. Recent work on penetrating showers—1086(T)
Walker, W. L. (see Klose, J. Z.)—855(A)
Wall, N. S. Nuclear reaction determination of Sn^{124}–Te^{124} mass difference—1526
Wallin, W. Wave-synthesizing light chopper—543(A)
Wapstra, A. H. (see Nussbaum, R. H.)—207(L)
Warren, J. B. and G. M. Griffiths. γ rays from $T(p,\gamma)He^4$ reaction—1084(A)
—— (see Griffiths, G. M.)—1084(A)
Warters, William D. Elastic scattering of protons by Li^7—528(A)
Watanabe, Satosi. "Fusion" theory of bosons and nonlocal field—856(A)
Watson, K. M. (see Brueckner, K. A.)—1023
—— (see Francis, N. C.)—291
Watson, W. W. (see Wheeler, G. W.)—121
Watters, H. J. and J. F. Fagan, Jr. Radionuclides of As produced by deuteron bombardment of Ge—1248
Watters, R. L. (see Dunlap, W. C., Jr.)—1397
Webb, J. Low-intensity reciprocity law failure in photographic exposure and its dependence on two-quantum process—851(T)
Webb, T. S., C. W. Li, and W. A. Fowler. Elastic scattering of protons by N^{14}—1084(A)
Weber, A. H. (see Bryant, P. J.)—1083(A)
Weber, J. Vacuum fluctuation noise in electron streams—847(A)
Weidner, R. T. (see Eschenfelder, A. H.)—869
Weil, John W. and Boyce D. McDaniel. Production of protons from C by monoenergetic γ rays—391
Weiss, M. M. and W. Bernstein. Degradation of γ rays in water—1264
Weisskopf, V. F. Cloudy crystal ball model—843(T)
Weissler, G. L. and H. Sun. Absorption cross sections of CH_4 in vacuum uv—533(A)
—— (see Lee, Po)—533(A); 545(A)
—— (see Sun, H.)—545(A)
Welker, Joan P., A. W. Schardt, G. Friedlander, and J. J. Howland, Jr. Metastable states of Ge^{73}—401
Welsh, H. L. Recent developments in infrared spectroscopy of gases at very high pressures—850(T)

Weneser, J. and D. R. Hamilton. Theorem concerning angular correlations—321
Wentzel, G. Recoil corrections in strong coupling meson theory—173
Wenzel, W. A. (see Bader, M.)—1085(A)
—— (see Dunbar, D. N. F.)—528(A); 649
—— (see Hoyle, F.)—1095(A)
—— (see Reynolds, H. K.)—528(A); 742
Wessel, Günter. Hfs and nuclear electric quadrupole moment of B^{11}—1581(L)
—— **and Hin Lew.** Hfs of Ag and Au by atomic beam magnetic resonance method—641
—— (see Brix, P.)—647
West, H. I., Jr. (see Mann, L. G.)—1481
—— (see Meyerhof, W. E.)—540(A); 758
Westervelt, Donald R. Optical effects of radiation damage in alkali halides—531(A)
Westlund, C. D. (see Linford, L. B.)—1093(A)
Wetherill, George W. Spontaneous fission yields from U and Th—907
Whaling, Ward (see Bader, M.)—1085(A)
—— (see Dunbar, D. N. F.)—528(A); 649
—— (see Hoyle, F.)—1095(A)
—— (see Mileikowsky, Curt)—528(A)
—— (see Reynolds, H. K.)—528(A); 742
Wheeler, G. W., R. B. Schwartz, and W. W. Watson. Protons from deuteron bombardment of Kr^{84} and Kr^{86}—121
Wheeler, John A. Collective model—843(T)
—— Fission and nuclear models—1079(T)
—— μ meson as nuclear probe particle—812
Whipple, F. L. (see Liller, William)—1093(T)
White, R. L. and C. H. Townes. Spin of Si^{29} and mass ratios of stable Si isotopes—1256
White, William C. Suppression of AlO in wake of ultra-speed pellets—1083(A)
Whitehead, W. D. and S. C. Snowdon. Angular distribution of neutrons scattered from Al, Fe, and Pb—114; 1097(A)
Whitmore, B. G. Inelastic scattering of fast neutrons in C and Pb—654
Whittemore, W. L. (see Fowler, W. B.)—832(L)
Whittle, C. E. and P. S. Jastram. Angular correlation between the first and third γ rays in Ti^{48}—205(L)
Widgoff, M., C. P. Leavitt, A. M. Shapiro, L. W. Smith, and C. E. Swartz. Stars induced in nuclear emulsions by 2.2-Bev protons—851(A)
—— (see Smith, L. W.)—851(A)
Wiener, Norbert and Armand Siegel. Description of quantum states through distributions of observable values—856(A)
Wilkening, Marvin H. Variation of natural radioactivity in atmosphere with altitude—1080(A)
Wilkinson, M. K. Neutron diffraction by ferromagnetic and antiferromagnetic substances—1088(T)
Williams, D. L. (see Hayes, F. N.)—512(L)
Williams, D. R. and Pierre St. Amand. Multicolor photoelectric photometer for study of faint radiations—533(A)
—— (see Roach, F. E.)—534(A)
—— (see St. Amand, Pierre)—534(A)
Williams, Dudley (see Ting, Yu)—1582(L)
Williams, G. W., S. R. Usiskin, and A. J. Dekker. Thermal decay of luminescence of KBr—1398
Williams, L. E. (see Friedland, S. S.)—1080(A)
Williams, Lloyd (see Hayes, F. N.)—1088(A)
Williams, R. W. (see Vilain, J. H.)—1587(L)
Williams, S. R. (see Fairbank, W. M.)—208(L)
Wilson, H. W. and Walter H. Barkas. Test of charge symmetry hypothesis—537(A)
Wilson, R. N. (see Yennie, D. R.)—1325(L)
Wilson, Richard (see Brown, Karl L.)—540(A)
Wilson, V. C. Double-crystal neutron spectrometer—841(T)
Winckler, J. R. (see Baskin, R.)—464
Wise, Henry. Measurement of heat of dissociation of F_2 by effusion method—532(A)
Whitten, L. (see Berlin, T. H.)—189
Wolfe, B. (see DeWire, J. W.)—519(L); 520(L)
Wolfenstein, Lincoln. Use of tensor operators in nuclear collision problems—123
Wolff, G. Crystal habit of Si and Ge—847(A)
Wolff, Peter A. Theory of plasma waves in metals—18
Wolfhard, H. G. Absorption spectroscopy in stationary flames—527(T)
Wollan, E. O. (see Koehler, W. C.)—1380
Wong, Calvin. β decay of F^{17} and F^{20}—529(A)
—— (see Roderick, Hilliard)—204(L)
Woodbury, H. Hugh. Angular anisotropy of γ ray from $C^{12}(p,\gamma p')C^{12}$—529(A)
——, **R. B. Day, and A. V. Tollestrup.** γ radiation from reaction $C^{13}(p,\gamma)N^{14}$—1199
Woodruff, A. E. Phenomenological analysis of meson-nucleon scattering—855(A)
Woods, D. C. (see Kash, S. W.)—544(A)
—— (see Remley, M. E.)—544(A)
Woods, Frank R., Edgar F. Bennett, and John A. Lockwood. Temperature dependence of BF_3 proportional neutron counters—853(A)
Workman, D. R. (see Hepner, W. A.)—1071(L)
Workman, E. J. Cellular nature of ice crystals—544(A)
—— Thunderstorm electricity—1093(T)
Worlock, R. M. (see Bacher, R. F.)—1090(A)
—— (see Tollestrup, A. V.)—1090(A)
Wright, Kenneth A. (see Anson, John H.)—843(A)
—— (see Brown, W. L.)—591
Wu, Ta-You (see Bauer, Ernest)—1101
Wyckoff, J. M. (see Temmer, G. M.)—913; 849(A)

Yadoff, Oleg. Interference of waves generated by electric field—543(A)
Yasaitis, E. L. and B. Smaller. Paramagnetic resonances in irradiated glasses—1068(L)
Yennie, D. R., R. N. Wilson, and D. G. Ravenhall. Phase-shift calculation of high-energy electron scattering by nuclei—1325(L)
Yngve, Victor H. Time variation of cosmic-ray heavy nuclei—428
Yuan, Luke C. L. (see Lindenbaum, S. J.)—1579(L)

Zajec, Emery (see Cork, Bruce)—853(A)
Zemansky, M. W. (see Brown, A.)—52
Zernow, Louis. Flash radiographic studies of high-velocity metallic jets—532(A)
Zilsel, P. R. Liquid He II: Bose-Einstein condensation and two-fluid model—1106

Analytic Subject Index to Volume 92

References with (A) are to abstracts of papers presented at meetings of the American Physical Society; references with (L) are to Letters to the Editor; references with (E) are to Errata. Items are listed under the following categories:

Acoustics
Astrophysics
Atomic and Molecular Beams
Atomic Mass and Abundance
Atomic Structure and Spectra
Biophysics
Chemical Effects and Properties
Constants, Standards, Units
Cosmic Radiation
Crystalline State
Dielectrics and Dielectric Properties
Diffraction
Diffusion
Elasticity and Plasticity
Electrical Conductivity and Resistance
Electrical Discharges
Electrical Properties
Electromagnetic Theory and Electrodynamics
Electrons and Positrons
Elementary Particle Interactions
Errata
Field Theory
Films, Properties
Fluid Dynamics
Gamma Rays
Gases
Geophysics
Helium, Liquid
Imperfections in Solids
Ionization
Ions
Ions and Electrons, Mobility
Liquids
Luminescence
Magnetic Properties
Magnetic Resonance
Mathematical Methods
Mechanics
Mesons
Methods and Instruments
Microwaves
Miscellaneous
Molecular Aggregates
Molecular Structure and Spectra
Neutrino
Noise
Nuclear Fission
Nuclear Moments and Spin
Nuclear Photoeffects
Nuclear Reactions, General
Nuclear Reactions Induced by α Particles and He^3
Nuclear Reactions Induced by Deuterons and Tritons
Nuclear Reactions Induced by Mesons
Nuclear Reactions Induced by Neutrons
Nuclear Reactions Induced by Protons
Nuclear Spectra
Nuclear Structure Theory
Optical Properties
Proceedings of the American Physical Society
Quantum Electrodynamics
Quantum Mechanics
Radiation
Radioactivity
Range and Energy Loss of Particles
Relativity and Gravitation
Scattering, General
Scattering of α Particles
Scattering of Deuterons
Scattering of Electrons and Positrons
Scattering of Mesons
Scattering of Neutrons
Scattering of Protons
Semiconductors
Spectra, General
Statistical Mechanics and Thermodynamics
Superconductivity
Thermal Properties
X-Rays

Absorption of Radiation (see **Radiation**)

Acoustics

Correlation studies of sound fluctuations in ocean, H. L. Grant and R. W. Stewart—1087(A)

Dependence of jet-tone eigenfrequencies on aerodynamic and geometrical parameters involved, Lloyd E. Schilberg and A. B. C. Anderson—543(A)

Dependence of primary pfeifenton (pipe tone) frequency on pipe-orifice geometry, A. B. C. Anderson—543(A)

Interference of underwater sound caused by surface reflection and upward refraction, F. H. Sanders—1087(A)

"Lloyd mirror" interference in presence of slight uniform refraction, R. W. Stewart—1087(A)

Velocity of sound apparatus for liquids at 512 kc, George G. Kretschmar—542(A)

Adsorption (see **Gases**)

Aerodynamics (see **Fluid Dynamics**)

Afterglow (see **Electrical Discharges**)

Alloys (see **Crystalline State**)

Annihilation (see **Electrons and Positrons**)

Antiferroelectric Phenomena (see **Dielectrics and Dielectric Properties**)

Antiferromagnetism (see **Magnetic Properties**)

Arcs (see **Electrical Discharges**)

Astrophysics

Automatic recording of zodiacal light, Victor H. Regener—1093(A)

Concentration of U and Pb and isotopic composition of Pb in meteoritic material, C. Patterson, H. Brown, G. Tilton, and M. Inghram—1234

Intensity of Lyman-α line in solar spectrum, William A. Rense—850(A)

Non-Maxwellian distribution in shock front and anomaly of chromospheric temperature, Hari K. Sen—861

Physical conditions in initial stages of expanding universe, Ralph A. Alpher, James W. Follin, Jr., and Robert C. Herman—1347

Procedure for evaluation of automatic zodiacal light recordings, Richard J. Runge—1093(A)

State in C^{12} predicted from astrophysical evidence, F. Hoyle, D. N. F. Dunbar, W. A. Wenzel, and W. Whaling—1095(A)

Atmosphere (see **Geophysics**)

Atomic and Molecular Beams

Hfs of Ag and Au by atomic beam magnetic resonance method, Günter Wessel and Hin Lew—641

Sign of quadrupole interaction of Li^6 in LiCl, P. Kusch—268

Zeeman effect of Cr ground state, P. Brix, J. T. Eisinger, H. Lew, and G. Wessel—647

Atomic Mass and Abundance

Applications of Wigner semi-empirical mass formula to isobars, J. T. McCarthy—848(A)

Concentration of U and Pb and isotopic composition of Pb in meteoritic material, C. Patterson, H. Brown, G. Tilton, and M. Inghram—1234

Ga, Ge, As, Se, and Br atomic masses, B. G. Hogg and H. E. Duckworth—848(A)

Nuclear reaction determination of Sn^{124}—Te^{124} mass difference, N. S. Wall—1527

Pd isotopic abundances, John R. Sites, George Consolazio, and Russell Baldock—1096(A)

Spin of Si^{29} and mass ratios of stable Si isotopes, R. L. White and C. H. Townes—1256

Atomic Structure and Spectra
Bi^{210} spin, Mark Fred, Frank S. Tomkins, and Raymond F. Barnes—1324(L)
Hfs and nuclear electric quadrupole moment of B^{11}, Günter Wessel—1581(L)
Hfs formulas for LS-coupling, R. E. Trees—308
Hfs of H, R. Arnowitt—1002
Hfs of spectra of Dy, Co, V, Mn, and La, Kiyoshi Murakawa and Tohru Kamei—325
Intensity of Lyman-α line in solar spectrum, William A. Rense—850(A)
μ meson as nuclear probe particle, John A. Wheeler—812
μ-mesonic atoms and electromagnetic radius of nucleus, L. N. Cooper and E. M. Henley—801
Nuclear radii, Francis Bitter and Herman Feshbach—837(L)
O I new fine structure, Lee W. Parker and John R. Holmes—532(A)
Quenching of Hg resonance radiation (2537A) by N, C. G. Matland—637
Relativistic correction to ground state energy of He, A. M. Sessler and H. M. Foley—1321(L)
Relativistic correction to Lamb shift, M. Baranger, H. A. Bethe, and R. P. Feynman—482
Sb^{121} and Sb^{123} quadrupole moments, G. Sprague and D. H. Tomboulian—105
Spin-spin interaction of electrons and ionization energy of He, A. M. Sessler and H. M. Foley—1321(L)
Theory of fine structure pressure broadening of spectral lines, Makoto Takeo and Shang-Yi Ch'en—850(A)
Theory of microwave Zeeman effect in atomic oxygen, A. Abragam and J. H. Van Vleck—1448
X-rays from μ-mesonic atoms, Val L. Fitch and L. J. Rainwater—789
Zeeman effect of Cr ground state, P. Brix, J. T. Eisinger, H. Lew, and G. Wessel—647
Aurora (see **Astrophysics; Geophysics**)

Barkhausen Effect (see **Magnetic Properties**)
Biophysics
Boson Theory (see **Field Theory**)
Bremsstrahlung (see **Radiation**)
Broadening of Spectral Lines (see **Atomic Structure and Spectra; Molecular Structure and Spectra; Spectra, General**)

Capture Cross Sections (see **Electrons and Positrons; Nuclear Reactions; Radiation**)
Čerenkov Effect (see **Radiation**)
Chemical Effects and Properties
Chemical Reactions (see **Chemical Effects and Properties**)
Chemiluminescence (see **Luminescence**)
Cold Emission (see **Electrical Properties**)
Colloids (see **Chemical Effects and Properties; Molecular Aggregates**)
Compton Effect (see **Radiation**)
Conductivity, Electrical (see **Electrical Conductivity and Resistance**)
Conductivity, Thermal (see **Thermal Properties**)
Constants, Standards, Units
Absolute value of Avogadro's number and soundness of crystals, M. E. Straumanis—1155
Precision measurement at 24 500 volts of conversion constant λV, Gaelen L. Felt, John N. Harris, and Jesse W. M. DuMond—1160
Cosmic Radiation
Atmospheric effects on cosmic-ray intensity near sea level, S. Olbert—454
Cascade decay of V particles, C. D. Anderson, E. W. Cowan, R. B. Leighton, and V. A. J. van Lint—1089(A); E. W. Cowan, C. D. Anderson, R. B. Leighton, and V. A. J. van Lint—1089(A)
Charged and neutral V particles, W. B. Fretter and E. W. Friesen—1089(A)
Cloud-chamber observation of decay of τ meson, V. A. J. van Lint and G. H. Trilling—1089(A)
Cross section for production of penetrating showers, Roy Thomas—1090(A)
Cross section for production of penetrating showers in O, James F. Kenney and Victor H. Regener—1090(A)
Distribution of arrival times of air shower particles, P. Bassi, G. Clark, and B. Rossi—441
Effects of geomagnetic field on solar cosmic rays, V. Sarabhai and R. P. Kane—415
Emulsion cloud-chamber study of high-energy radiation at mountain altitude, J. Z. Klose, M. F. Kaplon, D. M. Ritson, and W. L. Walker—855(A)
Emulsion study of large shower. I. Hard component, P. S. Freier and J. E. Naugle—1086(A); II. Soft component, J. E. Naugle and P. S. Freier—1086(A)
Heavy unstable particles, D. Lal, Yash Pal, and B. Peters—438
Interactions of heavy primaries, M. F. Kaplon, J. H. Noon, and D. M. Ritson—855(A)
Ionization of relativistic cosmic-ray μ mesons, H. R. Snodgrass—1089(A)
Mass measurements of primaries of S events by momentum-range method, W. B. Fretter, B. P. Gregory, R. Johnston, A. Lagarrigue, H. Meyer, F. Muller, and C. Peyrou—1583(L)
Mean lifetime of V^0 particles, R. B. Leighton and W. L. Alford—540(A)
Multiple cores in air showers, Osman El-Mofty—461; 1086(A)
North-south observations of ratio of positive to negative cosmic-ray mesons, Robert B. Brode—1086(A)
Production of fast Li, Be, B fragments from interactions of primary cosmic-ray nuclei, J. H. Noon, M. F. Kaplon, and D. M. Ritson—1585(L)
Relative ionization by cosmic-ray μ mesons in liquid scintillator, R. Baskin and J. R. Winckler—464
Search for highly-absorbable negative cosmic-ray particles at sea level, Charles E. Miller, Joseph E. Henderson, David S. Potter, William R. Davis, Wayne M. Sandstrom, Gerald R. Garrison, and Francis M. Charbonnier—406
Time variation of cosmic-ray heavy nuclei, Victor H. Yngve—428
Time variations in cosmic-ray intensity underground, Mercedes M. Agogino—1086(A)
V^+ decay, R. W. Thompson, A. V. Buskirk, C. J. Karzmark, and R. H. Rediker—209(L)
Variation of ratio of positive to negative cosmic-ray μ mesons with momentum and altitude, H. A. Morewitz and M. H. Shamos—134
Cosmology (see **Astrophysics; Relativity and Gravitation**)
Critical Potentials (see **Atomic Structure and Spectra; Molecular Structure and Spectra**)
Cross Section (see **Electrons and Positrons; Nuclear Reactions; Radiation; Scattering**)
Crystal Counters (see **Methods and Instruments**)
Crystalline State (see also **Electrical Properties; Imperfections in Solids; Magnetic Properties; Semiconductors; etc.**)
Absolute value of Avogadro's number and soundness of crystals, M. E. Straumanis—1155
Annealing effects in irradiated Cu, Albert W. Overhauser—530(A)
Annealing of bombardment damage in diamond-type lattice: theoretical, R. C. Fletcher and W. L. Brown—585

Crystalline State (Continued)
Annealing of bombardment damage in Ge: experimental, W. L. Brown, R. C. Fletcher, and K. A. Wright—591
Annealing of radiation damage effects in Cu, R. R. Eggleston—531(A)
Augmented plane wave method for periodic potential problem, J. C. Slater—603; II, M. M. Saffren and J. C. Slater—1126
Behavior of metals at elevated temperatures, Edward W. LaRocca—1082(A)
Bleaching properties of F centers in KBr at 5°K, Jordan J. Markham, Reuel T. Platt, Jr., and Irving L. Mador—597
Cellular nature of ice crystals, E. J. Workman—544(A)
Cleavage surfaces in Ge crystals, C. J. Calbick, H. Christensen, and E. E. Thomas—1082(A); H. Christensen, C. J. Calbick, and E. E. Thomas—1082(A)
Collective description of electron interactions: III. Coulomb interactions in degenerate electron gas, David Bohm and David Pines—609; IV. Electron interaction in metals, David Pines—626
Color-center formation in alkali halides containing $S^=$, E. Burstein and B. W. Henvis—845(A)
Crystal growth of Si by tip fusion process, P. H. Keck, S. B. Levin, J. Broder, and R. Lieberman—847(A)
Crystal habit of Si and Ge, G. Wolff—847(A)
Crystal structure and nuclear directional correlation, I. Pb^{204}, H. Frauenfelder, J. S. Lawson, Jr., W. Jentschke, and G. DePasquali—513(L)
Cyclotron resonance in Ge crystals, G. Dresselhaus, A. F. Kip, and C. Kittel—827(L)
Defect relaxation time of conduction electrons in crystals by tight binding approximation, J. Lomont—532(A)
Distribution of sizes of spheres in solid from study of slices of solid, Walter P. Reid—1082(A)
Effect of quench temperature and cold work on ordering rates of Cu_3Au and CuAu, C. E. Dixon and C. J. Meechan—530(A)
Effect of surface on magnetic properties of electron gas, Frank S. Ham—1113
Electrical hysteresis properties of ice, Frank K. Truby—543(A)
Electron traps in ice, E. Avery, L. Grossweiner, and M. Matheson—1080(A)
Electronic energy bands in crystals, Thomas Wainwright and George Parzen—1129
Electronic polarizabilities of ions in crystals, Jack R. Tessman, A. H. Kahn, and William Shockley—890
Energy of trapped electrons in ionic solids, Kurt Lehovec—253
Etch pits in plastically-deformed Ge, C. J. Gallagher—846(A)
Evaluation of lattice sums for cubic crystals, J. Hove and J. Krumhansl—569
Exchange potential in electron gas at nonzero temperature, N. H. March—510(L)
Exchange potential in surface region of free-electron metal, Hellmut J. Juretschke—1140
Floating zone recrystallization, P. H. Keck, W. VanHorn, J. Soled, and A. MacDonald—847(A)
Influence of cold work and radiation damage on vibrational spectra of Cu, D. B. Bowen and G. W. Rodeback—531(A)
Interaction of nonrelativistic particle with scalar field with application to slow electrons in polar crystals, Tsung-Dao Lee and David Pines—883
Internal friction of rocksalt single crystals, D. R. Frankl—573
Long wavelength edge of photographic sensitivity and of electronic absorption of solids, Franz Urbach—1324(L)
Low-temperature diamagnetism of electrons in cylinder, R. B. Dingle—1320(L)
Magnetic properties of electronic Einstein model solid, M. F. M. Osborne and M. C. Steele—1403
NAA statitron for solid-state research, D. T. Eggen and H. Kenworthy—531(A)
Nucleation of ordered phases in Cu_3Au, Norman W. Lord—844(A)
Optical effects of radiation damage in alkali halides, Donald R. Westervelt—531(A)
Perfect crystals of ZnS, William W. Piper and W. L. Roth—503(L)
Periodic deviations in Schottky effect, S. C. Miller, Jr., and R. H. Good, Jr.—1367
Persistent residues from ice particles, Mary Goulks Gourley and W. D. Crozier—526(A)
Polarization of nuclei in metals, Albert W. Overhauser—411
Possible degeneracy of energy bands in Ge, Edward N. Adams, II—1063(L)
Production of F', M, and R centers in NaCl at room temperature, Reuel T. Platt, Jr., and Jordan J. Markham—40
Proton magnetic resonance in liquid crystals, P. L. Jain, H. A. Moses, J. C. Lee, and R. D. Spence—844(A)
Quenched vacancies in AuCu and $AuCu_3$, J. Brinkman—531(A)
Radiation-damage energy threshold in f.c.c. alloy, J. M. Denney—531(A)
Radiation damage in insulators, W. Primak, L. H. Fuchs, and P. Day—1064(L)
Reformulation of solid-state electronic Boltzmann equation, J. S. Lomont—1082(A)
Rotation of microwave polarization in liquid crystals in transverse magnetic field, Glen A. Mann and R. D. Spence—844(A)
Single crystal metal rotors, J. W. Beams—502(L)
Single crystal neutron diffraction study of heavy ice, S. W. Peterson and H. A. Levy—1082(A)
Solid state absorption spectra of Mg and MgO, John R. Townsend—556
Some electrical and optical properties of synthetic single crystals of ZnS, William W. Piper—23
Theory of ac space-charge polarization effects in photoconductors, semiconductors, and electrolytes, J. Ross Macdonald—4
Theory of plasma waves in metals, Peter A. Wolff—18
Use of non-orthogonal wave functions for solids, with applications to ferromagnetism, W. J. Carr, Jr.—28
Vibrational spectrum and specific heat of Na, Ernest Bauer—58
Zone structure of graphite, S. Mrozowski—1320(L)

Diamagnetism (see **Magnetic Properties**)

Dielectrics and Dielectric Properties
Anelasticity of quartz, Richard K. Cook and Robert G. Breckenridge—1419
Čerenkov effect and dielectric constant, S. M. Neamtan—1362
Dielectric properties and phase transitions of $Cd_2Nb_2O_7$ and $Pb_2Nb_2O_7$, Gen Shirane and Ray Pepinsky—504(L)
Dielectric properties of some double tartrates, F. Jona and R. Pepinsky—1577(L)
Electrical hysteresis properties of ice, Frank K. Truby—543(A)
Electronic polarizabilities of ions in crystals, Jack R. Tessman, A. H. Kahn, and William Shockley—890
Energy loss of moving electrons to dipolar relaxation, H. Fröhlich and R. L. Platzman—1152
Low-temperature dielectric properties of Cd and Pd niobates, J. K. Hulm—504(L)
Optical absorption and photoconduction in visible and near infrared in single crystals of BaO, William C. Dash—68

Oxygen vacancies in BaO, R. L. Sproull, R. S. Bever, and G. Libowitz—77
Phase transitions in $NaNbO_3-KNbO_3$ system, Gen Shirane, R. E. Newnham, and Ray Pepinsky—845(A)
Si and Ge dielectric constants, W. C. Dunlap, Jr., and R. L. Watters—1396
Transition in $LiNH_4C_4H_4O_6 \cdot H_2O$, F. Jona and Ray Pepinsky—845(A)

Diffraction (see also **Scattering**)
Acoustic approximation to weak shock diffraction, Craig C. Hudson—1079(A)
Diffraction by ionized trail, Charles H. Papas—542(A)
Focusing of short electromagnetic waves by means of Fresnel half-period zone plate, H. George Oltman—1093(A)
"Lloyd mirror" interference in presence of slight uniform refraction, R. W. Stewart—1087(A)
Recording of x-ray diffraction patterns by scintillation counter, J. C. M. Brentano and I. Ladany—850(A)
Single-crystal neutron diffraction study of heavy ice, S. W. Peterson and H. A. Levy—1082(A)
Structure of liquid He, James Reekie and T. S. Hutchison—827(L)
Structure of liquid N_2, O_2, and A by neutron diffraction, D. G. Henshaw, D. G. Hurst, and N. K. Pope—1229
Visible light from localized surface charges moving across grating, S. J. Smith and E. M. Purcell—1069(L)
X-ray absorption fine structure with polarized x-rays, R. Krogstad, W. Nelson, and S. T. Stephenson—1394

Diffusion
Back diffusion for gases as it affects secondary electron emission coefficients, J. K. Theobald—535(A)
Diffusion of Li into Ge and Si, C. S. Fuller and J. A. Ditzenberger—846(A)
Nuclear spin relaxation by translation diffusion, H. C. Torrey—962

Discharge of Electricity in Gases (see **Electrical Discharges**)

Disintegration and Excitation of Nucleus (see **Nuclear Reactions**)

Dynamics (see **Mechanics**)

Elasticity and Plasticity
Anelasticity of quartz, Richard K. Cook and Robert G. Breckenridge—1419
Behavior of metals at elevated temperatures, Edward W. LaRocca—1082(A)
Elastic description of high-amplitude spherical pulse in steel, William A. Allen—1082(A)
Internal friction of rocksalt single crystals, D. R. Frankl—573
Second-order elastic deformation of solids, D. S. Hughes and J. L. Kelly—1145

Electrical Breakdown (see **Dielectrics and Dielectric Properties; Electrical Discharges**)

Electrical Conductivity and Resistance (see also **Semiconductors; Superconductors**)
Annealing effects in irradiated Cu, Albert W. Overhauser—530(A)
Annealing of radiation damage effects in Cu, R. R. Eggleston—531(A)
Change of electrical conductivity of NaCl upon bombardment with high-energy protons, Edgar A. Pearlstein—881
Effect of quench temperature and cold work on ordering rates of Cu_3Au and CuAu, C. E. Dixon and C. J. Meechan—530(A)
Effects of high sputtering rates on resistivities of sputtered Au films, Richard B. Belser—1083(A)
Electrical conductance and structure studies of thin Bi films evaporated on glass, P. J. Bryant, H. U. Rhoads, and A. H. Weber—1083(A)
Electrical hysteresis properties of ice, Frank K. Truby—543(A)
Electrical properties of black phosphorus, Robert W. Keyes—580
Hall effect in AlCl at low temperature, Frederick C. Brown—502(L)
Hall measurements on NaCl and on photoconductive PbTe, John L. Levy—215
Influence of cold work and radiation damage on vibrational spectra of Cu, D. B. Bowen and G. W. Rodeback—531(A)
Influence of electric field in contact charging, John W. Peterson—535(A)
Interpretation of Hall effect and resistivity data in PbS and similar binary compound semiconductors, Wayne W. Scanlon—1573(L)
Noise observations on CdS crystal photoconductors, Carl Shulman, R. W. Smith, and A. Rose—857(A)
Optical absorption and photoconduction in visible and near infrared in single crystals of BaO, William C. Dash—68
Search for Hall effect in superconductor. I. Experiment, H. W. Lewis—1149
Some electrical and optical properties of synthetic single crystals of ZnS, William W. Piper—23
Space-charge-limited currents in insulators, A. Rose and R. W. Smith—857(A)
Spontaneous Hall effect in ferromagnetics, J. Smit and J. Volger—1576(L)
Theory of ac space-charge polarization effects in photoconductors, semiconductors, and electrolytes, J. Ross Macdonald—4

Electrical Discharges
Condition on uniform field breakdown in electron-attaching gases, Ronald Geballe and Marvin L. Reeves—867
Electrical breakdown of extremely short gaps, P. Kisliuk—847(A)
Field emission: Large current densities, space charge, and vacuum arc, W. P. Dyke and J. K. Trolan—541(A)
Influence of irradiation on characteristic of glow discharge in pure rare gases, K. W. Meissner and W. F. Miller—896
N_2 afterglows, Marx Brook—1079(A)
Pre-onset burst pulses in positive point to plane corona in air, M. R. Amin—536(A)
Probe measurements in A discharge containing running striations, N. L. Oleson—848(A)
Secondary cathode action in N_2 with coaxial cylindrical geometry, Elsa Huber—536(A)
Secondary electron emission coefficient for low-energy positive ion bombardment of discharge-conditioned surfaces, James H. Parker—536(A)
Short afterglow in N_2, W. B. Kunkel—534(A)

Electrical Properties (see also **Dielectrics and Dielectric Properties; Electrical Conductivity and Resistance; Semiconductors; Superconductors**)
Average energy of electrons emitted from metals under high-energy electron bombardment, John H. Anson, Kenneth A. Wright, and John G. Trump—843(A)
Back diffusion for various gases as it affects secondary electron emission coefficients, J. K. Theobald—535(A)
Black phosphorus, Robert W. Keyes—580
Efficiency of conversion from light to electric power by Ge grown junction, Ralph P. Ruth and James W. Moyer—846(A)
Electron emission from metals under high-energy positive ion bombardment, Henry C. Bourne, Jr., Robert W. Cloud, and John G. Trump—847(A)
Field emission: Large current densities, space charge, and vacuum arc, W. P. Dyke and J. K. Trolan—541(A)
Field-emission microscope investigation of surface reactions, Ralph Klein—854(A)
Irreversible thermodynamics of thermoelectric effects in inhomogeneous, anisotropic media, Charles A. Domenicali—877

Electrical Properties (Continued)
Modified theory of production of secondary electrons in solids, A. van der Ziel—35
Periodic deviations in Schottky effect, S. C. Miller, Jr., and R. H. Good, Jr.—1367
Photoelectric studies of Fe, Alvin B. Cardwell—554
Photoelectric yield of Pt in vacuum uv, W. C. Walker and N. Wainfan—533(A)
Role of surface barrier in secondary emission from metals, E. M. Baroody—843(A)
Secondary electron emission coefficient for low-energy positive ion bombardment of discharge-conditioned surfaces, James H. Parker—536(A)
Secondary electron emission from diamond, J. B. Johnson—843(A)
Seebeck effect in Ge, T. H. Geballe—857(A)
Some electrical and optical properties of synthetic single crystals of ZnS, William W. Piper—23
Space-charge effects in field emission, J. P. Barbour, W. W. Dolan, J. K. Trolan, E. E. Martin, and W. P. Dyke—45
Sputtering in high vacuum and its relation to radiation damage as described by Seitz, Frank Keywell—535(A)
Thermoelectric power in semiconductors with applications to Ge, theory, V. A. Johnson and K. Lark-Horovitz—226
Thermoelectric power of Ge at temperatures above 78°K, A. E. Middleton and W. W. Scanlon—219
Thermoelectric power of Ge below room temperature, H. P. R. Frederikse—248
Thermoelectric power of semiconductors, Conyers Herring—857(A)
Thermoelectricity in metals at low temperatures, D. K. C. MacDonald and W. B. Pearson—844(A)
Vacuum sputtering of metallic Na by inert gas ions, Richard C. Bradley—535(A)
Electrodynamics (see **Electromagnetic Theory and Electrodynamics**)
Electroluminescence (see **Luminescence**)
Electrolysis (see **Chemical Effects and Properties**)
Electromagnetic Theory and Electrodynamics
Interference of waves generated by electric field, Oleg Yadoff—543(A)
Magnetoelectrostatics, E. T. Benedikt—1081(A)
New modification of classical electromagnetic theory, A. Schild—1009
Periodic ellipse of strong-focusing equations, B. C. Carlson—839(L)
Phase-reversal focusing in linear accelerators, Myron L. Good—538(A)
Topology of magnetic fields, W. M. Elsasser and K. McDonald—1081(A)
Electron Diffraction (see **Diffraction; Scattering of Electrons and Positrons**)
Electron Optics (see **Electromagnetic Theory and Electrodynamics**)
Electronic Tubes (see **Methods and Instruments**)
Electrons and Positrons (see also **Electromagnetic Theory and Electrodynamics; Elementary Particle Interactions; Scattering of Electrons and Positrons**)
Electrons, Mobility (see **Ions and Electrons, Mobility**)
Electrons, Scattering of (see **Scattering of Electrons and Positrons**)
Electrons, Secondary (see **Electrical Properties**)
Electrons, Thermionic (see **Electrical Properties**)
Electro-Optical Effects (see **Optical Properties**)
Electrostriction (see **Dielectrics and Dielectric Properties**)
Elementary Particle Interactions
Angular distribution of positive photomesons from H: counter telescope method, A. V. Tollestrup, J. C. Keck, and R. M. Worlock—1090(A)
Attenuation cross sections of 37-Mev pions in H, C. E. Angell and J. P. Perry—835(L)
β interaction, R. Finkelstein and P. Kaus—1316
Charge independence in (γ,n) and (γ,t) reactions, D. C. Peaslee and V. L. Telegdi—126
Convergence of adiabatic nuclear potential, Abraham Klein—1017
Derivation and renormalization of Tamm-Dancoff equations, Behram Kurşunoğlu—1069(L)
Detection of free neutrino, F. Reines and C. L. Cowan, Jr.—830(L)
Differential p-p elastic scattering cross section at 144, 271, and 429 Mev, J. Marshall, L. Marshall, and V. A. Nedzel—834(L)
Elastic scattering of 118-Mev negative pions by H, Jay Orear—156
Evaluation of interaction effect in n-p capture, N. Austern—670
Green's function method for strongly interacting particles, Maurice Neuman—1021
High-pressure cloud-chamber investigation of protons scattered by 300-Mev neutrons, John DePangher—1084(A)
Hypothesis concerning relations among "new unstable particles", M. Goldhaber—1279
Interaction cross section of H and heavier elements for 450-Mev negative pions and 340-Mev positive pions, S. J. Lindenbaum and Luke C. L. Yuan—1578(L)
Interaction of negative pions with Hg, Nathan Sugarman and Agnes Haber—730
Intrinsic magnetic moment of elementary particles of spin 3/2, F. J. Belinfante—997
Invariant forms of nucleon-nucleon interaction, David Feldman—824
Isotopic spin and new unstable particles, M. Gell-Mann—833(L)
Large NaI scintillation counter study of neutron-capture γ rays from H, Bernard Hamermesh and Richard J. Culp—211(L)
Magnetic moments of neutron and proton, F. J. Belinfante—994
Multiple production of pions in nucleon-nucleon collisions at cosmotron energies, E. Fermi—452
"Non-mesonic" bound V-particle decay, W. Cheston and H. Primakoff—1537
n-p scattering near 180° at 93 Mev, W. Selove, K. Strauch and F. Titus—724
Nuclear forces from P-wave mesons, E. M. Henley and M. A. Ruderman—1036
Nuclear forces in pseudoscalar meson theory, K. A. Brueckner and K. M. Watson—1023
Phase-shift analysis of high-energy p-p scattering experiments, A. Garren—213(L); erratum—1587(E)
Phenomenological analysis of meson-nucleon scattering, A. E. Woodruff—855(A)
Photoproduction of meson pairs, R. D. Lawson and S. D. Drell—539(A)
Photoproduction of π-meson pairs, R. D. Lawson—1272
Photoproduction of positive mesons from H: magnetic spectrometer method, R. L. Walker, J. G. Teasdale, and V. Z. Peterson—1090(A); results, R. F. Bacher, J. C. Keck, V. Z. Peterson, J. G. Teasdale, A. V. Tollestrup, R. L. Walker, and R. M. Worlock—1090(A)
Pions from production of baryons by protons, Frederik J. Belinfante—145
π^+-p scattering near 260 Mev, W. B. Fowler, R. M. Lea, W. D. Shephard, R. P. Shutt, A. M. Thorndike, and W. L. Whittemore—832(L)
p-p scattering for nucleon isobar model, F. T. Solmitz—164
Production of neutral mesons by 340-Mev protons on H, J. W. Mather and E. A. Martinelli—780
Scattering of negative pions by H, E. Fermi, M. Glicksman, E. Martin, and D. Nagle—161

Search for stable dineutron, B. L. Cohen and T. H. Handley —101
Semiclassical methods in meson processes, Joseph A. Thie —1282
Signs of phase shifts for pion-proton scattering, S. W. Barnes, C. E. Angell, J. P. Perry, D. Miller, J. Ring, and D. Nelson—1327(L)
Single-time Bethe-Salpeter equation, Wilhelm Macke—1072(L)
Solutions of meson-nucleon equation in adiabatic limit, R. Arnowitt and S. Deser—1061(L)
Spin-spin interaction of electrons and ionization energy of He, A. M. Sessler and H. M. Foley—1321(L)
Strong-coupling theory of meson scattering, Allan N. Kaufman—468
Tamm-Dancoff theory of pion photoproduction, Marc Ross —855(A)
Test of charge symmetry hypothesis, H. W. Wilson and Walter H. Barkas—537(A)
Total cross section for positive pions in hydrogen, Stanley L. Leonard and Donald H. Stork—855(A)
Total cross sections for 169-Mev neutrons, A. E. Taylor —1071(L)
Total π^--p cross section at 840 and 470 Mev, A. M. Shapiro, C. P. Leavitt, and F. F. Chen—1073(L)
Universal Fermi interaction, E. J. Konopinski and H. M. Mahmoud—1045
Velocity distribution of pair components in π^0 decay, O. Halpern and K. Baumann—1070(L)
Yukawa forces with added attractions, John M. Blatt and M. H. Kalos—1563

Elements (see **Atomic Mass and Abundance**)
Energy Loss of Particles (see **Range and Energy Loss of Particles**)
Energy States of Atoms (see **Atomic Structure and Spectra**)
Energy States of Molecules (see **Molecular Structure and Spectra**)
Energy States of Nucleus (see **Nuclear Reactions; Nuclear Spectra; Nuclear Structure Theory**)
Equations of State (see **Chemical Effects and Properties**)
Errata
Phase-shift analysis of high-energy $p-p$ scattering experiments, A. Garren—1588(E)
Scintillation study of As^{77} and Br^{77}, M. E. Bunker, R. J. Prestwood, and J. W. Starner—1587(E)
Unusual π-μ decays in photographic emulsions, W. F. Fry —1587(E)
Errors of Measurement (see **Methods and Instruments**)
Evaporation (see **Liquids**)
Excitation of Atoms (see **Atomic Structure and Spectra**)
Excitation of Molecules (see **Molecular Structure and Spectra**)
Excitation of Nucleus (see **Nuclear Reactions; Nuclear Spectra; Nuclear Structure Theory**)
Explosion Phenomena (see **Fluid Dynamics**)

Faraday Effect (see **Optical Properties**)
Ferroelectric Phenomena (see **Dielectrics and Dielectric Properties**)
Ferromagnetism (see **Magnetic Properties**)
Field Emission (see **Electrical Properties**)
Field Theory (see also **Quantum Electrodynamics**)
β interaction, R. Finkelstein and P. Kaus—1316
Convergence of adiabatic nuclear potential, Abraham Klein —1017
Coupled-field Green's functions, J. G. Valatin—522(L)
Derivation and renormalization of Tamm-Dancoff equations, Behram Kurşunoğlu—1069(L)
Electromagnetic effects in two-nucleon systems, Stanley Deser—1542
Electromagentic mass and particle model in Darling's theory of elementary particles, Hans Freistadt—1015
Equations of motion in Einstein's new unified theory, Joseph Callaway—1567
Equivalent mass and other effects of non-local electromagnetic field in interaction with constant E, H field, Christopher Gregory—1554
Expectations from unified field theory, Behram Kurşunoğlu —506(L)
Field theory of equations with many masses, B. T. Darling —1547
"Fusion" theory of bosons and nonlocal field, Satosi Watanabe—856(A)
Green's function method for strongly interacting particles, Maurice Neuman—1021
Implications of Lorentz invariance for scattering of spin 1/2 particles, David Feldman—856(A)
Interaction of nonrelativistic particle with scalar field with application to slow electrons in polar crystals, Tsung-Dao Lee and David Pines—883
Interpretation of Bhabha's theory of particles of maximum spin 3/2, W. A. Hepner and D. R. Workman—1071(L)
Intrinsic magnetic moment of elementary particles of spin $\frac{3}{2}$, F. J. Belinfante—997
Latticespace quantization of nonlinear field theory, L. I. Schiff—766
Nonsymmetric unified field theories, W. B. Bonnor—1067(L)
Nuclear forces in pseudoscalar meson theory, K. A. Brueckner and K. M. Watson—1023
Photoproduction of meson pairs, R. D. Lawson and S. D. Drell—539(A)
Recoil corrections in strong coupling meson theory, G. Wentzel—173
Semiclassical methods in meson processes, Joseph A. Thie —1282
Single-time Bethe-Salpeter equation, Wilhelm Macke—1072(L)
Strong-coupling theory of meson scattering, Allan N. Kaufman—468
Theory of quantized fields, Julian Schwinger—1283
Universal Fermi interaction, E. J. Konopinski and H. M. Mahmoud—1045
Yukawa forces with added attractions, John M. Blatt and M. H. Kalos—1563

Films, Properties
Effects of high sputtering rates on resistivities of sputtered gold films, Richard B. Belser—1083(A)
Electrical conductance and structure studies of thin Bi films evaporated on glass, P. J. Bryant, H. U. Rhoads, and A. H. Weber—1083(A)
Liquid Hé films, K. R. Atkins—1571(L)
Multiple-beam fringes of equal chromatic order, W. F. Koehler—542(A)
Structure and resistivities of Au films deposited by evaporation and sputtering, Richard B. Belser—1098(A)
Fine Structure (see **Atomic Structure and Spectra**)
Fission of Nucleus (see **Nuclear Fission**)
Fluctuation Phenomena (see **Noise**)
Fluid Dynamics
Acoustic approximation to weak shock diffraction, Craig C. Hudson—1079(A)
Dependence of jet-tone eigenfrequencies on aerodynamic and geometrical parameters, Lloyd E. Schilberg and A. B. C. Anderson—543(A)
Detonation in gases, Arthur L. Bennett—543(A)
Drag on rotating cylinder at low pressures, S. F. Chiang and S. A. Schaaf—535(A)
Flash radiographic studies of high-velocity metallic jets, Louis Zernow—532(A)
Geometical relations for solid propellant charges for rocket motors, E. W. Price—542(A)

Fluid Dynamics (Continued)
Linearized theory of spherical wave decay, L. M. Tannenwald—542(A)
Non-Maxwellian distribution in shock front and anomaly of chromospheric temperature, Hari K. Sen—861
Propellant burning rate calculations, G. B. Shook—542(A)
Properties of Hugoniot function, R. D. Cowan—1088(A)
Suppression of AlO in wake of ultra-speed pellets, William C. White—1083(A)
Surface temperature of burning double-base propellant, M. H. Hunt, C. A. Heller, and A. S. Gordon—542(A)
Variational approach to theory for critical stability of fluid, F. T. Rogers, Jr.—535(A)
Fluorescence (see **Luminescence**)
Friction (see **Mechanics**)

Galvanomagnetic Effect (see **Magnetic Properties**)
Gamma Rays (see also **Nuclear Reactions; Nuclear Spectra**)
Degradation of γ rays in water, M. M. Weiss and W. Bernstein—1269
γ-ray absorption measurements, P. R. Howland, W. E. Kreger, and R. A. Taylor—1095(A)
Penetration of gamma radiation through Fe, L. A. Beach, R. B. Theus, and W. R. Faust—355
Gases
Back diffusion for gases as it affects secondary electron emission coefficients, J. K. Theobald—535(A)
Geophysics
Atmospheric ozone fluctuations at Albuquerque, I. Gerald Bowen—1080(A)
Bifurcation of *E* region, J. R. Lien, J. Marcou, J. C. Ulwick, D. R. McMorrow, L. B. Linford, and O. C. Haycock—508(L)
Contribution of solar x-rays to *E*-layer ionization, E. T. Byram, T. A. Chubb, and H. Friedman—1066(L)
Correlation studies of sound fluctuations in ocean, H. L. Grant and R. W. Stewart—1087(A)
Critical conditions for ice formation on silver iodide nuclei, Robert J. McCarty—1080(A)
Height of upper atmosphere emissions by Van Rhŷn method, F. E. Roach, Helen B. Pettit, D. R. Williams, and P. St. Amand—534(A)
Ion density in *E* layer by use of sounding rocket, L. B. Linford, O. C. Haycock, J. I. Swigart, C. L. Alley, C. D. Westlund, and J. R. Lien—1093(A)
Origin of *E* layer of ionosphere, Ernest Bauer and Ta-You Wu—1101
Possible relationship between ionosphere and nightglow, Pierre St. Amand and D. R. Williams—534(A)
Pulsed searchlight system for upper atmosphere density studies, S. S. Friedland, H. S. Katzenstein, J. Katzenstein, D. P. Lindorff, G. S. Timoshenko, and L. E. Williams—1080(A)
Quantitative analysis of lower ionosphere, H. K. Kallmann—1079(A)
Seasonal trend of atmospheric ozone as revealed by solar-telluric band at 9.6 microns, Arthur Adel—1080(A)
Stratospheric temperature profiles obtained from searchlight measurements, L. Elterman—1080(A)
Thermal microstructure in ocean, W. N. English—1087(A)
Variation of natural radioactivity in atmosphere with altitude, Marvin H. Wilkening—1080(A)
Glasses (see **Molecular Aggregates**)
Gravitation (see **Relativity and Gravitation**)
Gyromagnetization (see **Magnetic Properties**)

Hall Effect (see **Electrical Conductivity and Resistance**)
Heat Capacity (see **Thermal Properties**)
Heat Conduction (see **Thermal Properties**)
Heat of Dissociation and Formation (see **Molecular Structure and Spectra**)
Heat of Fusion (see **Thermal Properties**)
Heat of Vaporization (see **Thermal Properties**)
Helium, Liquid
Attenuation of second sound above 1°K, K. R. Atkins and K. H. Hart—204(L)
Capillarity in He II, C. T. Lane and R. V. Dyba—829(L)
He II film transport rates over machined metal surfaces, Bernard Smith and Henry A. Boorse—505(L)
Heat of mixing of He^3 in He^4, H. S. Sommers, Jr., W. E. Keller, and J. G. Dash—1345
λ temperatures of dilute He^3–He^4 solutions, J. C. Morrow—1
Liquid He films, K. R. Atkins—1571(L)
Liquid He II: Bose-Einstein condensation and two-fluid model, P. R. Zilsel—1106
Nonparticipation of He^6 in superfluidity of He^4, Lester Guttman and James R. Arnold—547
Specific heat of He^3 between 1.3°K and 2.3°K, G. de Vries and J. G. Daunt—1572(L)
Structure of liquid He, James Reekie and T. S. Hutchison—827(L)
Temperature dependence of nuclear susceptibility of He^3 between 1.2°K and 4.2°K, W. M. Fairbank, W. B. Ard, H. G. Dehmelt, Walter Gordy, and S. R. Williams—208(L)
Theory of liquid He, John M. Richardson—849(A)
Theory of liquid He^3–He^4 mixtures, Louis Goldstein—850(A)
High Voltage Tubes and Machines (see **Methods and Instruments**)
Hydrodynamics (see **Fluid Dynamics**)
Hyperfine Structure (see **Atomic Structure and Spectra; Molecular Structure and Spectra; Nuclear Moments and Spin**)

Imperfections in Solids (see also **Crystalline State; Electrical Conductivity and Resistance; Luminescence; Semiconductors**)
Absolute value of Avogadro's number and soundness of crystals, M. E. Straumanis—1155
Anelasticity of quartz, Richard K. Cook and Robert G. Breckenridge—1419
Annealing effects in irradiated Cu, Albert W. Overhauser—530(A)
Annealing of bombardment damage in diamond-type lattice: theoretical, R. C. Fletcher and W. L. Brown—585
Annealing of bombardment damage in Ge: experimental, W. L. Brown, R. C. Fletcher, and K. A. Wright—591
Annealing of radiation damage effects in Cu, R. R. Eggleston—531(A)
Bleaching properties of *F* centers in KBr at 5°K, Jordan J. Markham, Reuel T. Platt, Jr., and Irving L. Mador—597
Cellular nature of ice crystals, E. J. Workman—544(A)
Change of electrical conductivity of NaCl upon bombardment with high-energy protons, Edgar A. Pearlstein—881
Color-center formation in alkali halides containing $S^=$, E. Burstein and B. W. Henvis—845(A)
Effect of quench temperature and cold work on ordering rates of Cu_3Au and CuAu, C. E. Dixon and C. J. Meechan—530(A)
Effect of traps on carrier injection in semiconductors, H. Y. Fan—1424
Effects of high sputtering rates on resistivities of sputtered Au films, Richard B. Belser—1083(A)
Electrical and optical properties of synthetic single crystals of ZnS, William W. Piper—23
Electrical hysteresis properties of ice, Frank K. Truby—543(A)
Electron traps in ice, E. Avery, L. Grossweiner, and M. Matheson—1080(A)

Energy of trapped electrons in ionic solids, Kurt Lehovec—253
Etch pits in plastically-deformed Ge, C. J. Gallagher—846(A)
Influence of cold work and radiation damage on vibrational spectra of Cu, D. B. Bowen and G. W. Rodeback—531(A)
Internal friction of rocksalt single crystals, D. F. Frankl—573
Interpretation of some electroluminescent effects, Frank Matossi—846(A)
Mechanism of impurity poisoning in luminescence of ZnS phosphors with Mn activator, Richard H. Bube, Simon Larach, and Ross E. Shrader—1135
NAA statitron for solid-state research, D. T. Eggen and H. Kenworthy—531(A)
Optical absorption and photoconduction in visible and near infrared in single crystals of BaO, William C. Dash—68
Optical effects of radiation damage in alkali halides, Donald R. Westervelt—531(A)
Oxygen vacancies in BaO, R. L. Sproull, R. S. Bever, and G. Libowitz—77
Paramagnetic resonances in irradiated glasses, E. L. Yasaitis and B. Smaller—1068(L)
Perfect crystals of ZnS, William W. Piper and W. L. Roth—503(L)
Production of acceptor centers in Ge and Si by plastic deformation, W. C. Ellis and E. S. Greiner—1061(L)
Production of F', M, and R centers in NaCl at room temperature, Reuel T. Platt, Jr., and Jordan J. Markham—40
Quenched vacancies in AuCu and $AuCu_3$, J. Brinkman—531(A)
Radiation-damage energy threshold in f.c.c. alloy, J. M. Denney—531(A)
Radiation damage in insulators, W. Primak, L. H. Fuchs, and P. Day—1064(L)
Space-charge-limited currents in insulators, A. Rose and R. W. Smith—857(A)
Sputtering in high vacuum and its relation to radiation damage as described by Seitz, Frank Keywell—535(A)
Thermal decay of luminescence of KBr, G. W. Williams, S. R. Usiskin, and A. J. Dekker—1398
Vacuum sputtering of metallic Na by inert gas ions, Richard C. Bradley—535(A)

Inelastic Scattering (see **Nuclear Reactions; Scattering**)
Instruments (see **Methods and Instruments**)
Internal Conversion (see **Nuclear Spectra**)
Ionization (see also **Electrical Discharges; Range and Energy Loss of Particles**)
Contribution of solar x-rays to E-layer ionization, E. T. Byram, T. A. Chubb, and H. Friedman—1066(L)
Ionization loss at relativistic velocities in nuclear emulsion, Bertram Stiller and Maurice M. Shapiro—735
Ionization loss in nuclear emulsions, John R. Fleming and J. J. Lord—511(L); 1089(A)
Ionization of relativistic cosmic-ray μ mesons, H. R. Snodgrass—1089(A)
Photoionization in O_2, N. Wainfan and W. C. Walker—533(A)
Relative ionization by cosmic-ray μ mesons in liquid scintillator, R. Baskin and J. R. Winckler—464
Total ionization of α particles of Po in mixtures of gases, G. Bertolini, M. Bettoni, and A. Bisi—1586(L)
Ionization Potentials of Atoms (see **Atomic Structure and Spectra**)
Ionization Potentials of Molecules (see **Molecular Structure and Spectra**)
Ionosphere (see **Geophysics**)
Ions (see also **Electrical Discharges**)
Effective ionic radii, N. Efremov—1081(A)
Electron emission from metals under high-energy positive ion bombardment, Henry C. Bourne, Jr., Robert W. Cloud, and John G. Trump—847(A)
Ion density in E layer by use of sounding rocket, L. B. Linford, O. C. Haycock, J. I. Swigart, C. L. Alley, and C. D. Westlund—1093(A)
Vacuum sputtering of metallic Na by inert gas ions, Richard C. Bradley—535(A)
Ions and Electrons, Mobility (see also **Semiconductors**)
Drift mobilities in semiconductors. I. Ge, M. B. Prince—681
Mobility of impurity ions in Ge and Si, J. C. Severiens and C. S. Fuller—1322(L)
Temperature dependence of electron mobility in AgCl, Frederick C. Brown—858(A)
Isobars (see **Atomic Mass and Abundance**)
Isomers, Molecular (see **Molecular Structure and Spectra**)
Isomers, Nuclear (see **Nuclear Spectra**)
Isotopes (see **Atomic Mass and Abundance; Radioactivity**)

Kerr Effect (see **Optical Properties**)
Kinetic Theory of Gases (see **Gases**)

Liquid Helium (see **Helium, Liquid**)
Liquids
Nuclear magnetic relaxation in viscous liquids, Robert L. Conger—543(A)
Proton magnetic resonance in liquid crystals, P. L. Jain, H. A. Moses, J. C. Lee, and R. D. Spence—844(A)
Rotation of microwave polarization in liquid crystals in transverse magnetic field, Glen A. Mann and R. D. Spence—844(A)
Structure of liquid N_2, O_2, and A by neutron diffraction, D. G. Henshaw, D. G. Hurst, and N. K. Pope—1229
Thermal microstructure in ocean, W. N. English—1087(A)
Velocity of sound apparatus for liquids at 512 kc, George G. Kretschmar—542(A)
Luminescence
Electron traps in ice, E. Avery, L. Grossweiner, and M. Matheson—1080(A)
Interpretation of electroluminescent effects, Frank Matossi—846(A)
Long-lived phosphorescent components of Tl-activated NaI, L. R. Megill and C. R. Emigh—1081(A)
Luminescence studies of KI-TlI, Bernard Smaller and Eugene Avery—232
Mechanism of impurity poisoning in luminescence of ZnS phosphors with Mn activator, Richard H. Bube, Simon Larach, and Ross E. Shrader—1135
New quenching effect in liquid scintillators, R. W. Pringle, L. D. Black, B. L. Funt, and S. Sobering—1582(L)
Thermal decay of luminescence of KBr, G. W. Williams, S. R. Usiskin, and A. J. Dekker—1398
Time-dependent spectra of electroluminescent zinc sulfide, E. E. Loebner—846(A)
Variations in decay of phosphorescence with frequency of applied electric field, Keith W. Olson—1323(L)

Magnetic Fields (see **Electromagnetic Theory and Electrodynamics**)
Magnetic Properties
deHaas-van Alphen effect in As, Ted G. Berlincourt—1068(L)
Effect of surface on magnetic properties of electron gas, Frank S. Ham—1113
H-T antiferromagnetic boundary and apparent molecular field for $MnBr_2 \cdot 4H_2O$, Warren E. Henry—844(A)
Low-temperature diamagnetism of electrons in cylinder, R. B. Dingle—1320(L)
Magnetic properties of electronic Einstein-model solid, M. F. M. Osborne and M. C. Steele—1403

Magnetic Properties (Continued)
Magnetic resonance in ferrimagnetic and antiferromagnetic systems, L. R. Bickford, Jr.—845(A)
Magnetic scattering of neutrons from rare earth ions, G. T. Trammell—1387
Magnetic susceptibility of Ge, D. K. Stevens and J. H. Crawford, Jr.—1065(L)
Magnetization in Ni ferrite-aluminates and Ni ferrite-gallates, Louis R. Maxwell and Stanley J. Pickart—1120
Magnetostriction of magnetite, J. L. Stull and L. R. Bickford, Jr.—845(A)
Observation of magnetic domains by longitudinal Kerr effect, C. A. Fowler, Jr., and E. M. Fryer—532(A)
Paramagnetic scattering of neutrons by rare earth oxides, W. C. Koehler and E. O. Wollan—1380
Radiation-damage energy threshold in f.c.c. alloy, J. M. Denney—531(A)
Spin-wave theory of antiferromagnetism for simple cubic lattices, M. R. Schafroth—553
Spontaneous Hall effect in ferromagnetics, J. Smit and J. Volger—1576(L)
Thermal anomalies associated with antiferromagnetic ordering of FeF_2, CoF_2, and NiF_2, J. W. Stout and Edward Catalano—1575(L)
Use of non-orthogonal wave functions for solids, with applications to ferromagnetism, W. J. Carr, Jr.—28
Magnetic Resonance (see also **Nuclear Moments and Spin**)
Anomalous paramagnetic resonance in Cu propionate, Hidetaro Abe—1572(L)
Cyclotron resonance in Ge crystals, G. Dresselhaus, A. F. Kip, and C. Kittel—827(L)
Electronic spin resonance line width in metals, Elihu Abrahams and C. Kittel—544(A)
Exchange coupling in $CuK_2Cl_4 \cdot 2H_2O$ by paramagnetic resonance absorption, Kazuo Ōno, Hidetarō Abe, and Junji Shimada—551
Hfs of Ag and Au by atomic beam magnetic resonance method, Günter Wessel and Hin Lew—641
Influence of electric and magnetic fields on angular correlations, A. Abragam and R. V. Pound—943
Magnetic resonance in ferrimagnetic and antiferromagnetic systems, L. R. Bickford, Jr.—845(A)
New absorption lines of crystals in submicrowave region, S. Kojima, K. Tsukada, S. Ogawa, and A. Shimauchi—1571(L)
Nuclear magnetic relaxation in viscous liquids, Robert L. Conger—543(A)
Nuclear quadrupole resonance of stable Ga isotopes, H. G. Dehmelt—1240
Nuclear resonance line broadening and quadrupole splitting in metallic Be, W. D. Knight—539(A)
Nuclear spin relaxation by translation diffusion, H. C. Torrey—962
Paramagnetic resonance absorption in graphite, J. G. Castle, Jr.—1063(L)
Paramagnetic resonance hfs of V^{50} and V^{51}, C. Kikuchi, M. H. Sirvetz, and V. W. Cohen—109
Paramagnetic resonances in irradiated glasses, E. L. Yasaitis and B. Smaller—1068(L)
Polarization of nuclear spins in metals, T. R. Carver and C. P. Slichter—212(L)
Polarization of nuclei in metals, Albert W. Overhauser—411
Proton magnetic resonance in liquid crystals, P. L. Jain, H. A. Moses, J. C. Lee, and R. D. Spence—844(A)
Resonance absorption by conduction electrons in metals, A. F. Kip, T. W. Griswold, and A. M. Portis—544(A)
Saturation effects in paramagnetic resonance, A. H. Eschenfelder and R. T. Weidner—869
Sign of quadrupole interaction of Li^6 in LiCl, P. Kusch—268
Spin and magnetic moment of Ti^{47} and Ti^{49}, C. D. Jeffries—1096(A); 1262
Spin-lattice relaxation and residual width of highly exchange-narrowed paramagnetic resonances, J. P. Lloyd and G. E. Pake—1576(L)
Temperature dependence of nuclear susceptibility of He^3 between 1.2°K and 4.2°K, W. M. Fairbank, W. B. Ard, H. G. Dehmelt, Walter Gordy, and S. R. Williams—208(L)
Zeeman effect of Cr ground state, P. Brix, J. T. Eisinger, H. Lew, and G. Wessel—647
Zeeman splitting of nuclear quadrupole resonance lines, Yu Ting, Edward Manring, and Dudley Williams—1581(L)
Magneto-Optical Effects (see **Optical Properties**)
Magnetoresistance (see **Electrical Conductivity and Resistance**)
Magnetostriction (see **Magnetic Properties**)
Mass Defects (see **Atomic Mass and Abundance**)
Mass Spectroscopy (see **Atomic Mass and Abundance; Methods and Instruments**)
Mathematical Methods
Distribution of sizes of spheres in solid from study of slices of solid, Walter P. Reid—1082(A)
Harmonic analyses of pulses and spectral analyses of transients, S. Leroy Brown and John M. Norwood—534(A)
Measurements (see **Methods and Instruments**)
Mechanics
Dynamics of disordered linear chain, Freeman J. Dyson—1331
Mechanics, Quantum—Atomic Structure and Spectra (see **Atomic Structure and Spectra**)
Mechanics, Quantum—General (see **Quantum Mechanics**)
Mechanics, Quantum—Molecular Structure and Spectra (see **Molecular Structure and Spectra**)
Mechanics, Quantum—Nuclear (see **Nuclear Structure Theory**)
Mechanics, Quantum—of Solid Bodies (see **Crystalline State**)
Mechanics, Statistical (see **Statistical Mechanics and Thermodynamics**)
Meson Field Theory (see **Field Theory**)
Mesons (see also **Cosmic Radiation; Elementary Particle Interactions; Nuclear Reactions Induced by Mesons; Scattering of Mesons**)
Angular distribution of positive photomesons from H: counter telescope method, A. V. Tollestrup, J. C. Keck, and R. M. Worlock—1090(A)
β interaction, R. Finkelstein and P. Kaus—1316
Cascade decay of V particles, C. D. Anderson, E. W. Cowan, R. B. Leighton, and V. A. J. van Lint—1089(A); E. W. Cowan, C. D. Anderson, R. B. Leighton, and V. A. J. van Lint—1089(A)
Charged and neutral V particles, W. B. Fretter and E. W. Friesen—1089(A)
Charged particles of mass intermediate between proton and deuteron, D. T. King, Nathan Seeman, and Maurice M. Shapiro—838(L)
Cloud-chamber observation of decay of τ meson, V. A. J. van Lint and G. H. Trilling—1089(A)
Decay-electron spectrum of μ meson, J. H. Vilain and R. W. Williams—1586(L)
Dependence of 33-Mev π^+ production cross section on atomic number, Ryokichi Sagane and Walter Dudziak—212(L)
Elastic photoproduction of π^0's from deuterium, J. W. DeWire, A. Silverman, and B. Wolfe—520(L)
Heavy unstable particles, D. Lal, Yash Pal, and B. Peters—438
High-pressure cloud-chamber investigation of protons scattered by 300-Mev neutrons, John DePangher—1084(A)
Hypothesis concerning relations among "new unstable particles", M. Goldhaber—1279

Ionization loss at relativistic velocities in nuclear emulsion, Bertram Stiller and Maurice M. Shapiro—735
Ionization loss in nuclear emulsions, John R. Fleming and J. J. Lord—511(L); 1089(A)
Ionization of relativistic cosmic-ray μ mesons, H. R. Snodgrass—1089(A)
Isotopic spin and new unstable particles, M. Gell-Mann—833(L)
Mass measurements of primaries of S events by momentum-range method, W. B. Fretter, B. P. Gregory, R. Johnston, A. Lagarrigue, H. Meyer, F. Muller, and C. Peyrou—1583(L)
Mean lifetime of V^0 particles, R. B. Leighton and W. L. Alford—540(A)
Meson production by 500-Mev negative pions, M. Blau, M. Caulton, and J. E. Smith—516(L)
Multiple production of pions in nucleon-nucleon collisions at cosmotron energies, E. Fermi—452
μ meson as nuclear probe particle, John A. Wheeler—812
μ-mesonic atoms and electromagnetic radius of nucleus, L. N. Cooper and E. M. Henley—801
Neutral meson production in proton bombardment of C, Walter E. Crandall and Burton J. Moyer—749
"Non-mesonic" bound V-particle decay, W. Cheston and H. Primakoff—1537
$p+d\rightarrow t+\pi^+$, Wilson Frank, Kenneth C. Bandtel, Richard Madey, and Burton J. Moyer—537(A)
Photoproduction of meson pairs, R. D. Lawson and S. D. Drell—539(A)
Photoproduction of π-meson pairs, R. D. Lawson—1272
Photoproduction of positive mesons from H: magnetic spectrometer method, R. L. Walker, J. G. Teasdale, and V. Z. Peterson—1090(A); results, R. F. Bacher, J. C. Keck, V. Z. Peterson, J. G. Teasdale, A. V. Tollestrup, R. L. Walker, and R. M. Worlock—1090(A)
π^- mesons produced in cloud chamber by high-energy neutrons, Franklin C. Ford and Wilson M. Powell—537(A)
π^+/π^- ratios measured with use of spiral orbit spectrometer, Ryokichi Sagane—539(A)
Pion production at 180° by protons on C, Stanley L. Leonard—538(A)
Pions from production of baryons by protons, Frederik J. Belinfante—145
Production of neutral mesons by 340-Mev protons on H, J. W. Mather and E. A. Martinelli—780
Ratio of π^+ to π^- mesons produced by γ rays, James Edward Carothers—538(A)
Relative ionization by cosmic-ray μ mesons in liquid scintillator, R. Baskin and J. R. Winckler—464
Rest mass energy of negative pion, R. C. Cornelius, C. P. Sargent, M. C. Rinehart, L. M. Lederman, and K. Rogers—1583(L)
Search for highly absorbable negative cosmic-ray particles at sea level, Charles E. Miller, Joseph E. Henderson, David S. Potter, William R. Davis, Wayne M. Sandstrom, Gerald R. Garrison, and Francis M. Charbonnier—406
Search for V particles produced by 430-Mev protons, A. H. Rosenfeld and S. B. Treiman—727
Semiclassical methods in meson processes, Joseph A. Thie—1282
Solutions of meson-nucleon equation in adiabatic limit, R. Arnowitt and S. Deser—1061(L)
Summary of K-meson data, L. Leprince-Ringuet and B. Rossi—722
Tamm-Dancoff theory of pion photoproduction, Marc Ross—855(A)
Test of charge symmetry hypothesis, H. W. Wilson and Walter H. Barkas—537(A)
Universal Fermi interaction, E. J. Konopinski and H. M. Mahmoud—1045
Unusual π-μ decays in photographic emulsions, erratum, W. F. Fry—1587(E)
V^+ decay, R. W. Thompson, A. V. Buskirk, C. J. Karzmark, and R. H. Rediker—209(L)
Variation of ratio of positive to negative cosmic-ray μ mesons with momentum and altitude, H. A. Morewitz and M. H. Shamos—134
Velocity distribution of pair components in π^0 decay, O. Halpern and K. Baumann—1070
X-rays from μ-mesonic atoms, Val L. Fitch and J. Rainwater—789

Metals (see **Crystalline State**)
Metastable Atoms (see **Atomic Structure and Spectra**)
Metastable Molecules (see **Molecular Structure and Spectra**)
Meteorology (see **Geophysics**)
Methods and Instruments
Apparatus for double scattering of 240-Mev protons, W. F. Cartwright, C. L. Oxley, J. Rouvina, E. Baskir, D. Klein, J. Ring, and W. A. Skillman—852(A)
Automatic recording of zodiacal light, Victor H. Regener—1093(A)
Characteristics of photographic plates in vacuum uv, Po Lee and G. L. Weissler—545(A)
Crystal growth of Si by tip fusion process, P. H. Keck, S. B. Levin, J. Broder, and R. Lieberman—847(A)
Device for testing large numbers of photomultipliers, A. Brousseau, C. L. Cowan, Jr., and F. Reines—1088(A)
Effect of cloud-chamber geometry on β-ray studies, Paul H. Pitkanen—530(A)
Electromagnetic separation of Pd, Pt, and Ru isotopes, W. A. Bell, Jr., L. O. Love, C. E. Normand, and W. K. Prater—1096(A)
Electron bunching in disk-loaded circular wave guide, R. B. Neal—541(A)
Fast-neutron spectrometer using $T(d,n)\alpha$ reaction, G. K. O'Neill—853(A)
Flash radiographic studies of high-velocity metallic jets, Louis Zernow—532(A)
Floating zone recrystallization, P. H. Keck, W. Van Horn, J. Soled, and A. MacDonald—847(A)
Focusing of short electromagnetic waves by means of Fresnel half-period zone plate, H. George Oltman—1093(A)
Geometrical relations for solid propellant charges for rocket motors, E. W. Price—542(A)
High-yield rf ion source, Harold P. Eubank—853(A)
In, versatile solder to metals and nonmetals, Richard B. Belser—1098(A)
Liquid scintillation counting of natural C^{14}, F. N. Hayes, D. L. Williams, and Betty Rogers—512(L)
Liquid scintillation detectors to accommodate human subjects, R. L. Schuch, E. C. Anderson, C. L. Cowan, Jr., F. B. Harrison, F. N. Hayes, and F. Reines—1088(A)
Liquid scintillators for large volume detectors, F. N. Hayes, Lloyd Williams, C. L. Cowan, Jr., and F. Reines—1088(A)
Low-power water-boiler type reactor, M. E. Remley and D. C. Woods—544(A)
Magnetic shielding produced by rotating conducting tube, Alfredo Baños, Jr.—1081(A)
Measurement of light scattered from search-light beam, E. V. Ashburn—534(A)
Measurement of specific heats of alkali metals, H. Preston-Thomas, T. M. Dauphinee, and D. K. C. MacDonald—844(A)
Method for determination of end-point energy of β emitters, M. Forro—931
Multicolor photoelectric photometer for study of faint radiations, D. R. Williams and Pierre St. Amand—533(A)
NAA statitron for solid-state research, D. T. Eggen and H. Kenworthy—531(A)

Methods and Instruments (Continued)
Neutron spectrum and absolute yield of Pu–Be source, Leona Stewart—1095(A)
New quenching effect in liquid scintillators, R. W. Pringle, L. D. Black, B. L. Funt, and S. Sobering—1582(L)
Operation of Glaser bubble chamber with liquid H_2, Roger H. Hildebrand and Darragh E. Nagle—517(L)
Perfect crystals of ZnS, William W. Piper and W. L. Roth —503(L)
Periodic ellipse of strong-focusing equations, B. C. Carlson —839(L)
Phase-reversal focusing in linear accelerators, Myron L. Good—538(A)
Procedure for evaluation of automatic zodiacal light recordings, Richard J. Runge—1093(A)
Properties of large liquid scintillation detectors, E. C. Anderson, C. L. Cowan, Jr., and F. Reines—1088(A)
Pulsed searchlight system for upper atmosphere density studies, S. S. Friedland, H. S. Katzenstein, J. Katzenstein, D. P. Lindorff, G. S. Timoshenko, and L. E. Williams—1080(A)
Quadrupole focusing lenses for charged particles, Bruce Cork and Emery Zajec—853(A)
Recording of x-ray diffraction patterns by scintillation counter, J. C. M. Brentano and I. Ladany—850(A)
Refinement and resolution in reconstructed wavefront microscopy, Hussein M. A. El-Sum and Paul Kirkpatrick —541(A)
Rf fine structure of photon beam from Berkeley synchrotron, Richard Madey, Kenneth C. Bandtel, and Wilson J. Frank—537(A)
Scanning x-ray microscope, Howard H. Pattee, Jr.—541(A)
Single crystal metal rotors, J. W. Beams—502(L)
Temperature dependence of BF_3 proportional neutron counters, Frank R. Woods, Edgar F. Bennett, and John A. Lockwood—853(A)
Trochoidal analyzer for charged particles, Bernd Crasemann —544(A)
Variation of moisture content in nuclear track emulsion, Albert J. Oliver—538(A)
Velocity of sound apparatus for liquids at 512 kc, George G. Kretschmar—542(A)
Wave-synthesizing light chopper, W. Wallin—543(A)

Microwaves (see also **Atomic Structure and Spectra; Magnetic Resonance; Molecular Structure and Spectra; Nuclear Moments and Spin**)
Čerenkov effect at microwave frequencies, M. Danos, S. Geschwind, H. Lashinsky, and A. van Trier—828(L)
1–2 mm wave spectroscopy. II. H_2S, Charles A. Burrus, Jr., and Walter Gordy—274; III. NO and DI, C. A. Burrus and Walter Gordy—1437
Rotation of microwave polarization in liquid crystals in transverse magnetic field, Glen A. Mann and R. D. Spence—844(A)
Theory of microwave Zeeman effect in atomic oxygen, A. Abragam and J. H. Van Vleck—1448

Miscellaneous

Mobility of Ions and Electrons (see **Ions and Electrons, Mobility**)

Molecular Aggregates
Paramagnetic resonances in irradiated glasses, E. L. Yasaitis and B. Smaller—1068(L)

Molecular Beams (see **Atomic and Molecular Beams**)

Molecular Structure and Spectra
Absorption coefficients of NO and NH_3 in vacuum uv, H. Sun and G. L. Weissler—545(A)
Change in inversion spectrum of ND_3 from resonant to non-resonant absorption, G. Birnbaum and A. A. Maryott —270
Dissociation of H_2^+ by electron impact, Edward H. Kerner —1441
Effects of H bonding on infrared spectra of alcohols, Alexander Verrijn Stuart and G. B. B. M. Sutherland —534(A)
Eigenfunctions of S^2 by spin operator method, George W. Pratt, Jr.—278
Heat of dissociation of F_2 by effusion method, Henry Wise —532(A)
Interchange of rotational and vibrational energy in collisions of diatomic molecules, Edward H. Kerner—899
Microwave measurement of D_0 for CO, J. J. Gallagher, F. D. Bedard, and C. M. Johnson—1440
Microwave spectra of CsF, CsCl, and CsBr, A. Honig, M. L. Stitch, and M. Mandel—901
ν_1 band of D_2O in infrared, W. S. Benedict, Norman Gailar, and Earle K. Plyler—533(A)
Nuclear moments of Se^{79}, W. A. Hardy, G. Silvey, C. H. Townes, B. F. Burke, M. W. P. Strandberg, George W. Parker, and Victor W. Cohen—1532
Nuclear quadrupole coupling in Li_2 molecule, R. M. Sternheimer and H. M. Foley—1460
Nuclear spin and quadrupole moment of I^{131}, Ralph Livingston, Ben M. Benjamin, J. T. Cox, and Walter Gordy— 1271
1–2 mm wave spectroscopy. II. H_2S, Charles A. Burrus, Jr., and Walter Gordy—274; III. NO and DI, C. A. Burrus and Walter Gordy—1437
Sign of quadrupole interaction of Li^6 in LiCl, P. Kusch—268
Spin of Si^{29} and mass ratios of stable Si isotopes, R. L. White and C. H. Townes—1256
Zeeman effect in molecular spectra of H_2, G. H. Dieke, S. P. Cunningham, and F. T. Byrne—81

Moments, Nuclear (see **Nuclear Moments and Spin**)

Moments of Molecules (see **Molecular Structure and Spectra**)

Neutrino (see also **Nuclear Spectra; Radioactivity**)
Background in neutrino experiment, F. B. Harrison, C. L. Cowan, Jr., and F. Reines—1088(A)
Detection of free neutrino, F. Reines and C. L. Cowan, Jr. —830(L)
Upper limits on neutrino mass from T β spectrum, Donald R. Hamilton, W. Parker Alford, and Leonard Gross—1521

Neutron Diffraction (see **Diffraction; Scattering of Neutrons**)

Neutrons (see **Elementary Particle Interactions**)

Noise
Noise observations on CdS crystal photoconductors, Carl Shulman, R. W. Smith, and A. Rose—857(A)
Vacuum fluctuation noise in electron streams, J. Weber —847(A)

Nuclear Fission
Energy distribution of slowed fission fragments, J. A. Northrop and J. E. Brolley, Jr.—1091(A)
Neutron and spontaneous fission in U ores, W. H. Fleming and H. G. Thode—378
Ru^{103} and Ru^{106} fission yields, W. H. Hardwick—1072(L)
Spontaneous fission yields from U and Th, George W. Wetherill—907
U^{235} thermal neutron fission yields, George W. Reed and Anthony Turkevich—1473
Velocity distributions of slowed fission fragments, H. W. Schmitt and R. B. Leachman—1091(A)
Yield of Mo^{99} from fission of U^{235} and U^{238}, James Terrell, W. E. Scott, J. S. Gilmore, and C. O. Minkkinen— 1091(A)

Nuclear Forces (see **Elementary Particle Interactions; Field Theory; Nuclear Structure Theory**)

Nuclear Induction (see **Magnetic Resonance; Nuclear Moments and Spin**)

Nuclear Isomers (see **Nuclear Spectra; Radioactivity**)

Nuclear Moments and Spin

Bi^{210} spin, Mark Fred, Frank S. Tomkins, and Raymond F. Barnes—1324(L)

Contribution of collective motion to magnetic moments of heavy nuclei, Kenneth W. Ford—1094(A)

Hfs and nuclear electric quadrupole moment of B^{11}, Günter Wessel—1581(L)

Hfs formulas for *LS*-coupling, R. E. Trees—308

Hfs of spectra of Dy, Co, V, Mn, and La, Kiyoshi Murakawa and Tohru Kamei—325

Influence of electric and magnetic fields on angular correlations, A. Abragam and R. V. Pound—943

Interaction of electric field gradients and nuclear electric quadrupole moments in angular correlation, Rolf M. Steffen—849(A)

Intrinsic magnetic moment of elementary particles of spin 3/2, F. J. Belinfante—997

Magnetic moments of neutron and proton, F. J. Belinfante—994

Nuclear moments of Se^{79}, W. A. Hardy, G. Silvey, C. H. Townes, B. F. Burke, M. W. P. Strandberg, George W. Parker, and Victor W. Cohen—1532

Nuclear quadrupole coupling in Li_2, R. M. Sternheimer and H. M. Foley—1460

Nuclear quadrupole resonance of stable Ga isotopes, H. G. Dehmelt—1240

Nuclear resonance line broadening and quadrupole splitting in metallic Be, W. D. Knight—539(A)

Nuclear spin and quadrupole moment of I^{131}, Ralph Livingston, Ben M. Benjamin, J. T. Cox, and Walter Gordy—1271

Nuclear spin relaxation by translation diffusion, H. C. Torrey—962

1–2 mm wave spectroscopy. II. H_2S, Charles A. Burrus, Jr., and Walter Gordy—274; III. NO and DI, C. A. Burrus and Walter Gordy—1437

Paramagnetic resonance hfs of V^{50} and V^{51}, C. Kikuchi, M. H. Sirvetz, and V. W. Cohen—109

Polarization of nuclear spins in metals, T. R. Carver and C. P. Slichter—212(L)

Polarization of nuclei in metals, Albert W. Overhauser—411

Sb^{121} and Sb^{123} quadrupole moments, G. Sprague and D. H. Tomboulian—105

Sign of quadrupole interaction of Li^6 in LiCl, P. Kusch—268

Spin of Si^{29} and mass ratios of stable Si isotopes, R. L. White and C. H. Townes—1256

Tc^{99} nuclear moments, Karl G. Kessler and R. E. Trees—303

Ti^{47} and Ti^{49} spin and magnetic moment, C. D. Jeffries—1096(A); 1262

Zeeman splitting of nuclear quadrupole resonance lines, Yu Ting, Edward Manring, and Dudley Williams—1581(L)

Nuclear Photoeffects

Angular and energy distributions of photoprotons from Al and Ta, M. M. Hoffman and A. G. W. Cameron—1184

Angular distribution of positive photomesons from H: counter telescope method, A. V. Tollestrup, J. C. Keck, and R. M. Worlock—1090(A)

Charge independence in (γ,n) and (γ,t) reactions, D. C. Peaslee and V. L. Telegdi—126

Elastic photoproduction of π^0's from deuterium, J. W. DeWire, A. Silverman, and B. Wolfe—520(L)

Excitation function for photodisintegration of Be, R. Nathans and J. Halpern—940

Fine structure in $C^{12}(\gamma,n)C^{11}$ neutron yield, L. Katz and J. Goldemberg—852(A)

High-energy (γ,d) reactions, J. W. DeWire, A. Silverman, and B. Wolfe—519(L)

Li^7 and F^{19} excitation levels by betatron irradiation, J. Goldemberg and L. Katz—852(A)

Matrix elements for nuclear photoeffect, Leslie L. Foldy—178

Photoproduction of meson pairs, R. D. Lawson and S. D. Drell—539(A)

Photoproduction of π-meson pairs, R. D. Lawson—1272

Photoproduction of positive mesons from H: magnetic spectrometer method, R. L. Walker, J. G. Teasdale, and V. Z. Peterson—1090(A); results, R. F. Bacher, J. C. Keck, V. Z. Peterson, J. G. Teasdale, A. V. Tollestrup, R. L. Walker, and R. M. Worlock—1090(A)

Photoprotons from In, Ce, and Bi, M. E. Toms and W. E. Stephens—362

Production of protons from C by monoenergetic γ rays, John W. Weil and Boyce D. McDaniel—391

Ratio of π^+ to π^- mesons produced by γ rays, James Edward Carothers—538(A)

Reaction $C^{12}(\gamma,3p)Li^9$, Daryl Reagan—651

Systematics of photoneutron reactions, R. Nathans and J. Halpern—207(L)

Tamm-Dancoff theory of pion photoproduction, Marc Ross—855(A)

Nuclear Reactions, General (see also **Elementary Particle Interactions; Scattering**)

Bound state corrections in two-body system, Thomas Fulton and Robert Karplus—1094(A)

Br isotopes produced by C-ion bombardment of Cu, Jack M. Hollander—518(L)

Electrodisintegration of nuclei, Karl L. Brown and Richard Wilson—540(A)

Intermediate coupling and nuclear reactions, A. M. Lane—839(L)

Internal conversion electrons from Coulomb-excited Ta and W, Torben Huus and Jørgen H. Bjerregaard—1579(L)

Invariant forms of nucleon-nucleon interaction, David Feldman—824

Multiple production of pions in nucleon-nucleon collisions at cosmotron energies, E. Fermi—452

Production of fast Li, Be, B fragments from interactions of primary cosmic-ray nuclei, J. H. Noon, M. F. Kaplon, and D. M. Ritson—1585(L)

R-matrix formulation of statistical theory of nuclear reactions, R. G. Thomas—1094(A)

Search for stable dineutron, B. L. Cohen and T. H. Handley—101

State in C^{12} predicted from astrophysical evidence, F. Hoyle, D. N. F. Dunbar, W. A. Wenzel, and W. Whaling—1095(A)

Statistical theory of nuclear reactions, Bernard L. Cohen—1245

Theory of polarized particles and γ rays in nuclear reactions, Albert Simon—1050

Use of tensor operators in nuclear collision problems, Lincoln Wolfenstein—123

Nuclear Reactions Induced by α Particles and He^3 (see also **Scattering of α Particles**)

F^{18} energy levels from α-particle reactions in N, N. P. Heydenburg and G. M. Temmer—89

H^3+He^3 reactions, C. D. Moak—383

Secondary particles induced by 375-Mev α particles, R. W. Deutsch and W. H. Barkas—539(A)

Test of charge symmetry hypothesis, H. W. Wilson and Walter H. Barkas—537(A)

Thin target studies of $B^{10}(\alpha,n)N^{13}$, N^{13*}, Marguerite Rogers, F. K. Odencrantz, and G. J. Plain—530(A)

Yields of low-energy protons and α's resulting from high-energy bombardment of Ag, Robert W. Deutsch—515(L)

Nuclear Reactions Induced by Deuterons and Tritons (see also **Scattering of Deuterons**)
Approximate wave-mechanical description of deuteron stripping, F. L. Friedman and W. Tobocman—93
Energies and angular distributions of neutrons from $Be^{9}(d,n)B^{10}$, J. S. Pruitt, C. D. Swartz, and S. S. Hanna—1456
Energy levels of Be^{10}, K. B. Rhodes and J. N. McGruer—1328(L)
Excited states of B^{11} and B^{12} from $B^{10}(d,p)B^{11}$ and $B^{11}(d,p)B^{12}$, Mortimer M. Elkind—127
Fast-neutron spectrometer using $T(d,n)\alpha$ reaction, G. K. O'Neill—853(A)
γ rays from $C^{12}+D^{2}$, R. J. Mackin, Jr.—529(A)
Inelastic scattering of protons and deuterons from B^{10} and N^{14}, C. K. Bockelman, C. P. Browne, W. W. Buechner, and A. Sperduto—665
Interaction of 19-Mev deuterons with O, R. G. Freemantle, W. M. Gibson, D. J. Prowse, and J. Rotblat—1268
Mechanism of stripping reactions, J. Horowitz and A. M. L. Messiah—1326(L)
Nuclear reaction determination of $Sn^{124}-Te^{124}$ mass difference, N. S. Wall—1526
$O^{18}(d,n)F^{19}$ neutron spectrum, Robert L. Seale—389
Protons from deuteron bombardment of Kr^{84} and Kr^{86}, G. W. Wheeler, R. B. Schwartz, and W. W. Watson—121
Q values of $Ne^{21}(d,\alpha)F^{19}$ and $Ne^{21}(d,p)Ne^{22}$, Curt Mileikowsky and Ward Whaling—528(A)
Radionuclides of As produced by deuteron bombardment of Ge, H. J. Watters and J. F. Fagan, Jr.—1248
Search for B^{13}, Edward L. Hubbard, Lawrence Ruby, and Warren F. Stubbins—1494
7.68-Mev state in C^{12}, D. N. F. Dunbar, R. E. Pixley, W. A. Wenzel, and W. Whaling—649
State in C^{12} predicted from astrophysical evidence, F. Hoyle, D. N. F. Dunbar, W. A. Wenzel, and W. Whaling—1095(A)
Theory of high-energy deuteron pick-up, B. J. Malenka—516(L)
$V^{51}(d,p)V^{52}$, magnetic analysis, J. E. Schwager and L. A. Cox—102

Nuclear Reactions Induced by Mesons (see also **Elementary Particle Interactions; Mesons; Scattering of Mesons**)
Attenuation cross sections of 37-Mev pions in H, C, E. Angell and J. P. Perry—835(L)
Interaction cross section of H and heavier elements for 450-Mev negative pions and 340-Mev positive pions, S. J. Lindenbaum and Luke C. L. Yuan—1578(L)
Interaction of negative pions with Hg, Nathan Sugarman and Agnes Haber—730
Meson production by 500-Mev negative pions, M. Blau, M. Caulton, and J. E. Smith—516(L)
Negative μ-meson capture in C, T. N. K. Godfrey—512(L)
Positive π-meson interactions in Be, F. H. Tenney and J. Tinlot—974
Radioactive Cu nuclides produced by slow negative pions and muons from Zn, A. Turkevich and Si Chang Fung—521(L)
Scattering and absorption of π^{+} mesons by Al, J. F. Tracy—537(A)
Total cross section for positive pions in hydrogen, Stanley L. Leonard and Donald H. Stork—855(A)
Total cross sections for positive pions, D. Stork—538(A)

Nuclear Reactions Induced by Neutrons (see also **Elementary Particle Interactions; Scattering of Neutrons**)
Angular distributions from (n,p) nuclear reactions, N. Austern, S. T. Butler, and H. McManus—350
Cross sections for production of In^{115m} and Au^{197m} by inelastic scattering of neutrons, H. C. Martin, B. C. Diven, and R. F. Taschek—1096(A)
Disintegration of C^{12}, B^{11}, and B^{10} by fast neutrons, Glenn M. Frye and Louis Rosen—1083(A)
Energy levels in Hf isotopes, D. J. Hughes, W. Y. Kato, and J. S. Levin—1094(A)
Evaluation of interaction effect in n-p capture, N. Austern—670
Excitation functions for $(n,2n)$ reactions in Ge, Sc, As, Tl, and Ni, S. J. Bame, Jr.—1096(A)
Formation of long-lived Bi^{210} isomer, D. J. Hughes and H. Palevsky—1206
γ radiation from neutron excitation of Zr and Hf, C. W. Malich and C. E. Faneuff—1095(A)
High-pressure cloud-chamber investigation of protons scattered by 300-Mev neutrons, John DePangher—1084(A)
Inelastic neutron scattering in Al, Fe, Mg, and Cu, Richard E. Garrett, Frank L. Hereford, and Billy W. Sloope—1507
Inelastic scattering of fast neutrons in C and Pb, B. G. Whitmore—654
Inelastic scattering of protons and neutrons by deuterons, R. M. Frank and J. L. Gammel—1092(A)
Large NaI scintillation counter study of neutron-capture γ rays from H, Bernard Hamermesh and Richard J. Culp—211(L)
Level parameters for low-energy neutron resonances, J. S. Levin, D. J. Hughes, and W. Y. Kato—851(A)
Long-lived activity in neutron-irradiated Nb, David L. Douglas, Anita C. Mewherter, and Robert P. Schuman—369; 1095(A)
Magnetic inelastic scattering of slow neutrons, H. Palevsky and D. J. Hughes—202(L)
Neutron absorption and scattering by Hf, L. M. Bollinger, S. P. Harris, C. T. Hibdon, and C. O. Muehlhause—1527
Neutron total cross section for Bi and U between 45 and 160 Mev, W. I. Linlor and B. Ragent—835(L)
Neutron total cross sections at 20 Mev, Robert B. Day and Richard L. Henkel—358
Nuclear scattering of "300"-Mev neutrons, W. P. Ball, Burton J. Moyer, and Robert E. Richardson—539(A)
π^{-} mesons produced in cloud chamber by high-energy neutrons, Franklin C. Ford and Wilson M. Powell—537(A)
Pulse-height measurements of recoils from $B^{10}(n,\alpha)Li^{7}$ in A-CO_2 mixtures, J. De Juren and H. Rosenwasser—544(A)
Slow neutron resonances in Ho, Tm, and Lu, H. L. Foote, Jr., H. H. Landon, and V. L. Sailor—656
Slow neutron resonances in Ta, R. L. Christensen—1509
Slow neutron velocity spectrometer studies. V. Re, Ta, Ru, Cr, Ga, E. Melkonian, W. W. Havens, Jr., and L. J. Rainwater—702
Spin-orbit coupling energy in O^{17}, Robert K. Adair—1491
Th energy levels, D. J. Hughes, W. Y. Kato, and J. S. Levin—851(A)
Thermal neutron absorption cross sections of B and Au, R. S. Carter, H. Palevsky, V. W. Myers, and D. J. Hughes—716
Total cross sections for 169-Mev neutrons, A. E. Taylor—1071(L)
Total neutron cross section of liquid A, Janet B. Guernsey and Clark Goodman—323
Total neutron cross section of P, K. F. Hansen, R. M. Kiehn, and Clark Goodman—652

Nuclear Reactions Induced by Protons (see also **Elementary Particle Interactions; Scattering of Protons**)
Angular anisotropy of γ ray from $C^{13}(p,\gamma p')C^{13}$, H. Hugh Woodbury—529(A)
Angular distribution of γ rays and α particles from $N^{15}(p,\alpha\gamma)C^{12}$, Alfred A. Kraus, Jr., A. P. French, William A. Fowler, and C. C. Lauritsen—529(A)

Angular distribution of neutrons from $O^{18}(p,n)F^{18}$, Hans Mark and Clark Goodman—1097(A)
Angular distributions of $F^{19}(p,\alpha)O^{16}$ reaction, R. W. Peterson, W. A. Fowler, and C. C. Lauritsen—1085(A)
Angular distributions of long-range α particles from $N^{15}(p,\alpha)C^{12}$, G. C. Neilson, D. B. James, and C. A. Barnes—1084(A)
Capture γ rays from proton bombardment of Be^9, W. F. Hornyak and T. Coor—675
Dependence of 33-Mev π^+ production cross section on atomic number, Ryokichi Sagane and Walter Dudziak—212(L)
Deuteron disintegration by 9.7-Mev protons, Juanita H. Gammel—1092(A)
Energy levels of Be^8, R. Malm and D. R. Inglis—1326(L)
γ radiation from $C^{13}(p,\gamma)N^{14}$, H. H. Woodbury, R. B. Day, and A. V. Tollestrup—1199
γ rays and internal pairs from Be^9+H^1, Robert J. Mackin, Jr.—1084(A)
γ rays from $D(p,\gamma)He^3$, G. M. Griffiths and J. B. Warren—1084(A)
γ rays from $Li^7(p,\gamma)Be^8$, Alfred A. Kraus, Jr.—1085(A)
γ rays from $N^{14}(p,\gamma)O^{15}$, C. W. Li—1084(A)
γ rays from $P^{31}(p,\gamma)S^{32}$, H. E. Gove and E. B. Paul—852(A)
γ rays from proton bombardment of B^{10}, R. W. Krone and L. W. Seagondollar—935
γ rays from $T(p,\gamma)He^4$ reaction, J. B. Warren and G. M. Griffiths—1084(A)
Inelastic scattering of protons and deuterons from B^{10} and N^{14}, C. K. Bockelman, C. P. Browne, W. W. Buechner, and A. Sperduto—665
Inelastic scattering of protons and neutrons by deuterons, R. M. Frank and J. L. Gammel—1092(A)
Interactions of 2.2-Bev protons in nuclear emulsions, L. W. Smith, C. P. Leavitt, A. M. Shapiro, C. E. Swartz, and M. Widgoff—851(A)
Neutral meson production in proton bombardment of C, Walter E. Crandall and Burton J. Moyer—749
Nuclear configurations inferred from high-energy pickup-deuteron distributions, W. Selove—1328(L)
$p+d\rightarrow t+\pi^+$, Wilson Frank, Kenneth C. Bandtel, Richard Madey, and Burton J. Moyer—537(A)
π^+/π^- ratios measured with use of spiral orbit spectrometer, Ryokichi Sagane—539(A)
Pick-up process in proton-deuteron scattering, A. Bratenahl and B. J. Moyer—538(A)
Pion production at 180° by protons on C, Stanley L. Leonard—538(A)
Pions from production of baryons by protons, Frederik J. Belinfante—145
Polarization of γ rays in $F^{19}(p,\alpha\gamma)O^{16}$, L. W. Fagg and S. S. Hanna—372
Production of neutral mesons by 340-Mev protons on H, J. W. Mather and E. A. Martinelli—780
Reactions and scattering of protons on Li^7, D. A. Liberman and R. F. Christy—1085(A)
Scattering of 9.5-Mev protons by C and O, W. E. Burcham, W. M. Gibson, A. Hossain, and J. Rotblat—1266
Search for B^{12}, Edward L. Hubbard, Lawrence Ruby, and Warren F. Stubbins—1494
Search for V particles produced by 430-Mev protons, A. H. Rosenfeld and S. B. Treiman—727
Spectrum of particles from Pb bombarded by 32-Mev protons, Robert M. Eisberg and George J. Igo—537(A)
Stars induced in nuclear emulsions by 2.2-Bev protons, M. Widgoff, C. P. Leavitt, A. M. Shapiro, L. W. Smith, and C. E. Swartz—851(A)
Tc^{98}, John K. Lerohl, M. L. Pool, D. N. Kundu, and R. A. House—934
Test of charge symmetry hypothesis, H. W. Wilson and Walter H. Barkas—537(A)
Yields of low-energy protons and α's resulting from high-energy bombardment of Ag, Robert W. Deutsch—515(L)

Nuclear Scattering (see **Scattering**)

Nuclear Spectra (see also **Nuclear Isomers; Nuclear Reactions; Radioactivity**)

Ag^{108} decay scheme, M. L. Perlman, W. Bernstein, and R. B. Schwartz—1236
α-γ angular correlation in ionium (Th^{230}), G. M. Temmer and J. M. Wyckoff—849(A); 913
Angular correlation between first and third γ rays in Ti^{48}, C. E. Whittle and P. S. Jastram—205(L)
Angular correlation of cascade γ rays from decay of Au^{198}, Carlton D. Schrader—928
Angular correlation of γ rays from Mn^{56}, F. R. Metzger and W. B. Todd—904
As^{77} and Br^{77}, scintillation study, erratum, M. E. Bunker, R. J. Prestwood, and J. W. Starner—1587(E)
As^{77} and Ge^{71}, B. L. Saraf, J. Varma, and C. E. Mandeville—848(A)
B^{11} and B^{12} excited states from $B^{10}(d,p)B^{11}$ and $B^{11}(d,p)B^{12}$, Mortimer M. Elkind—127
Be^8 energy levels, R. Malm and D. R. Inglis—1326(L)
Be^{10} energy levels, K. B. Rhodes and J. N. McGruer—1328(L)
β-γ polarization correlations, Donald R. Hamilton, Aaron Lemonick, and Francis M. Pipkin—1191
β interaction, R. Finkelstein and P. Kaus—1316
Br^{80} disintegration scheme, Gertrude Scharff-Goldhaber and Michael McKeown—356
Ca^{47} decay, J. M. Cork, J. M. LeBlanc, M. K. Brice, and W. H. Nester—367
Ca^{47}, Sc^{47}, V^{48}, Rh^{100} disintegration, Luis Marquez—1511
Capture γ rays from proton bombardment of Be^9, W. F. Hornyak and T. Coor—675
$Cm^{242,\ 243,\ 244}$ α spectra, Frank Asaro, S. G. Thompson, and I. Perlman—694
Complex α spectra of radiothorium (Th^{228}) and thorium-X (Ra^{224}), Frank Asaro, Frank Stephens, Jr., and I. Perlman—1495
Coupling of angular momenta in nuclear reactions, R. F. Christy—529(A)
Cross terms in allowed-shape β spectra, J. P. Davidson and D. C. Peaslee—1584(L)
Crystal structure and nuclear directional correlation. I. Pb^{204}, H. Frauenfelder, J. S. Lawson, Jr., W. Jentschke, and G. DePasquali—513(L)
Cu^{67} β decay, Harry T. Easterday—537(A)
Decay of $_{66}Dy^{155m}$ (1.2 min) and $_{66}Dy^{155}$ (2.3 hr), W. C. Jordan, J. M. Cork, and S. B. Burson—1218
Directional correlation and electric quadrupole interaction in γ-γ cascade of 48.7-min Cd^{111m}, J. J. Kraushaar and R. V. Pound—522(L)
Directional correlation of Pb^{204} γ-γ cascade, H. Frauenfelder, J. S. Lawson, Jr., W. Jentschke, and G. De Pasquali—1241
Effect of cloud-chamber geometry on β-ray studies, Paul H. Pitkanen—530(A)
Er^{163} and Tm^{166}, Thomas H. Handley and Elmer L. Olson—1260
F^{17} and F^{20} β decay, Calvin Wong—529(A)
F^{18} energy levels from α-particle reactions in N, N. P. Heydenburg and G. M. Temmer—89
Formation of long-lived Bi^{210} isomer, D. J. Hughes and H. Palevsky—1206
Ga^{66} decay, L. G. Mann, W. E. Meyerhof, and H. I. West, Jr.—1481
Ga^{67} decay, W. E. Meyerhof, L. G. Mann, and H. I. West, Jr.—540(A); 758
γ-γ angular correlation in Pd^{106}, E. D. Klema and F. K. McGowan—1469

Nuclear Spectra (Continued)
γ-γ directional correlation experiments with Mo^{93m}, J. J. Kraushaar—318
γ radiation from neutron excitation of Zr and Hf, C. W. Malich and C. E. Faneuff—1095(A)
$_{64}Gd^{160}$ (18-hr) and $_{64}Gd^{161}$ (3.7-min) radiations, W. C. Jordan, J. M. Cork, and S. B. Burson—315
Ge^{73} metastable states, Joan P. Welker, A. W. Schardt, G. Friedlander, and J. J. Howland, Jr.—401
Hf isotopes, energy levels, D. J. Hughes, W. Y. Kato, and J. S. Levin—1094(A)
Influence of electric and magnetic fields on angular correlations, A. Abragam and R. V. Pound—943
Interaction of electric field gradients and nuclear electric quadrupole moments in angular correlation, Rolf M. Steffen—849(A)
Internal conversion and directional angular correlation of Bi^{207} γ's, F. K. McGowan and E. C. Campbell—523(L)
Internal conversion electron-γ directional angular correlation of Bi^{207}, F. K. McGowan—524(L)
Internal conversion electrons from Coulomb-excited Ta and W, Torben Huus and Jørgen H. Bjerregaard—1579(L)
Isomeric transition of Pb^{207} as energy standard in β spectroscopy, David E. Alburger—1257
K-Auger electrons, positrons, and conversion electrons of Zn^{65} above 5 kev, J. F. Perkins and S. K. Haynes—687
Large NaI scintillation counter study of neutron capture γ rays from H, Bernard Hamermesh and Richard J. Culp—211(L)
Li^7 and F^{19} excitation levels by betatron irradiation, J. Goldemberg and L. Katz—852(A)
Lifetime measurements for first excited states of O^{17} and B^{10} from recoil studies, Jacques Thirion and Valentine L. Telegdi—1253
Long-lived activity in neutron-irradiated Nb, David L. Douglas, Anita C. Mewherter, and Robert P. Schuman—369; 1095(A)
Low-lying many-particle levels in odd-mass nuclides with 21, 23, 25, or 27 protons or neutrons, R. H. Nussbaum, R. van Lieshout, and A. H. Wapstra—207(L)
Method for determination of end-point energy of β emitters, M. Forro—931
Na^{22} K capture, R. H. Miller and R. Sherr—848(A)
New first excited state of even-even nucleus Kr^{80}, Gertrude Scharff-Goldhaber and Michael McKeown—1094(A)
1.25-min Rb^{82m} daughter of 27-day Sr^{82}, L. M. Litz, S. A. Ring, and W. R. Balkwell—288
P^{29} total disintegration energy, Hilliard Roderick and Calvin Wong—204(L)
Pb^{206} isomerism, D. E. Alburger and M. H. L. Pryce—514(L)
Possible $0 \rightarrow 0$ (no) β transitions in $4n+2$ nuclei, O. Kofoed-Hansen—1075(L)
RaD β spectrum, E. Huster—1076(L)
Radionuclides of As produced by deuteron bombardment of Ge, H. J. Watters and J. F. Fagan, Jr.—1248
Rh^{106} decay, Bernd Kahn and W. S. Lyon—902
S^{35} β spectrum from $C_2H_5S^{35}H$ below 33 kev, G. J. Plain, H. L. Morrison, P. H. Pitkanen, and F. T. Rogers, Jr.—529(A)
Scintillation spectrometer determination of L-capture to K-capture ratio in Cd^{109} and I^{125}, E. der Mateosian—938
Sequence of γ emission in triple correlations, E. J. Hellund and J. M. Jauch—203(L)
7.68-Mev state in C^{13}, D. N. F. Dunbar, R. E. Pixley, W. A. Wenzel, and W. Whaling—649
Sm^{146} α activity detected with nuclear emulsions, Dean C. Dunlavey and Glenn T. Seaborg—206(L)
Sm^{153}, Robert Katz and Milford R. Lee—848(A)
Spin-orbit coupling energy in O^{17}, Robert K. Adair—1491
Ta^{183} decay, J. W. M. DuMond, H. C. Hoyt, P. E. Marmier, and J. J. Murray—202(L)
Tc^{98}, John K. Lerohl, M. L. Pool, D. N. Kundu, and R. A. House—934
Th energy levels, D. J. Hughes, W. Y. Kato, and J. S. Levin—851(A)
Theorem concerning angular correlations, J. Weneser and D. R. Hamilton—321
Theory of polarized particles and γ rays in nuclear reactions, Albert Simon—1050
Ti^{48} energy level from decay of Sc^{48} and V^{48}, H. Casson, L. S. Goodman, and V. E. Krohn—1517
Time-dependent quadrupole interaction in angular correlation of nuclear radiation. I. Cd^{111}, P. B. Hemmig and R. M. Steffen—832(L)
Tl neutron-deficient isotopes, I. Bergström, R. D. Hill, and G. DePasquali—918; Ingmar Bergström and R. D. Hill—849(A)
Universal Fermi interaction, E. J. Konopinski and H. M. Mahmoud—1045
Upper limits on neutrino mass from T β spectrum, Donald R. Hamilton, W. Parker Alford, and Leonard Gross—1521
W^{181}, J. M. Cork, W. H. Nester, J. M. LeBlanc, and M. K. Brice—119
0^+ states of light odd-odd nuclei, P. Stähelin—1076(L)
Zn^{68} electron and positron spectrum above 5 kev, J. F. Perkins and S. K. Haynes—1096(A)

Nuclear Structure Theory (see also **Nuclear Reactions; Nuclear Spectra**)
Angular distributions from (n,p) nuclear reactions, N. Austern, S. T. Butler, and H. McManus—350
Applications of Wigner semi-empirical mass formula to isobars, J. T. McCarthy—848(A)
Contribution of collective motion to magnetic moments of heavy nuclei, Kenneth W. Ford—1094(A)
Coupling of angular momenta in nuclear reactions, R. F. Christy—529(A)
Evidence for subshell at $Z=96$, Glenn T. Seaborg—1074(L)
Giant nuclear dipole resonance, M. Ferentz, M. Gell-Mann, and D. Pines—836(L)
High-energy electron scattering and nuclear structure determinations, R. Hofstadter, H. R. Fechter, and J. A. McIntyre—978
Intermediate coupling and nuclear reactions, A. M. Lane—839(L)
Interpretation of electron scattering experiments, L. I. Schiff—988
Mixed configurations in nuclei, A. de-Shalit and M. Goldhaber—1211
μ meson as nuclear probe particle, John A. Wheeler—812
μ-mesonic atoms and electromagnetic radius of nucleus, L. N. Cooper and E. M. Henley—801
Nuclear radii, Francis Bitter and Herman Feshbach—837(L)
Nuclear scattering of high-energy neutrons, T. B. Taylor—831(L)
Nuclear stability curve, W. G. McMillan—210(L)
Nuclear surface oscillations, A. K. Kerman—1176
Three-body nuclear interactions in H^3 and He^3, A. W. Solbrig, Jr.—855(A)
X-rays from μ-mesonic atoms, Val L. Fitch and L. J. Rainwater—789
0^+ states of light odd-odd nuclei, P. Stähelin—1076(L)

Optical Instruments (see **Methods and Instruments**)
Optical Properties (see also **Luminescence**)
Absorption cross sections of CH_4 in vacuum uv, G. L. Weissler and H. Sun—533(A)

Bleaching properties of *F* centers in KBr at 5°K, Jordan J. Markham, Reuel T. Platt, Jr., and Irving L. Mador —597
Čerenkov radiation in dispersive medium, H. Motz and L. I. Schiff—540(A)
Characteristics of certain photographic plates in vacuum uv, Po Lee and G. L. Weissler—545(A)
Color-center formation in alkali halides containing $S^=$, E. Burstein and B. W. Henvis—845(A)
Faraday rotation in Ge, H. Suhl and G. L. Pearson—858(A)
Long wavelength edge of photographic sensitivity and of electronic absorption of solids, Franz Urbach—1324(L)
Ne and A absorption in extreme uv, Po Lee and G. L. Weissler—533(A)
Observation of magnetic domains by longitudinal Kerr effect, C. A. Fowler, Jr., and E. M. Fryer—532(A)
Optical absorption and photoconduction in visible and near infrared in single crystals of BaO, William C. Dash —68
Optical effects of radiation damage in alkali halides, Donald R. Westervelt—531(A)
Oxygen vacancies in BaO, R. L. Sproull, R. S. Bever, and G. Libowitz—77
Solid state absorption spectra of Mg and MgO, John R. Townsend—556
Some electrical and optical properties of synthetic single crystals of ZnS, William W. Piper—23

Pair Production (see **Electrons and Positrons**)
Phosphors and Phosphorescence (see **Luminescence**)
Photoconductivity (see **Electrical Conductivity and Resistance, Optical Properties**)
Photodisintegration (see **Nuclear Photoeffects**)
Photoelasticity (see **Elasticity and Plasticity**)
Photoelectric Effect (see **Electrical Properties**)
Photography and Photographic Emulsions (see **Methods and Instruments**)
Photometry (see **Methods and Instruments**)
Photons (see **Radiation**)
Photovoltaic Effect (see **Electrical Properties**)
Piezoelectric Effect (see **Dielectrics and Dielectric Properties**)
Plasticity (see **Elasticity and Plasticity**)
Polarization, Electrical (see **Dielectrics and Dielectric Properties**)
Polymers (see **Molecular Aggregates**)
Positrons (see **Electrons and Positrons**)
Probability (see **Mathematical Methods**)
Proceedings of the American Physical Society
Inyokern-Pasadena Meeting at U. S. Naval Ordnance Test Station, Inyokern, California and the California Institute of Technology, Pasadena, California, December 26, 27, 29, and 30, 1952 [Bull. Am. Phys. Soc. **27**, No. 6 (1952)] —526
Spring Meeting of the New York State Section at the General Electric Research Laboratory, Schenectady, New York, April 10 and 11, 1953—841
Rochester Meeting at the University of Rochester, Rochester, New York, June 18–20, 1953 [Bull. Am. Phys. Soc. **28**, No. 4 (1953)]—839
New Mexico Meeting at the University of New Mexico, Albuquerque, New Mexico, September 2–5, 1953 [Bull. Am. Phys. Soc. **28**, No. 5 (1953)]—1078
Protons (see **Elementary Particle Interactions**)

Quantum Electrodynamics (see also **Field Theory**)
Bound-state corrections in two-body system, Thomas Fulton and Robert Karplus—1094(A)
Coupled-field Green's functions, J. G. Valatin—522(L)
Electromagnetic effects in two-nucleon systems, Stanley Deser—1542
Hfs of hydrogen, R. Arnowitt—1002
Radiative correction to collision loss of heavy particles, V. Z. Jankus—540(A)
Relativistic correction to Lamb shift, M. Baranger, H. A. Bethe, and R. P. Feynman—482
Second-order electron self-energy, H. P. Stapp—540(A)
Theory of quantized fields, Julian Schwinger—1283
Quantum Mechanics
Augmented plane wave method for periodic potential problem, J. C. Slater—603; H. M. M. Saffren and J. C. Slater—1126
Binary rearrangement collision, Saul Altshuler—1157
Description of quantum states through distributions of observable values, Norbert Wiener and Armand Siegel —856(A)
Eigenfunctions of S^2 by spin operator method, George W. Pratt, Jr.—278
Inertia as consequence of wave properties, Richard Schlegel —856(A)
Reduction of relativistic two-particle wave equations to approximate forms, Zeno Chraplyvy—1310
Reformulation of solid-state electronic Boltzmann equation, J. S. Lomont—1082(A)
Space-time representation in wave mechanics, E. J. Hellund and M. K. Brachman—822
Use of non-orthogonal wave functions in treatment of solids, with applications to ferromagnetism, W. J. Carr, Jr.—28
Virial theorem for Dirac's equation, N. H. March—481
Quenching of Radiation (see **Radiation**)

Radar (see **Methods and Instruments; Radiation**)
Radiation
Absorption cross sections of CH_4 in vacuum uv, G. L. Weissler and H. Sun—533(A)
Automatic recording of zodiacal light, Victor H. Regener—1093(A)
Bremsstrahlung and electron scattering cross sections in Au for 247-Mev electrons and positrons, Philip C. Fisher —420; 853(A)
Čerenkov effect and dielectric constant, S. M. Neamtan —1362
Čerenkov effect at microwave frequencies, M. Danos, S. Geschwind, H. Lashinsky, and A. van Trier—828(L)
Čerenkov radiation in dispersive medium, H. Motz and L. I. Schiff—540(A)
Compton scattering of 2.62-Mev γ rays by polarized electrons, S. B. Gunst and L. A. Page—970
Contribution of solar x-rays to *E*-layer ionization, E. T. Byram, T. A. Chubb, and H. Friedman—1066(L)
Degradation of γ rays in water, M. M. Weiss and W. Bernstein—1264
Focusing of short electromagnetic waves by means of Fresnel half-period zone plate, H. George Oltman—1093(A)
γ-ray absorption measurements, P. R. Howland, W. E. Kreger, and R. A. Taylor—1095(A)
Height of upper atmosphere emissions by Van Rhŷn method, F. E. Roach, Helen B. Pettit, D. R. Williams, and P. St. Amand—534(A)
Large-angle scattering of Co^{60} γ rays, Thomas D. Strickler —923
"Lloyd mirror" interference in presence of slight uniform refraction, R. W. Stewart—1087(A)
Measurement of light scattered from search-light beam, E. V. Ashburn—534(A)
Multicolor photoelectric photometer for study of faint radiations, D. R. Williams and Pierre St. Amand—533(A)
Multiple-beam fringes of equal chromatic order, W. F. Koehler—542(A)
Ne and A absorption in extreme uv, Po Lee and G. L. Weissler—533(A)

Radiation (Continued)
Penetration of gamma radiation through Fe, L. A. Beach, R. B. Theus, and W. R. Faust—355
Possible relationship between ionosphere and nightglow, Pierre St. Amand and D. R. Williams—534(A)
Procedure for evaluation of automatic zodiacal light recordings, Richard J. Runge—1093(A)
Quenching of Hg resonance radiation (2537A) by N_2, C. G. Matland—637
Rf fine structure of photon beam from Berkeley synchrotron, Richard Madey, Kenneth C. Bandtel, and Wilson J. Frank—537(A)
Visible light from localized surface charges moving across grating, S. J. Smith and E. M. Purcell—1069(L)
Wave-synthesizing light chopper, W. Wallin—543(A)
Radio Waves (see **Radiation**)
Radioactivity (see also **Nuclear Spectra**)
Am^{243} half-life, Herbert Diamond, Paul R. Fields, Joseph Mech, Mark G. Inghram, and David C. Hess—1490
$Cm^{242, 243, 244}$ α spectra, Frank Asaro, S. G. Thompson, and I. Perlman—694
Complex α spectra of radiothorium (Th^{228}) and thorium-X (Ra^{224}) Frank Asaro, Frank Stephens, Jr., and I. Perlman—1495
Er^{163} and Tm^{168}, Thomas H. Handley and Elmer L. Olson—1260
Evidence for subshell at $Z=96$, Glenn T. Seaborg—1074(L)
Formation of long-lived Bi^{210} isomer, D. J. Hughes and H. Palevsky—1206
Lifetime measurements for first excited states of O^{17} and B^{10} from recoil studies, Jacques Thirion and Valentine L. Telegdi—1253
Liquid scintillation counting of natural C^{14}, F. N. Hayes, D. L. Williams, and Betty Rogers—512(L)
Long-lived activity in neutron-irradiated Nb, David L. Douglas, Anita C. Mewherter, and Robert P. Schuman—369; 1095(A)
Method for determination of end-point energy of β emitters, M. Forro—931
1.25-min Rb^{93m} daughter of 27-day Sr^{93}, L. M. Litz, S. A. Ring, and W. R. Balkwell—288
Po^{210} half-life by α counting, Mary Lou Curtis—1489
Radionuclides of As produced by deuteron bombardment of Ge, H. J. Watters and J. F. Fagan, Jr.—1248
Sm^{146} α activity detected with nuclear emulsions, Dean C. Dunlavey and Glenn T. Seaborg—206(L)
Variation of natural radioactivity in atmosphere with altitude, Marvin H. Wilkening—1080(A)
Zr half-life, Earl K. Hyde—927
Raman Spectra (see **Molecular Structure and Spectra**)
Range and Energy Loss of Particles (see also **Scattering**)
Degradation and range straggling of high-energy radiations, U. Fano—328
Effects of chemical structure on stopping powers for high-energy protons, T. J. Thompson—1083(A)
Energy loss of low-energy protons and deuterons in gases, H. K. Reynolds, D. N. F. Dunbar, W. A. Wenzel, and W. Whaling—528(A)
Energy loss of moving electrons to dipolar relaxation, H. Fröhlich and R. L. Platzman—1152
Ionization loss at relativistic velocities in nuclear emulsion, Bertram Stiller and Maurice M. Shapiro—735
Ionization loss in nuclear emulsions, John R. Fleming and J. J. Lord—511(L); 1089(A)
Ionization of relativistic cosmic-ray μ mesons, H. R. Snodgrass—1089(A)
Proton stopping cross section of Li, M. Bader, W. A. Wenzel, and W. Whaling—1085(A)
Radiative correction to collision loss of heavy particles, V. Z. Jankus—540(A)
Stopping cross section of gases for protons, 30–600 kev, H. K. Reynolds, D. N. F. Dunbar, W. A. Wenzel, and W. Whaling—742
Stopping cross section of several gases for protons and deuterons, D. N. F. Dunbar, H. K. Reynolds, W. A. Wenzel, and W. Whaling—528(A)
Total ionization of α particles of Po in mixtures of gases, G. Bertolini, M. Bettoni, and A. Bisi—1586(L)
Recombination (see **Molecular Structure and Spectra**)
Rectifiers (see **Electrical Conductivity and Resistance; Semiconductors**)
Relativity and Gravitation
Equations of motion in Einstein's new unified field theory, Joseph Callaway—1567
Expectations from unified field theory, Behram Kurşunoğlu—506(L)
Nonsymmetric unified field theories, W. B. Bonnor—1067(L)
Physical basis of gravitation, Robert L. Kirkwood—1557
Relativistic particle dynamics, B. Bakamjian and L. H. Thomas—1300
Resistance, Electrical (see **Electrical Conductivity and Resistance**)
Resonance Radiation (see **Radiation**)
Scattering, General (see also **Diffraction; Nuclear Reactions; Range and Energy Loss of Particles**)
Binary rearrangement collision, Saul Altshuler—1157
Elastic scattering of particles by atomic nuclei, N. C. Francis and K. M. Watson—291
Formulation of Kohn-Hulthén variational principle in terms of scattering operator formalism, Harry E. Moses—817
Implications of Lorentz invariance for scattering of spin $\frac{1}{2}$ particles, David Feldman—856(A)
Interchange of rotational and vibrational energy in collisions of diatomic molecules, Edward H. Kerner—899
Two-body scattering at low energy, Benjamin Roth—1250
Use of tensor operators in nuclear collision problems, Lincoln Wolfenstein—123
Scattering of α Particles
α-α scattering from 12.88 to 21.62 Mev, F. E. Steigert and M. B. Sampson—660
Preliminary results with Indiana heavy particle spectrometer, V. K. Rasmussen, D. W. Miller, B. M. Carmichael, and M. B. Sampson—852(A)
Scattering of Atoms and Molecules (see **Atomic and Molecular Beams**)
Scattering of Deuterons
Inelastic scattering of protons and deuterons from B^{10} and N^{14}, C. K. Bockelman, C. P. Browne, W. W. Buechner, and A. Sperduto—665
Scattering of deuterons in He, T. Lauritsen, T. Huus, and S. G. Nilsson—1501
Scattering of Electrons and Positrons
Bremsstrahlung and electron scattering cross sections in Au for 247-Mev electrons and positrons, Philip C. Fisher—420; 853(A)
Dissociation of H_2^+ by electron impact, Edward H. Kerner—1441
Electron-positron scattering, H. A. Howe and K. R. MacKenzie—530(A)
Generalized variational equations for scattering of electrons by H atoms, M. M. Gordon and J. G. Jones—1428
High-energy electron scattering and nuclear structure determinations, R. Hofstadter, H. R. Fechter, and J. A. McIntyre—978
High-energy electron scattering by nuclei, R. W. Pidd, C. L. Hammer, and E. C. Raka—436
Interpretation of electron scattering experiments, L. I. Schiff—988

Phase-shift calculation of high-energy electron scattering by nuclei, D. R. Yennie, R. N. Wilson, and D. G. Ravenhall —1325(L)

Scattering of Mesons (see also **Mesons; Nuclear Reactions Induced by Mesons**)

Attenuation cross sections of 37-Mev pions in H, C. E. Angell and J. P. Perry—835(L)

Elastic scattering of 118-Mev negative pions by H, Jay Orear—156

Nuclear forces from P-wave mesons, E. M. Henley and M. A. Ruderman—1036

Phenomenological analysis of meson-nucleon scattering, A. E. Woodruff—855(A)

π^+-p scattering near 260 Mev, W. B. Fowler, R. M. Lea, W. D. Shephard, R. P. Shutt, A. M. Thorndike, and W. L. Whittemore—832(L)

Scattering and absorption of π^+ mesons by Al, J. F. Tracy —537(A)

Scattering of mesons by complex nuclei, W. W. Wada —152

Scattering of negative pions by H, E. Fermi, M. Glicksman, R. Martin, and D. Nagle—161

Signs of phase shifts for pion-proton scattering, S. W. Barnes, C. E. Angell, J. P. Perry, D. Miller, J. Ring, and D. Nelson—1327(L)

Solutions of meson-nucleon equation in adiabatic limit, R. Arnowitt and S. Deser—1061(L)

Strong-coupling theory of meson scattering, Allan N. Kaufman—468

Total π^--p cross section at 840 and 470 Mev, A. M. Shapiro, C. P. Leavitt, and F. F. Chen—1073(L)

Scattering of Neutrons

Angular distribution of neutrons scattered from Al, Fe, and Pb, W. D. Whitehead and S. C. Snowdon—114; 1097(A)

Cross sections for production of In^{115m} and Au^{197m} by inelastic scattering of neutrons, H. C. Martin, B. C. Diven, and R. F. Taschek—1096(A)

Elastic scattering of fast neutrons by He^4, John D. Seagrave—1222

Elastic scattering of protons and neutrons by deuterons at high energy, J. L. Gammel—1092(A)

High-pressure cloud-chamber investigation of protons scattered by 300-Mev neutrons, John DePangher—1084(A)

Inelastic neutron scattering in Al, Fe, Mg, and Cu, Richard E. Garrett, Frank L. Hereford, and Billy W. Sloope—1507

Inelastic scattering of fast neutrons in C and Pb, B. G. Whitmore—654

Inelastic scattering of protons and neutrons by deuterons, R. M. Frank and J. L. Gammel—1092(A)

Magnetic inelastic scattering of slow neutrons, H. Palevsky and D. J. Hughes—202(L)

Magnetic scattering of neutrons from rare earth ions, G. T. Trammell—1387

Neutron absorption and scattering by Hf, L. M. Bollinger, S. P. Harris, C. T. Hibdon, and C. O. Muehlhause—1527

n-p scattering near 180° at 93 Mev, W. Selove, K. Strauch, and F. Titus—724

Nuclear scattering of high-energy neutrons, T. B. Taylor —831(L)

Nuclear scattering of "300" Mev neutrons, W. P. Ball, Burton J. Moyer, and Robert E. Richardson—539(A)

Paramagnetic scattering of neutrons by rare earth oxides, W. C. Koehler and E. O. Wollan—1380

Resonant effects and spin-dependence in potential scattering of slow neutrons, W. Selove—941

Scattering of fast neutrons by Fe, Pb, and Cr, M. A. Rothman, D. W. Kent, and C. E. Mandeville—1097(A)

Scattering of fast neutrons by He^4, John D. Seagrave—1093(A)

Spin-orbit coupling energy in O^{17}, Robert K. Adair—1491

Structure of liquid N_2, O_2, and A by neutron diffraction, D. G. Henshaw, D. G. Hurst, and N. K. Pope—1229

Transport mean free path of thermal neutrons in heavy water, S. W. Kash and D. C. Woods—544(A)

Scattering of Protons

Apparatus for double scattering of 240-Mev protons, W. F. Cartwright, C. L. Oxley, J. Rouvina, E. Baskir, D. Klein, J. Ring, and W. A. Skillman—852(A)

Differential p-p elastic scattering cross section at 144, 271, and 429 Mev, J. Marshall, L. Marshall, and V. A. Nedzel—834(L)

Elastic scattering of protons and neutrons by deuterons at high energy, J. L. Gammel—1092(A)

Elastic scattering of protons by C^{12} and C^{13}, Edmund A. Milne—528(A)

Elastic scattering of protons by Li^7, William D. Warters —528(A)

Elastic scattering of protons by N^{14}, T. S. Webb, C. W. Li, and W. A. Fowler—1084(A)

Energy levels in N^{14} from scattering of protons by C^{13}, Edmund A. Milne—1085(A)

Inelastic scattering of protons and deuterons from B^{10} and N^{14}, C. K. Bockelman, C. P. Browne, W. W. Buechner, and A. Sperduto—665

Inelastic scattering of protons and neutrons by deuterons, R. M. Frank and J. L. Gammel—1092(A)

Phase-shift analysis of high-energy p-p scattering experiments, A. Garren—213(L); erratum—1588(E)

Pick-up process in proton-deuteron scattering, A. Bratenahl and B. J. Moyer—538(A)

p-p scattering for nucleon isobar model, F. T. Solmitz—164

Reactions and scattering of protons on Li^7, D. A. Liberman and R. F. Christy—1085(A)

Scattering of 9.5-Mev protons by C and O, W. E. Burcham, W. M. Gibson, A. Hossain, and J. Rotblat—1266

Small-angle cross sections for scattering of protons by tritons, M. E. Ennis and A. Hemmendinger—1092(A)

Scattering of Radiation (see **Radiation; X-rays**)

Scintillation Counters (see **Methods and Instruments**)

Secondary Emission (see **Electrical Properties**)

Semiconductors

Annealing of bombardment damage in diamond-type lattice: theoretical, R. C. Fletcher and W. L. Brown—585

Annealing of bombardment damage in Ge: Experimental, W. L. Brown, R. C. Fletcher, and K. A. Wright—591

Charge multiplication in Ge and Si p-n junctions, K. B. McAfee and K. B. McKay—858(A)

Cleavage surfaces in Ge crystals, C. J. Calbick, H. Christensen, and E. E. Thomas—1082(A); H. Christensen, C. J. Calbick, and E. E. Thomas—1082(A)

Conductivity of Ge at 2.4×10^{10} cps, Y. Klinger—509(L)

Crystal growth of Si by tip fusion process, P. H. Keck, S. B. Levin, J. Broder, and R. Liberman—847(A)

Crystal habit of Si and Ge, G. Wolff—847(A)

Current-voltage characteristics of CdS crystals using ohmic contacts, R. W. Smith and A. Rose—857(A)

Cyclotron resonance in Ge crystals, G. Dresselhaus, A. F. Kip, and C. Kittel—827(L)

Diffusion of Li into Ge and Si, C. S. Fuller and J. A. Ditzenberger—846(A)

Drift mobilities in semiconductors. I. Ge, M. B. Prince—681

Effect of traps on carrier injection in semiconductors, H. Y. Fan—1424

Efficiency of conversion from light to electric power by Ge grown junction, Ralph P. Ruth and James W. Moyer —846(A)

Semiconductors (Continued)
Electrical properties of black phosphorus, Robert W. Keyes—580
Etch pits in plastically-deformed Ge, C. J. Gallagher—846(A)
Faraday rotation in Ge, H. Suhl and G. L. Pearson—858(A)
Floating zone recrystallization, P. H. Keck, W. VanHorn, J. Soled, and A. MacDonald—847(A)
Interpretation of Hall effect and resistivity data in PbS and similar binary compound semiconductors, Wayne W. Scanlon—1573(L)
Magnetic susceptibility of Ge, D. K. Stevens and J. H. Crawford, Jr.—1065(L)
Mobility of impurity ions in Ge and Si, J. C. Severiens and C. S. Fuller—1322(L)
Possible degeneracy of energy bands in Ge, Edward N. Adams, II—1063(L)
Production of acceptor centers in Ge and Si by plastic deformation, W. C. Ellis and E. S. Greiner—1061(L)
Seebeck effect in Ge, T. H. Geballe—857(A)
Si and Ge dielectric constants, W. C. Dunlap, Jr., and R. L. Watters—1396
Theory of ac space-charge polarization effects in photoconductors, semiconductors, and electrolytes, J. Ross Macdonald—4
Theory of low-temperature "breakdown" effect in Ge, N. Sclar, E. Burstein, and J. W. Davisson—858(A)
Thermoelectric power in semiconductors with applications to Ge, theory, V. A. Johnson and K. Lark-Horovitz—226
Thermoelectric power of Ge at temperatures above 78°K, A. E. Middleton and W. W. Scanlon—219
Thermoelectric power of Ge below room temperature, H. P. R. Frederikse—248
Thermoelectric power of semiconductors, Conyers Herring—857(A)
Shock Waves (see **Fluid Dynamics**)
Solid State (see **Crystalline State**)
Solutions (see **Liquids**)
Sound (see **Acoustics**)
Spallation (see **Nuclear Reactions**)
Spark Discharge (see **Electrical Discharges**)
Specific Heat (see **Thermal Properties**)
Spectra, Atomic (see **Atomic Structure and Spectra**)
Spectra, General
Flame zone spectroscopy of solid propellants, R. G. Rekers and D. S. Villars—534(A)
Theory of fine structure pressure broadening of spectral lines, Makoto Takeo and Shang-Yi Ch'en—850(A)
Spectra, Molecular (see **Molecular Structure and Spectra**)
Spectra, Nuclear (see **Nuclear Spectra**)
Spectroscopy Technique (see **Methods and Instruments**)
Spinor Fields (see **Field Theory**)
Standards (see **Constants, Standards, Units**)
Stark Effect (see **Atomic Structure and Spectra**)
Statistical Mechanics and Thermodynamics
Critical conditions for ice formation on silver iodide nuclei, Robert J. McCarty—1080(A)
Determination of thermodynamic temperatures near 0°K without introducing heat below 1°K, W. F. Giauque—1339
Exchange potential in electron gas at nonzero temperature, N. H. March—510(L)
Grand canonical ensembles, Laplace transform, and Darwin-Fowler contour integrals, Peter G. Bergmann and Ezra Newman—856(A)
Imperfect gas, T. H. Berlin, L. Witten, and H. A. Gersch—189
Irreversible thermodynamics of thermoelectric effects in inhomogeneous, anisotropic media, Charles A. Domenicali—877
Law of equilibrium between coexisting phases, George Antonoff—542(A)
Liquid He II: Bose-Einstein condensation and two-fluid model, P. R. Zilsel—1106
Statistical Methods (see **Mathematical Methods**)
Superconductivity
Atomic heat and critical magnetic field of superconducting Cd, J. R. Clement—1578(L)
Intermediate state of hollow superconducting tin cylinder, J. Gittleman—561
Search for Hall effect in superconductor. I. Experiment, H. W. Lewis—1149
Sn-Bi and Sn-Sb alloys, W. F. Love—238
Superconducting and normal heat capacities of Nb, A. Brown, M. W. Zemansky, and H. A. Boorse—52
Tc superconductivity, J. G. Daunt and J. W. Cobble—507(L)
Ti superconductivity, M. C. Steele and R. A. Hein—243
Transition into intermediate state of hollow superconducting cylinders, B. Serin, J. Gittleman, and E. A. Lynton—566
Transition temperatures of superconductors, B. T. Matthias—874
Supersonics (see **Fluid Dynamics**)

Thermal Conductivity (see **Thermal Properties**)
Thermal Diffusion (see **Diffusion**)
Thermal Expansion (see **Thermal Properties**)
Thermal Properties
Atomic heat and critical magnetic field of superconducting Cd, J. R. Clement—1578(L)
Atomic heat of In below 20°K, J. R. Clement and E. H. Quinnell—258
Persistent residues from ice particles, Mary Goulks Gourley and W. D. Crozier—526(A)
Specific heat of He^3 between 1.3°K and 2.3°K, G. de Vries and J. G. Daunt—1572(L)
Specific heats of alkali metals, H. Preston-Thomas, T. M. Dauphinee, and D. K. C. MacDonald—844(A)
Superconducting and normal heat capacities of Nb, A. Brown, M. W. Zemansky, and H. A. Boorse—52
Thermal conductivity of Cu between 0.25°K and 4.2°K, James Nicol and T. P. Tseng—1062(L)
Thermal microstructure in ocean, W. N. English—1087(A)
Vibrational spectrum and specific heat of Na, Ernest Bauer—58
Thermal Radiation (see **Radiation**)
Thermionic Emission (see **Electrical Properties**)
Thermodynamics (see **Statistical Mechanics and Thermodynamics**)
Thermoelectric Effect (see **Electrical Properties**)
Thermoluminescence (see **Luminescence**)
Thermomagnetic Effect (see **Magnetic Properties**)
Total Cross Sections (see **Electrons and Positrons; Nuclear Reactions**)
Transmutation (see **Nuclear Reactions**)

Uncertainty Principle (see **Quantum Mechanics**)
Units (see **Constants, Standards, Units**)

Vacuum Tubes (see **Methods and Instruments**)
Van der Waals Forces (see **Molecular Structure and Spectra**)
Viscosity (see **Liquids**)

Wave Mechanics (see **Quantum Mechanics**)
Work Function (see **Electrical Properties**)

X-Rays

Electronic excitation of L_{III} state of $5d$ elements, Guenter Schwarz and George L. Rogosa—88

Mo K and U L x-ray transitions from separated isotopes, George L. Rogosa and Guenter Schwarz—1434

Precision measurement at 24 500 volts of conversion constant λV, Gaelen L. Felt, John N. Harris, and Jesse W. M. DuMond—1160

Recording of x-ray diffraction patterns by scintillation counter, J. C. M. Brentano and I. Ladany—850(A)

Scanning x-ray microscope, Howard H. Pattee, Jr.—541(A)

Spectral distributions of filtered x-ray beams, W. J. Ramm and M. N. Stein—1081(A)

Theoretical and experimental intensities of soft continuous x-rays, R. W. Hendrick, Jr.—541(A)

X-ray absorption fine structure with polarized x-rays, R. Krogstad, W. Nelson, and S. T. Stephenson—1394

X-rays from μ-mesonic atoms, Val L. Fitch and L. J. Rainwater—789